

[Manuals.plus](#) /

› [LUXE Bidet](#) /

› LUXE Bidet NEO 185 Plus Instruction Manual

LUXE Bidet NeoPlus185sww

LUXE Bidet NEO 185 Plus Instruction Manual

Model: NeoPlus185sww

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your LUXE Bidet NEO 185 Plus. Please read this manual thoroughly before operating the bidet to ensure proper usage and to prevent any concerns about the product.



Image: LUXE Bidet NEO 185 Plus attached to a toilet, showcasing its compact design and control panel.

2. PACKAGE CONTENTS

Verify that all components are present in your package:

- NEO 185 Plus Bidet Attachment
- Metal Braided Hose
- T-Adapter
- Toilet Seat Bumpers (U-shaped adjustment plates)
- Installation Wrench
- Owner's Manual

Everything You Need

All parts included




Image: All components of the LUXE Bidet NEO 185 Plus package laid out, including the bidet attachment, hoses, T-adapter, wrench, and manual.

3. SETUP AND INSTALLATION

The LUXE Bidet NEO 185 Plus features a patented slide-in installation design for quick and easy setup without removing the entire toilet seat. No electricity or plumber is typically needed.

3.1 Pre-Installation Checks

- Ensure your toilet's water supply can be turned off.
- Confirm you have a flexible hose connecting your toilet to the water supply.
- Have a bucket or towel ready to catch any drips during installation.
- Verify the bolts securing your toilet seat lid are long enough to accommodate the additional height of the bidet attachment. Longer bolts may be required for some toilet seats.
- If space between your toilet and the wall is limited, attach the hoses to the bidet first, then install the bidet

attachment.

3.2 Attaching the Bidet

1. Turn off the water supply to your toilet.
2. Flush the toilet to drain the tank.
3. Loosen the bolts that secure your toilet seat to the toilet bowl.
4. Slide the NEO 185 Plus bidet attachment under your existing toilet seat, aligning the adjustable plates with the toilet seat bolts.
5. Tighten the toilet seat bolts to secure the bidet attachment and toilet seat.

Easy 10 minute DIY Install



Non-Electric



**No plumber
needed**



**Compatible with
most toilets**

Image: Diagram illustrating the easy 10-minute DIY installation process, highlighting its non-electric nature and compatibility with most toilets.

3.3 Connecting Water Supply

1. Disconnect the existing water supply hose from the toilet tank.
2. Install the T-adaptor onto the toilet tank's fill valve.

3. Connect the existing water supply hose to the bottom of the T-adapter.
4. Connect the provided metal braided bidet hose from the T-adapter to the bidet attachment's water inlet.
5. Slowly turn the water supply back on and check for any leaks. Tighten connections if necessary.

4. OPERATING INSTRUCTIONS

The NEO 185 Plus features dual nozzles and intuitive controls for a personalized cleaning experience.

4.1 Control Panel Overview

- **Top Knob:** Function Selector (Wash, Feminine, Nozzle Clean)
- **Bottom Knob:** Water Pressure Control (Off to Max)

NEO[®]185^{plus}

The smarter, more hygienic choice



Image: Visual representation of the bidet's functions: Feminine Wash, Rear Wash, and Self-Clean Mode.

4.2 Using the Wash Functions

1. Sit on the toilet seat.
2. Turn the top knob to either "Wash" (for rear cleaning) or "Feminine" (for frontal cleaning).
3. Slowly turn the bottom knob to increase water pressure to your desired comfort level.
4. Once cleaning is complete, turn the bottom knob to "Off" to stop the water flow.

4.3 Self-Cleaning Mode


The NEO 185 Plus features an advanced 360° Self-Clean™ mode for panoramic cleaning of both the guard gate and nozzles.

1. Turn the top knob to "Nozzle Clean".
2. Slowly turn the bottom knob to activate the self-cleaning water flow.
3. Allow the nozzles and guard gate to rinse thoroughly.
4. Turn the bottom knob to "Off" when finished.

Hygienic Features



Adjustable Water Pressure



**Retractable
Nozzle**

**Protective
Guard Gate**

**360°
Self-Clean®**

Image: Close-up of the bidet's hygienic features, including retractable nozzles, a protective guard gate, and the 360° self-clean function.

5. MAINTENANCE

Regular cleaning ensures optimal hygiene and longevity of your bidet.

5.1 EZ-Lift™ Hinge Design

The patented EZ-Lift™ Hinges allow the bidet to flip up and out of the way, making it easy to clean hard-to-reach spots between the toilet and the bidet without complete removal.



Image: Demonstration of the EZ-Lift Hinge Design, allowing the bidet to be lifted for easy cleaning underneath.

5.2 Nozzle Cleaning

The sleek, cap-less nozzles are designed for easier cleaning and to prevent deposits and mold build-up. Use the "Nozzle Clean" function as described in section 4.3 for regular maintenance. For deeper cleaning, gently wipe the nozzles with a soft cloth and mild soap.

6. SPECIFICATIONS

Feature	Detail
Manufacturer	LUXE Bidet
Model Number	NeoPlus185sww
Item Weight	2.07 pounds
Product Dimensions	17.7 x 7 x 0.99 inches
Color	White
Material	Stainless Steel
Included Components	NEO 185 Plus Bidet Attachment
Batteries Required	No

7. WARRANTY & SUPPORT

All LUXE Bidet NEO Plus bidets include an 18-month manufacturer’s warranty. This warranty can be extended to 2 years by registering your product on the LUXE Bidet website.

For product registration, support, or any questions, please visit the official LUXE Bidet website or contact their customer care team.

8. PRODUCT VIDEO OVERVIEW

Watch this official product video for a visual guide to the features and benefits of the NEO Plus Series Bidets.

Your browser does not support the video tag.

Video: Feature Spotlight: NEO Plus Series Bidets. This video highlights the key functionalities and design aspects of the bidet.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question