

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Moen](#) /

› [Moen Banbury High Arc Two-Handle Bathroom Faucet Installation and User Manual](#)

Moen BANBURY HI BN

Moen Banbury High Arc Two-Handle Bathroom Faucet

Model: BANBURY HI BN

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Banbury High Arc Two-Handle Bathroom Faucet. Please read all instructions carefully before beginning installation or use to ensure proper function and longevity of your product. Keep this manual for future reference.



Image 1: The Moen Banbury High Arc Two-Handle Bathroom Faucet, showcasing its brushed nickel finish and traditional curve spout design.

SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance of your faucet. If you are unsure about any step, it is recommended to consult a qualified plumber.

Tools and Materials Required:

- Adjustable wrench
- Phillips screwdriver
- Plumber's putty or silicone sealant
- Flashlight (optional)
- Safety glasses

Installation Steps:

1. **Turn off Water Supply:** Locate the hot and cold water supply valves under the sink and turn them off completely. Open the existing faucet to relieve any remaining water pressure.
2. **Remove Old Faucet:** Disconnect the water supply lines from the old faucet. Unscrew the mounting nuts from underneath the sink and remove the old faucet. Clean the sink surface thoroughly.
3. **Prepare New Faucet:** Apply a thin bead of plumber's putty or silicone sealant around the base of the new faucet body.
4. **Install Faucet Body:** Insert the faucet body and handles through the holes in the sink deck. Ensure the faucet is centered and aligned correctly.
5. **Secure Faucet:** From underneath the sink, slide the rubber gasket, washer, and mounting nuts onto the faucet shanks. Hand-tighten the nuts, then use an adjustable wrench to secure them firmly, but do not overtighten.
6. **Connect Water Supply Lines:** Attach the hot and cold water supply lines to the corresponding inlets on the faucet shanks. Connect the other ends of the supply lines to the hot and cold water supply valves. Use an adjustable wrench to tighten all connections, ensuring they are secure but not overtightened.
7. **Test for Leaks:** Slowly turn on the hot and cold water supply valves. Check all connections for leaks. If leaks are present, tighten the connections slightly until they stop.
8. **Flush Faucet:** Remove the aerator from the spout. Turn on both hot and cold water to full flow for one minute to flush out any debris from the lines. Turn off the water, reattach the aerator, and test the faucet operation.



Image 2: The Moen Banbury faucet seamlessly integrated into a modern bathroom vanity setup, demonstrating its deck mount installation.

OPERATING INSTRUCTIONS

Your Moen Banbury faucet features a two-handle design for precise control over water temperature and flow.

- **Cold Water:** Turn the right handle counter-clockwise to activate cold water flow.
- **Hot Water:** Turn the left handle counter-clockwise to activate hot water flow.
- **Temperature Control:** Adjust the hot and cold handles simultaneously to achieve your desired water temperature.
- **Flow Control:** The further you turn the handles, the greater the water flow. Turn clockwise to reduce flow and turn off the water.



Image 3: A detailed view of the faucet's two handles and high arc spout, illustrating the user interface for water control.

MAINTENANCE AND CARE

To maintain the finish and performance of your Moen Banbury faucet, follow these care guidelines:

- **Cleaning the Finish:** Clean the faucet regularly with a soft, damp cloth. For stubborn spots, use a mild soap and water solution. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or cleaners containing bleach, acids, or alcohol. These can damage the brushed nickel finish and void your warranty.
- **Aerator Maintenance:** If water flow becomes restricted, the aerator may be clogged. Unscrew the aerator from the spout, clean any debris or mineral deposits, and rinse thoroughly before reattaching.



Image 4: The faucet in a bathroom setting, highlighting how regular cleaning helps maintain its appearance against various backsplashes.

TROUBLESHOOTING

Refer to the table below for common issues and their solutions.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed supply valves; debris in water lines.	Clean aerator; ensure supply valves are fully open; flush water lines.
Leaks from Faucet Base	Loose mounting nuts; improper sealant application.	Tighten mounting nuts; reapply plumber's putty or silicone sealant.
Dripping Faucet	Worn out cartridge.	Replace the faucet cartridge (refer to Moen's website for specific part numbers and instructions).
Handles Stiff or Hard to Turn	Mineral buildup in cartridge; worn O-rings.	Clean or replace cartridges and O-rings.

SPECIFICATIONS

Key technical specifications for the Moen Banbury High Arc Two-Handle Bathroom Faucet:

Feature	Detail
Brand	Moen
Model	BANBURY HI BN
Mounting Type	Deck Mount
Finish Type	Brushed Nickel

Feature	Detail
Number of Handles	2
Hole Count	3
Style	Modern
Handle Material	Brass
Spout Design	Traditional Curve
Item Weight	2.15 pounds
Package Dimensions	10 x 8 x 6 inches
UPC	026508337981
ASIN	B0B1VZ1GP8



WARRANTY AND SUPPORT





Moen products are manufactured under the highest standards of quality and workmanship. For specific warranty details, please refer to the warranty information included with your product packaging or visit the official Moen website. For technical assistance, replacement parts, or any other inquiries, please contact Moen customer support.

- **Moen Official Website:** www.moen.com
- **Customer Support:** Refer to the Moen website for contact numbers and hours of operation.

© 2024 Moen Incorporated. All rights reserved.

Related Documents - BANBURY HI BN

	<p>Moen Ronan One-Handle Lavatory Faucet Illustrated Parts List & Specifications</p> <p>Detailed illustrated parts list for the Moen Ronan One-Handle Lavatory Faucet (Models 84021BL, 84021SRN). Find part numbers, descriptions, and finishes for your Moen faucet.</p>
	<p>Moen Halle 4" Lavatory Faucet Illustrated Parts List</p> <p>Illustrated parts list for the Moen Halle 4-inch lavatory faucet (Model 84971SRN), detailing components, part numbers, and assembly options for ordering and installation.</p>

	<p>Moen Hamden 4" Lavatory Faucet Illustrated Parts</p> <p>Detailed illustrated parts list for the Moen Hamden 4-inch Lavatory Faucet (Model 84300SRN) in Spot Resist Brushed Nickel. Includes part numbers, descriptions, waste assembly details, and deck thickness compatibility.</p>
	<p>Moen Adler Two Handle Lavatory Faucet Illustrated Parts List</p> <p>Detailed illustrated parts list for the Moen Adler Two Handle Lavatory Faucet, providing part numbers, descriptions, and finish options for components like handles, cartridges, and mounting hardware. Includes model numbers 84603 and 84603SRN.</p>
	<p>Moen IVER™ Two-Handle 4" Centerset Lavatory Faucet 6815 Series Illustrated Parts</p> <p>Illustrated parts list for the Moen IVER™ Two-Handle 4" Centerset Lavatory Faucet, 6815 Series. Find part numbers and finishes for your Moen faucet.</p>
	<p>MOEN Banbury Single-Handle Tub/Shower Valve Illustrated Parts List</p> <p>Detailed illustrated parts list for the MOEN Banbury Single-Handle Tub/Shower Valve, including model numbers, descriptions, and finishes for showerheads, trim kits, spouts, and internal components.</p>