

[Manuals.plus](#) /

› [Ecolab](#) /

› Ecolab Eco-Spray Replacement Hose 60 in User Manual

Ecolab 92952308

Ecolab Eco-Spray Replacement Hose 60 in User Manual

MODEL: 92952308

1. Introduction

This user manual provides essential information for the safe and effective use of the Ecolab Eco-Spray Replacement Hose 60 in. Please read this manual thoroughly before installation and operation to ensure proper function and to prevent damage or injury. This product is designed as a genuine OEM (Original Equipment Manufacturer) part, ensuring safety, reliability, and performance when used as intended.

For any questions not covered in this manual, please contact Ecolab customer support or refer to the original equipment documentation.

2. Product Description

The Ecolab Eco-Spray Replacement Hose 60 in (Model: 92952308) is a durable and essential component for your Eco-Spray system. Manufactured from high-quality rubber in black, this 60-inch hose is designed to provide a reliable connection for commercial cleaning applications. Its robust construction ensures longevity and consistent performance in demanding environments.



An image showing the Ecolab Eco-Spray Replacement Hose, coiled, with its connection fittings visible. The hose is gray with black fittings, indicating its robust design for commercial use.

Key Features:

- Genuine OEM (Original Equipment Manufacturer) part.
- Ensures safety, reliability, and optimal performance.
- 60-inch length for extended reach.
- Constructed from durable rubber material.

3. What's in the Box

Upon opening the packaging, verify that all components are present and undamaged. The package for the Ecolab Eco-Spray Replacement Hose 60 in should contain:

- One (1) Ecolab Eco-Spray Replacement Hose 60 in

If any items are missing or damaged, please contact your supplier or Ecolab customer service immediately.

4. Setup and Installation

Follow these steps for proper installation of the replacement hose. Ensure the Eco-Spray system is depressurized and turned off before beginning installation.

1. **Prepare the System:** Ensure the Eco-Spray unit is disconnected from any power source and that all pressure has been released from the system.
2. **Remove Old Hose:** Carefully disconnect the existing hose from both the Eco-Spray unit and the spray nozzle/applicator. Note the orientation of the connections.
3. **Inspect Connections:** Check the connection points on the Eco-Spray unit and the spray nozzle for any debris, damage, or worn seals. Clean if necessary.
4. **Attach New Hose to Unit:** Connect one end of the new Ecolab Eco-Spray Replacement Hose to the designated outlet on the Eco-Spray unit. Ensure a secure, hand-tight connection. Do not overtighten.
5. **Attach New Hose to Nozzle:** Connect the other end of the new hose to your spray nozzle or applicator. Again, ensure a secure, hand-tight connection.
6. **Check for Leaks:** Once installed, slowly re-pressurize the Eco-Spray system and carefully inspect all connection points for any signs of leaks. If leaks are detected, depressurize the system and re-tighten the connections.

Proper installation is crucial for safe and efficient operation. If you are unsure about any step, consult a qualified technician.

5. Operating Instructions

The Ecolab Eco-Spray Replacement Hose is a passive component designed to facilitate the transfer of cleaning solutions. Its operation is directly tied to the Eco-Spray system it is connected to.

- **System Activation:** Once the hose is securely installed, operate your Eco-Spray system according to its specific user manual. The hose will convey the cleaning solution from the unit to the applicator.
- **Hose Management:** Avoid kinking or sharply bending the hose during operation, as this can restrict flow or cause damage.
- **Temperature Considerations:** Use the hose within the recommended temperature ranges for your Eco-Spray system and the cleaning solutions being used.

Always follow the safety guidelines provided with your Eco-Spray system and the cleaning chemicals you are using.

6. Maintenance and Care

Regular maintenance of your Ecolab Eco-Spray Replacement Hose will extend its lifespan and ensure continued reliable performance.

- **Inspection:** Periodically inspect the entire length of the hose for any signs of wear, cuts, abrasions, bulges, or leaks. Pay close attention to the connection points.
- **Cleaning:** After each use, flush the hose with clean water to remove any residual cleaning solutions. Wipe down the exterior of the hose with a damp cloth.
- **Storage:** Store the hose in a cool, dry place, away from direct sunlight, extreme temperatures, and harsh chemicals. Avoid storing it in a tightly coiled or kinked position.
- **Connection Integrity:** Regularly check the tightness of the connections to the Eco-Spray unit and the nozzle. Re-tighten if necessary, but do not overtighten.
- **Replacement:** Replace the hose immediately if any damage is observed or if leaks persist after re-tightening.

connections.

7. Troubleshooting

This section addresses common issues you might encounter with the replacement hose.

Problem	Possible Cause	Solution
Hose is leaking at connection points.	Loose connection; damaged O-ring/seal; cracked fitting.	Depressurize system, re-tighten connections. Inspect and replace O-rings/seals if worn. If fitting is cracked, replace the hose.
Reduced flow through the hose.	Hose kinked; internal blockage; damaged hose.	Straighten any kinks. Flush the hose to clear blockages. If hose is damaged internally, replace it.
Hose appears brittle or cracked.	Aging; exposure to harsh chemicals or extreme temperatures.	This indicates material degradation. Replace the hose immediately to prevent rupture.

If troubleshooting steps do not resolve the issue, contact Ecolab customer support.

8. Specifications

Detailed specifications for the Ecolab Eco-Spray Replacement Hose 60 in:

- **Product Dimensions:** 11.75 x 11.55 x 2.65 inches
- **Item Model Number:** 92952308
- **Manufacturer:** Ecolab
- **ASIN:** B0B1ZB94NQ
- **Brand:** Ecolab
- **Material:** Rubber
- **Color:** Black
- **Item Weight:** 1 Pound
- **Item Length:** 60 Inches
- **Specific Uses For Product:** Commercial cleaning settings

9. Warranty and Support

As a genuine OEM part, the Ecolab Eco-Spray Replacement Hose 60 in is subject to Ecolab's standard warranty terms for replacement parts. For specific warranty details, including coverage period and conditions, please refer to the original product documentation of your Eco-Spray system or visit the official Ecolab website.

For technical support, replacement parts, or service inquiries, please contact Ecolab customer service directly. Contact information can typically be found on the Ecolab website or on your original product packaging.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0B1ZB94NQ>

More documents and user manuals: **<https://manuals.plus/>**