

[Manuals.plus](#) /

› [DreamLine](#) /

› DreamLine Alliance Pro BGX Semi-Frameless Bypass Shower Door Instruction Manual

DreamLine SDAB60W700VXX09

DreamLine Alliance Pro BGX Semi-Frameless Bypass Shower Door Instruction Manual

Model: SDAB60W700VXX09 | Brand: DreamLine

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your DreamLine Alliance Pro BGX Semi-Frameless Bypass Shower Door. Please read all instructions carefully before beginning installation and retain this manual for future reference. Proper installation and care will ensure the longevity and optimal performance of your shower door.



Image 1.1: The DreamLine Alliance Pro BGX shower door in a contemporary bathroom setting.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these safety guidelines may result in injury or product damage.

- **Professional Installation Recommended:** Due to the weight and nature of glass panels, professional installation is highly recommended.
- **Handle Glass with Care:** Tempered glass, while strong, can shatter if struck at the edges. Always wear safety glasses and gloves when handling glass panels.
- **Heavy Product:** This product is heavy. Always use appropriate lifting techniques and seek assistance when moving glass panels and other heavy components.
- **Sharp Edges:** Be aware of potential sharp edges on metal components.
- **Secure Installation:** Ensure all mounting hardware is securely fastened to structural elements of your bathroom wall. Do not install into drywall alone.
- **Water Sealing:** Proper sealing is crucial to prevent water leakage. Follow all sealing instructions carefully.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact DreamLine customer service immediately.

- Shower Door Glass Panels (3/16 in. certified tempered glass)
- Top and Bottom Guiderails
- Wall Profiles/Jambs
- Integrated Towel Bar
- Rollers and Guides
- Water Guards/Seals
- Mounting Hardware (screws, anchors, gaskets, etc.)
- Installation Manual

4. SETUP AND INSTALLATION

The DreamLine Alliance Pro BGX shower door is designed for a semi-frameless bypass installation, allowing entry from either the left or right side. It is reversible for flexible installation.

4.1 Pre-Installation Requirements

- **Minimum Threshold Depth:** A minimum threshold depth of 1 1/2 inches is required for proper installation.
- **Wall Preparation:** Ensure shower walls are plumb and structurally sound. Aluminum water guards accommodate up to 1/4 inch for out-of-plumb (uneven) walls.
- **Tools Required:** Gather all necessary tools, including a drill, level, measuring tape, caulk gun, and safety equipment.

4.2 Installation Steps (Overview)

For detailed, step-by-step instructions, refer to the separate installation guide included with your product. This overview highlights key aspects:

1. **Measure and Mark:** Accurately measure your shower opening and mark the positions for the wall profiles and guiderails.
2. **Install Wall Profiles:** Secure the wall profiles to the shower walls, ensuring they are plumb.

3. **Install Guiderails:** The top and bottom guiderails can be trimmed up to 4 inches for width adjustment to fit your specific opening. Install them securely.
4. **Hang Glass Panels:** Carefully hang the glass panels onto the rollers and into the bottom track. The double sliding bypass configuration allows both panels to slide.
5. **Attach Towel Bar:** Install the integrated towel bar onto the designated glass panel.
6. **Apply Seals and Caulk:** Install all water seals and apply silicone caulk as directed to ensure a watertight enclosure.



Image 4.1: Detail of the super sleek headrail, a key design feature.



Image 4.2: The bottom track with aluminum water guards for out-of-plumb adjustment.

DreamLine Alliance Pro BG 56-60 in. W x 70 3/8 in. H Semi-Frameless Sliding Shower Door

MODEL NUMBER
SDAB60W700

CONFIGURATION DIMENSIONS:

A: MODEL WIDTH

56 - 60 in.

B: MODEL HEIGHT

70 3/8 in.

C1: ACCESS WIDTH


24 - 28 in.

C2: ACCESS HEIGHT

66 3/4 in.

D: DOOR WIDTH

30 in.



**MINIMUM THRESHOLD
REQUIRED**

1 1/2 in.

DRILLING REQUIRED

Optional

STUDS REQUIRED

No

DreamLine reserves the right to update or modify the hardware or materials pictured without prior notice for the purpose of product improvement and customer satisfaction.

Image 4.3: Configuration dimensions for the DreamLine Alliance Pro BGX shower door.

5. OPERATION

The DreamLine Alliance Pro BGX features a double sliding bypass design, allowing both glass panels to slide smoothly. This provides flexible entry and exit from your shower from either the left or right side.

- **Smooth Gliding:** The shower door is equipped with smooth gliding rollers for quiet and effortless operation.
- **Integrated Towel Bar:** Utilize the integrated towel bar for convenient access to your towel.




Image 5.1: The integrated towel bar provides convenience.

Your browser does not support the video tag.

Video 5.1: Animation demonstrating the features and operation of the DreamLine Alliance Pro BG shower door, including its bypass design and smooth gliding mechanism.

6. MAINTENANCE

Regular cleaning and maintenance will keep your DreamLine shower door looking new and functioning properly.

- **Glass Cleaning:** Use a soft cloth and a non-abrasive glass cleaner. Avoid abrasive cleaners, scouring pads, or harsh chemicals that can damage the glass or hardware finish. For best results, wipe down the glass after each use to prevent water spots.
- **Hardware Cleaning:** Clean metal hardware with a soft, damp cloth. Do not use abrasive cleaners or solvents, as these can damage the finish.
- **Seal Maintenance:** Periodically inspect the vinyl seals for wear and tear. Replace them if they become damaged or discolored to maintain a watertight enclosure.

- **Roller and Track Maintenance:** Keep the top and bottom tracks free of debris and soap scum to ensure smooth door operation. You may apply a silicone-based lubricant to the rollers if they begin to stick.



Image 6.1: ClearMax shower glass protection helps reduce water spots and makes cleaning easier.

7. TROUBLESHOOTING

If you encounter issues with your shower door, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Door does not slide smoothly	Debris in track, worn rollers, misaligned panels	Clean tracks, inspect/replace rollers, adjust panel alignment.
Water leakage	Improperly installed seals, insufficient caulk, damaged seals	Check and re-install seals, reapply caulk, replace damaged seals.
Door feels loose or wobbly	Loose mounting hardware, worn guides	Tighten all visible screws, inspect and replace guides if necessary.
Glass appears stained or cloudy	Hard water deposits, improper cleaning agents	Use appropriate glass cleaner for hard water, avoid abrasive cleaners.

If you cannot resolve the issue using these steps, please contact DreamLine customer support.

8. SPECIFICATIONS

- **Model:** SDAB60W700VXX09
- **UPC:** 849388076739
- **Brand:** DreamLine
- **Collection:** Alliance Pro BGX
- **Type:** Semi-Frameless Bypass Shower Door
- **Model Size:** 56-60 inches Width x 70 3/8 inches Height
- **Walk-in Opening:** 24 - 28 inches
- **Glass Type:** 3/16 inch (5 mm) Certified Clear Tempered Glass
- **Hardware Finish:** Matte Black
- **Material:** Aluminum, Plastic, Tempered Glass, Vinyl
- **Item Weight:** 97 Pounds
- **Minimum Threshold Depth Required:** 1 1/2 inches

- **Out-of-Plumb Adjustment:** Up to 1/4 inch with aluminum water guards
- **Guiderail Trimming:** Top and bottom guiderails can be trimmed up to 4 inches for width adjustment.
- **Assembly:** Required

9. WARRANTY AND SUPPORT

DreamLine products are backed by a manufacturer's warranty. For specific warranty details, registration, or to obtain technical support, please refer to the warranty card included with your product or visit the official DreamLine website. For any inquiries or assistance, contact DreamLine customer service.



Image 9.1: The DreamLine Difference highlights product quality and support.