

K2 B220201901142

K2 Lime Lite Snowboard User Manual

Model: B220201901142

1. INTRODUCTION

Welcome to the K2 Lime Lite Snowboard user manual. This guide provides essential information for the setup, operation, maintenance, and troubleshooting of your new K2 Lime Lite Snowboard. Designed for freestyle enthusiasts, the Lime Lite offers a playful yet precise ride for various terrain and riding styles.

Please read this manual thoroughly before using your snowboard to ensure optimal performance and safety.





Image: The K2 Lime Lite Snowboard, showcasing both the white top sheet with graphics and the black base.

2. PRODUCT FEATURES

The K2 Lime Lite Snowboard is engineered with specific technologies to enhance your riding experience:

- **Rhythm Core:** Shaped and designed to complement the mechanics, geometry, and riding style of women, providing a responsive and intuitive feel.
- **Biax Glass:** A lightweight glass layup at 0° and 90° for a consistent, smooth flex, offering stability and control.
- **Extruded 2000 Base:** Delivers a consistent glide in a low-maintenance package, ideal for everyday riding.
- **Twin Combination Camber Profile:** Combines the pop and precision of camber with the float and predictability of rocker, offering versatility across different snow conditions.
- **2x4 Inserts:** Standardized insert pattern for easy binding mounting and stance adjustment.

LIME LITE

Terrain: Small to Medium Freestyle Features
Riding Style: Jibs, Butters, and Presses
Ability Level: Beginner to Advanced




Image: Diagram illustrating the K2 Lime Lite's terrain suitability (Small to Medium Freestyle Features), riding style (Jibs, Butters, and Presses), and ability level (Beginner to Advanced).

TECH

Rhythm Core – Shaped and designed to compliment the mechanics, geometry, and riding style of women.
Biax Glass – A lightweight glass layup at 0 ° and 90° for a consistent, smooth flex.
Extruded 2000 Base – Delivers a consistent glide in a low-maintenance package.

KEY FEATURES

Twin Combination Camber Profile, Rhythm Core, Biax Glass, Extruded 2000 Base, 2x4 Inserts

CONSTRUCTION



Image: Detailed view of the K2 Lime Lite's internal construction, highlighting the Rhythm Core, Biax Glass, and Extruded 2000 Base technologies.

3. SETUP

Proper setup of your snowboard bindings is crucial for safety and performance. Always refer to your binding manufacturer's instructions for specific mounting details.

3.1 Binding Installation

- 1. Determine Stance:** Decide whether you ride regular (left foot forward) or goofy (right foot forward).
- 2. Set Stance Width:** The K2 Lime Lite features 2x4 inserts. Choose a stance width that feels comfortable and balanced. A common starting point is shoulder-width apart.
- 3. Set Binding Angles:** For freestyle riding, common angles are $+15^\circ$ - -15° (duck stance) or $+18^\circ$ - -6° . Adjust based on personal preference and riding style.
- 4. Mount Bindings:** Align the binding discs with the desired inserts. Use the provided screws and a compatible screwdriver to securely fasten the bindings. Do not overtighten.
- 5. Adjust Highbacks and Straps:** Ensure highbacks are aligned with the heel edge and straps are centered over your boots for a snug fit.



Image: The K2 Lime Lite Snowboard with black bindings mounted, resting on snow, ready for use.

4. OPERATING YOUR SNOWBOARD

The K2 Lime Lite is designed for freestyle performance. Understanding its characteristics will help you maximize your

experience.

4.1 Riding Characteristics

- **Playful Flex:** The board's flex is optimized for presses, butters, and jibbing, allowing for easy manipulation and creativity.
- **Edge Hold:** The Twin Combination Camber Profile provides reliable edge hold for carving and stability on varied snow conditions.
- **Pop:** The camber sections underfoot offer good pop for jumps and ollies.

4.2 Safety Guidelines

- Always wear appropriate safety gear, including a helmet.
- Be aware of your surroundings and other riders.
- Adhere to all resort rules and signage.
- Do not ride under the influence of alcohol or drugs.
- Inspect your equipment before each use for any damage or loose components.

5. MAINTENANCE

Regular maintenance will extend the life of your K2 Lime Lite Snowboard and ensure optimal performance.

5.1 Waxing

The Extruded 2000 Base is low-maintenance but benefits from regular waxing to maintain glide. Apply a suitable snowboard wax using a waxing iron, scrape off excess, and brush for best results.

5.2 Edge Care

Check your edges for burrs or damage. Use an edge tuning tool to keep them sharp for better grip, especially on icy conditions. Be careful not to over-sharpen.

5.3 Storage

When storing your snowboard for extended periods, especially during off-season:

- Clean the base and edges thoroughly.
- Apply a thick layer of storage wax to protect the base.
- Loosen binding screws slightly to relieve pressure.
- Store in a cool, dry place away from direct sunlight and extreme temperatures.

6. TROUBLESHOOTING

Here are some common issues and their potential solutions:

Issue	Possible Cause	Solution
Poor Glide / Slow Board	Dry base, old wax, wrong wax for conditions.	Rewax the base. Ensure proper wax application and removal. Use temperature-appropriate wax.
Edge Catching / Unstable Ride	Dull or burred edges, incorrect binding angles, improper technique.	Tune edges (de-tune contact points slightly for freestyle). Adjust binding angles. Practice proper riding technique.


Issue	Possible Cause	Solution
Bindings Feel Loose	Loose screws, worn binding components.	Check and tighten all binding screws. Inspect straps and buckles for wear and replace if necessary.

7. SPECIFICATIONS

Detailed specifications for the K2 Lime Lite Snowboard (Model: B220201901142):

Specification	Detail
Brand	K2
Model Number	B220201901142
Color	Lime
Material	Fiberglass
Product Dimensions	57.48" L x 9.45" W (for 146cm length)
Age Range	Adult
Skill Level	Intermediate
UPC	886745968429

7.1 Size Chart (Example for 142cm)



SIZE CM	EFF. EDGE CM	TIP/WAIST/TAIL MM	SIDE CUT M	STANCE IN	SETBACK IN	WT RANGE LBS	WT RANGE KG
138	109	27.2 - 23.6 - 27.2	7.2	19"	CENTERED	90 - 160+	41 - 73+
142	112	27.5 - 23.8 - 27.5	7.3	19"	CENTERED	90 - 160+	41 - 73+
146	114	27.8 - 24 - 27.8	7.4	20"	CENTERED	100 - 170+	45 - 77+
149	117	28.4 - 24.2 - 28.4	7.5	20"	CENTERED	100 - 170+	45 - 77+
153	119	28.5 - 24.4 - 28.5	7.6	21"	CENTERED	110 - 190+	50 - 86+

Image: Diagram showing the K2 Lime Lite's Twin Combination Camber Profile (Shape | Baseline) and a detailed size chart with effective edge, tip/waist/tail measurements, sidecut, stance, setback, and weight ranges.

Size (CM)	Eff. Edge (CM)	Tip/Waist/Tail (MM)	Sidecut (M)	Stance (IN)	Setback	WT Range (LBS)	WT Range (KG)
138	109	27.2 - 23.6 - 27.2	7.2	19"	CENTERED	90 - 160+	41 - 73+
142	112	27.5 - 23.8 - 27.5	7.3	19"	CENTERED	90 - 160+	41 - 73+
146	114	27.8 - 24. - 27.8	7.4	20"	CENTERED	100 - 170+	45 - 77+
149	117	28.4 - 24.2 - 28.4	7.5	20"	CENTERED	100 - 170+	45 - 77+
153	119	28.5 - 24.4 - 28.5	7.6	21"	CENTERED	110 - 190+	50 - 86+

8. WARRANTY AND SUPPORT

K2 Snowboarding products are manufactured to high standards. For information regarding warranty coverage, claims, or technical support, please refer to the official K2 Snowboarding website or contact their customer service directly.

Visit the official K2 website for the most up-to-date warranty information and support resources: www.k2snow.com

© 2023 K2 Snowboarding. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.