

- Manuals.plus /
- › [IKEA](#) /
- › IKEA STYRBAR Remote Control User Manual

IKEA STYRBAR

IKEA STYRBAR Remote Control User Manual

Model: STYRBAR (104.883.64)

1. PRODUCT OVERVIEW

The IKEA STYRBAR remote control is designed for wireless control of IKEA smart lighting products. It allows users to dim, switch on/off, and adjust the color temperature of up to 10 LED bulbs simultaneously. When used with the TRÅDFRI gateway and IKEA Home smart app, it enables advanced group control of multiple light sources.



Image 1.1: The IKEA STYRBAR remote control, showcasing its white, square design with rounded corners. The front surface displays symbols for adjusting brightness (sun icons) and color temperature (arrow icons).

2. PACKAGE CONTENTS

The package for the IKEA STYRBAR remote control includes the following items:

- 1 x IKEA STYRBAR Remote Control (White)
- Wall mount with magnetic attachment
- User Manual (this document)

Note: 2 x AAA batteries are required for operation and are sold separately.

3. SPECIFICATIONS

Feature	Detail
Model Name	STYRBAR
Product Number	104.883.64
Color	White
Dimensions (H x L x W)	18 mm x 72 mm x 72 mm
Weight	0.05 kg (50 g)
Material	ABS Resin
Power Source	2 x AAA Batteries (sold separately)
Wireless Range	Up to 10 meters (without obstacles)
Max. Controlled Devices	10 LED bulbs
Compatibility	IKEA Smart Lighting products, IKEA Home smart app (with TRÅDFRI gateway)

4. SETUP

4.1. Battery Installation

1. Locate the battery compartment on the back of the STYRBAR remote control.
2. Open the battery compartment cover.
3. Insert 2 x AAA batteries, ensuring correct polarity (+ and -).
4. Close the battery compartment cover securely.

4.2. Pairing with IKEA Smart Lighting Products

To control your IKEA smart lighting products, the STYRBAR remote must be paired with them:

1. Ensure the light source you wish to pair is powered on.
2. Hold the STYRBAR remote control close to the light source (within 5 cm).
3. Press and hold the pairing button (often located on the back or side of the remote, or indicated by a small icon) for at least 10 seconds. The light source will dim and then flash once to indicate successful pairing.
4. Repeat this process for up to 10 light sources you wish to control with this remote.

For advanced control and grouping via the IKEA Home smart app, you will need a TRÅDFRI gateway. Refer to the TRÅDFRI gateway manual for pairing instructions with the app.

5. OPERATING INSTRUCTIONS

The STYRBAR remote control features four primary buttons for controlling your smart lighting:

- **Brightness Up (Sun icon, top):** Press to increase the brightness of the paired light sources. Hold to continuously brighten.
- **Brightness Down (Sun icon, bottom):** Press to decrease the brightness of the paired light sources. Hold to continuously dim.
- **Color Temperature Left (Left arrow icon):** Press to adjust the color temperature towards warmer tones (e.g., from white to warm white).
- **Color Temperature Right (Right arrow icon):** Press to adjust the color temperature towards cooler tones (e.g., from warm white to white).

5.1. On/Off Functionality

To turn the lights on or off, briefly press either the **Brightness Up** or **Brightness Down** button. A single press will toggle the lights.

5.2. Group Control (with TRÅDFRI Gateway)

If you have a TRÅDFRI gateway and the IKEA Home smart app, you can create and manage groups of light sources. Once groups are set up in the app, the STYRBAR remote can control these groups collectively after being paired with the gateway and assigned to a group.

6. MAINTENANCE

6.1. Cleaning

To clean the remote control, wipe it with a soft, dry cloth. Do not use abrasive cleaners or solvents, as these may damage the surface.

6.2. Battery Replacement

When the remote control's performance degrades or it stops responding, it may be time to replace the batteries. Follow the battery installation steps in Section 4.1 to replace the 2 x AAA batteries.

7. TROUBLESHOOTING

Problem	Solution
Remote not responding	Check battery installation and replace batteries if necessary. Ensure the remote is within the 10-meter operating range and there are no significant obstacles. Re-pair the remote with the light source if needed.
Cannot pair with light source	Ensure the light source is powered on and the remote is held very close (within 5 cm) during pairing. Hold the pairing button for the required duration (at least 10 seconds). Ensure the light source is an IKEA smart lighting product.
Lights not dimming/changing color temperature	Verify that the light sources are compatible with dimming and color temperature adjustment. Ensure the remote is properly paired.
Remote falls off wall mount	Ensure the wall mount is securely attached to the surface and the remote is correctly aligned with the magnetic attachment.

8. SAFETY INFORMATION

- Do not expose the remote control to water or moisture.
- Do not attempt to open or modify the remote control.
- Keep batteries out of reach of children. Dispose of used batteries according to local regulations.
- Operate the device within the specified temperature and humidity ranges.

9. WARRANTY AND SUPPORT

For information regarding warranty, returns, or technical support, please refer to the official IKEA website or contact IKEA customer service directly. Keep your purchase receipt as proof of purchase.

You can find more information and support resources on the [IKEA official website](#).

© 2023 IKEA. All rights reserved. This manual is for informational purposes only.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0B2HZ8HPJ>

More documents and user manuals: <https://manuals.plus/>