SENSEA 3276000677123

SENSEA Essential Shower Enclosure

Model: 3276000677123

Brand: SENSEA

Introduction

The SENSEA Essential Shower Enclosure is designed to provide a functional and aesthetically pleasing solution for your bathroom. This enclosure features a 4 mm thick screen-printed glass wall with both a fixed panel and a sliding door, effectively preventing water splashes and ensuring a private and comfortable showering experience. Its versatile design allows for left or right-side installation, adapting to various bathroom layouts. The removable system facilitates easy cleaning, contributing to long-term maintenance.



Image: The SENSEA Essential Shower Enclosure, featuring a white frame and screen-printed glass, installed in a contemporary bathroom setting with light-colored tiles and a white shower tray.

Safety Information

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in injury or damage to the product.

- **Handle Glass with Care:** Glass panels are heavy and fragile. Always use appropriate personal protective equipment (e.g., gloves, safety glasses) and seek assistance when lifting or moving glass components.
- **Secure Installation:** Ensure all mounting hardware is securely fastened to a structurally sound wall. Improper installation can lead to the enclosure detaching and causing injury.
- **Sharp Edges:** Be aware of potential sharp edges on glass or metal components during handling and installation.
- **Water Sealing:** Proper sealing is crucial to prevent water leaks. Follow all sealing instructions meticulously.
- **Children and Pets:** Keep children and pets away from the installation area to prevent accidents.

Package Contents

Verify that all components are present and undamaged before beginning installation. Refer to the diagram below for identification of parts.




Image: An exploded view diagram illustrating the various components of the SENSEA Essential Shower Enclosure, including glass panels, aluminum profiles, and hardware, labeled for assembly.

- Fixed Glass Panel
- Sliding Glass Door
- Vertical Aluminum Profiles
- Horizontal Aluminum Profiles (Top and Bottom)
- Rollers and Guides for Sliding Door
- Handles
- Sealing Strips and Gaskets
- Mounting Hardware (Screws, Wall Plugs)

Setup and Installation

The SENSEA Essential Shower Enclosure is designed for installation in a rectangular shower tray. It can be mounted for left or right-hand opening as required.




Image: A technical diagram indicating the overall dimensions of the SENSEA Essential Shower Enclosure, showing a height of 185 cm and a width range of 137-140 cm.

1. **Preparation:** Ensure the shower tray and surrounding wall area are clean, level, and structurally sound. Gather all

necessary tools (e.g., drill, level, measuring tape, silicone sealant).

2. **Profile Assembly:** Assemble the vertical and horizontal aluminum profiles according to the provided diagram. The robust aluminum frame provides a stable structure.
3. **Wall Mounting:** Position the assembled frame against the wall. Mark and drill holes for wall plugs and screws. Secure the frame firmly to the wall.
4. **Glass Panel Installation:** Carefully insert the 4 mm thick safety glass panels into the designated channels within the aluminum frame. The glass is designed to reduce vibrations.
5. **Sliding Door Mechanism:** Install the rollers and guides for the sliding door. Ensure the door slides smoothly along the track. The sliding door can open on both sides, offering a passage width of 61 cm.
6. **Sealing:** Apply silicone sealant along all external joints between the enclosure and the wall/shower tray to ensure a watertight seal. Allow adequate drying time before use.
7. **Final Adjustments:** Check that the door operates correctly and that there are no gaps. Make any necessary adjustments to ensure proper alignment and function.



Image: A close-up view highlighting the 4mm thickness of the safety glass used in the SENSEA shower enclosure, indicating its robust construction.



Image: A detailed view of the roller mechanism at the bottom of the sliding door, showing how the door glides along the track for smooth operation.

Operating Instructions

The SENSEA Essential Shower Enclosure features a sliding door designed for ease of use and flexibility.

- **Opening and Closing:** Gently slide the door along its track to open or close the enclosure. The door is designed to open on both the left and right sides, providing flexible access.
- **Passage Width:** The enclosure offers a comfortable passage width of 61 cm when the door is fully open.
- **Privacy:** The white screen-printed glass provides enhanced privacy during showering.

Maintenance

Regular cleaning and maintenance will ensure the longevity and optimal performance of your shower enclosure.

- **Daily Cleaning:** After each use, rinse the glass panels and profiles with clean water to remove soap residue and prevent limescale buildup.
- **Regular Cleaning:** Clean the glass and aluminum profiles with a soft cloth and a mild, non-abrasive cleaner specifically designed for bathroom surfaces. Avoid harsh chemicals, abrasive sponges, or scouring powders, as these can damage the finish.
- **Removable System:** The enclosure features a removable system for easy cleaning of the bottom track and rollers. Consult the installation diagram for details on how to detach and reattach the sliding door for thorough cleaning.
- **Seals:** Periodically check the condition of the sealing strips and gaskets. Replace them if they show signs of wear or damage to maintain a watertight seal.
- **Roller Maintenance:** Keep the sliding door rollers and tracks free from debris and buildup to ensure smooth operation. A small amount of silicone spray can be applied to the tracks if the door becomes stiff.

Troubleshooting

If you encounter any issues with your SENSEA Essential Shower Enclosure, refer to the following common solutions:

Problem	Possible Cause	Solution
Door does not slide smoothly.	Debris in track, worn rollers, misaligned track.	Clean the track thoroughly. Check rollers for damage and replace if necessary. Verify track alignment and adjust if needed.
Water leaks from enclosure.	Damaged seals, insufficient silicone sealant, improper installation.	Inspect all seals and replace any damaged ones. Reapply silicone sealant where necessary. Ensure the enclosure is properly leveled and installed according to instructions.
Glass appears cloudy or stained.	Limescale buildup, soap scum.	Use a specialized glass cleaner for bathrooms. For stubborn stains, a vinegar and water solution can be effective, followed by thorough rinsing.

If the problem persists after attempting these solutions, please contact customer support.

Specifications

Brand	SENSEA
Model Number	3276000677123
Installation Type	Freestanding
Shape	Rectangular
Product Dimensions (L x W x H)	75 x 140 x 185 cm
Item Weight	27.2 Kilograms
Number of Doors	2 (1 fixed, 1 sliding)
Material	Aluminum (frame), Safety Glass (panels)
Glass Thickness	4 mm

Color	White
Assembly Required	No (refers to pre-assembled components, installation required)
Passage Width	61 cm

Warranty and Support

For information regarding warranty coverage, terms, and conditions, please refer to the documentation provided at the time of purchase or contact your retailer. SENSEA is committed to providing quality products and customer satisfaction.

For technical support, spare parts, or further assistance, please visit the official SENSEA website or contact their customer service department. Keep your proof of purchase handy when contacting support.

Visit the SENSEA Store on Amazon

© 2024 SENSEA. All rights reserved.
This manual is for informational purposes only. Product specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question