

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [SINGER](#) /
- › [SINGER C5200 Computerized Sewing & Quilting Machine Instruction Manual](#)

SINGER C5200

SINGER C5200 Computerized Sewing & Quilting Machine Instruction Manual

MODEL: C5200

Brand: SINGER

Product Overview

The SINGER C5200 computerized sewing machine offers a range of user-friendly features designed to facilitate sewing and quilting projects. With 180 stitch applications, including 6 one-step buttonhole styles, this machine provides extensive creative options for various sewing techniques. Its design prioritizes ease of use, featuring touch button stitch selection and a built-in needle threader. The machine is constructed with a full metal frame for stability and durability, and includes a removable extension table for larger projects.



Figure 1: Overview of the SINGER C5200 machine with key components labeled, including the bobbin winding tension disk, reverse stitch button, thread tension control, buttonhole lever, needle plate, foot release lever, removable extension table, removable accessory box, bobbin winding stopper, and pattern number reference guide.

Key Features

- **180 Stitch Applications & Customization:** Offers 180 stitch applications, including 6 one-step buttonholes. Customize stitch length and width for various techniques.
- **Easy Stitch Selection & LCD Display:** Touch button stitch selection with settings displayed on a clear LCD screen.
- **Built-in Needle Threader & LED Lighting:** Simplifies threading and illuminates the workspace for improved visibility.
- **Large Extension Table & Free Arm:** Removable extension table for large projects and a free arm for tubular items.
- **Heavy-Duty Metal Frame:** Provides stability and long-lasting durability for consistent performance.

Setup

Initial Machine Tour and Overview

Before beginning any sewing project, it is recommended to familiarize yourself with the machine's components and basic functions. The following video provides an introduction and tour of the SINGER C5200 series machine, covering essential parts and their uses.

Video 1: SINGER C5200 Series - Introduction and Machine Tour. This video provides a comprehensive overview of the machine's features and components.

Bobbin Winding and Insertion

Proper bobbin winding and insertion are crucial for consistent stitch quality. Ensure the thread is wound evenly and inserted correctly into the bobbin case. Refer to the machine's threading guides for precise steps.

Threading the Upper Thread

Follow the numbered threading path indicated on the machine to correctly thread the upper thread. This ensures proper tension and prevents skipped stitches or thread breakage.

Attaching the Extension Table

For larger projects such as quilts or home decor items, attach the included extension table to expand your workspace. The table slides on easily around the machine's free arm, providing a smooth, level surface.



Figure 2: The SINGER C5200 machine shown with the large extension table attached, providing an expanded work surface for bigger projects.

Operating

Stitch Selection and Customization

The SINGER C5200 offers 180 stitch applications, including utility, decorative, and buttonhole stitches. Use the touch buttons and LCD screen to select and customize your desired stitch. You can adjust stitch length and width to suit your fabric and project requirements.



Figure 3: A close-up view of the machine's LCD screen and touch button controls for stitch selection and adjustment.

Video 2: SINGER C5200 Series - Selecting a Stitch. This video demonstrates how to choose and modify stitches on your machine.

Built-in Needle Threader

The integrated needle threader simplifies the process of threading the needle, reducing eye strain and saving time. Follow the machine's instructions for proper use.



Figure 4: A close-up image illustrating the built-in needle threader mechanism.

Drop Feed Lever

Utilize the drop feed lever to lower the machine's feed teeth. This function is essential for specialized techniques such as sewing on buttons, free-motion quilting, and darning.

Included Accessories

The SINGER C5200 comes with a comprehensive accessory kit to support a wide range of sewing and quilting tasks. These accessories are valued at approximately \$250.

- All-Purpose Foot
- Zipper Foot
- Buttonhole Foot
- Button Sewing Foot
- Blind Hem Foot
- Overcasting Foot

- Invisible Zipper Foot
- Roller Foot
- Pack of Needles
- Bobbins: SINGER Class 15 (metal)
- Thread Spool Caps
- Auxiliary Spool Pin
- Spool Pin Felt
- Darning Plate
- Needle Plate
- Screwdriver
- Seam Ripper/Lint Brush
- Soft Dust Cover
- Extension Table



Figure 5: The SINGER C5200 machine displayed with its full range of included accessories, such as various presser feet, bobbins, and tools.

Maintenance and Care

To ensure the longevity and optimal performance of your SINGER C5200 sewing machine, regular maintenance is recommended. Keep the machine clean by removing lint and dust from the bobbin area and feed dogs using the provided lint brush. Periodically check and replace needles as needed to prevent skipped stitches and fabric damage. Refer to the full instruction manual for detailed cleaning and lubrication procedures.

Troubleshooting Common Issues

If you encounter issues such as thread jamming, skipped stitches, or unusual noises, first check the threading path for any errors, ensure the bobbin is correctly inserted, and verify that the needle is properly installed and not bent. For specific error codes (e.g., C5, C6 mentioned in reviews) or persistent problems, consult the comprehensive troubleshooting section in the full product manual or contact SINGER customer support.

Product Specifications

Product Dimensions	7.8 x 16.5 x 13 inches
Item Weight	13.8 pounds
Manufacturer	Singer
Item Model Number	C5200
UPC	840163305242
Assembly Required	No
Batteries Required	No






Warranty and Support

The SINGER C5200 Computerized Sewing & Quilting Machine comes with a limited 1-year warranty for parts and adjustments, and a limited 25-year warranty for the product frame. For detailed warranty terms, product support, or to access the full digital manual, please visit the official SINGER support website.

SINGER Product Manuals are now Paperless, and available at singer.com/support.

Related Documents - C5200

	<p>SINGER HD6380 Sewing Machine Stitch Applications Guide</p> <p>A comprehensive guide to 110 stitch applications for the SINGER HD6380 sewing machine, covering straight, zigzag, multi-step zigzag, blind hem, picot hem, decorative, overlock, and bartack buttonhole stitches for various sewing projects and fabric types.</p>
-------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>SINGER M3330 Sewing Machine: Features and Specifications</p> <p>Explore the SINGER M3330 sewing machine, a special edition model featuring 97 stitch applications, 23 built-in stitches, a one-step buttonhole, and a heavy-duty metal frame. Ideal for all types of sewing.</p>
	<p>SINGER HD6380 Sewing Machine Stitch Guide</p> <p>A comprehensive guide to various sewing machine stitches and their applications for the SINGER HD6380 model, including straight, zigzag, multi-step zigzag, blind hem, picot hem, decorative, straight stretch, reinforced zigzag, honeycomb, overlock, slant overedge, and bartack buttonhole stitches. Learn about techniques like seaming, quilting, topstitching, darning, applique, gathering, pleating, zipper insertion, hemming, couching, and attaching trims.</p>
	<p>SINGER HD6330M, HD6335M, HD6380 Heavy Duty Sewing Machine Instruction Manual</p> <p>This instruction manual provides comprehensive guidance for operating and maintaining SINGER HD6330M, HD6335M, and HD6380 household sewing machines. It covers essential safety instructions, machine parts, threading, bobbin winding, stitch selection, buttonhole sewing, and troubleshooting, ensuring optimal performance and longevity for your sewing projects.</p>
	<p>Singer 44S Sewing Machine Instruction Manual</p> <p>Comprehensive instruction manual for the Singer 44S sewing machine, covering setup, operation, maintenance, and troubleshooting. Learn how to thread your machine, wind bobbins, sew various stitches, and resolve common issues.</p>
	<p>Singer Start Sewing Machine Instruction Manual</p> <p>A comprehensive guide to operating and maintaining your Singer Start sewing machine. This manual covers setup, threading, basic stitches, advanced techniques, troubleshooting, and safety instructions.</p>


Documents - SINGER – C5200



[SINGER C5200 Sewing Machine Instruction Manual](#)

Comprehensive instruction manual for the SINGER C5200 household sewing machine. Learn about setup, operation, safety guidelines, stitch selection, maintenance, and troubleshooting for your SINGER sewing machine.

lang:en score:40 filesize: 6.39 M page_count: 76 document date: 2020-11-25



[\[pdf\]](#) User Manual Instructions

CV J80 EngFreSpa indd INSTRUCTION MANUAL MANUEL D Use only attachments recommended by the manufacturer as contained in this manual Never operate sewing machine if it has a damaged cord or plug is 21892dcb 4dcc 405f 9052 499573b9e2f9 cdn cnetcontent 21 89 DE INSTRUCCIONES C5200

Eng 1 This household designed to comply with IEC EN 60335 2 28 and UL1594 When using an electrical appliance basic safety precautions should always be followed including following Read all instructions before Manual jsxrvo res cloudinary singer image upload v1573367802 Singer Website Library Manuals Products manuals 160 Retrieve IMPORTANT SAFETY INSTRUCTIONS DINSTRUCTION IE **C5200** INSTRUCTION MANUAL MANUEL D INSTRUCTION MANUAL DE INSTRUCCIONES This household sewing machine is designed to comply with IEC/EN 60335-2-28 and UL1594. IMPORTANT SAFETY INSTRUCTIONS When using an electrical appliance, basic safety precautions should always be followed, including the followin...

lang:en **score:35** filesize: 6.38 M page_count: 76 document date: 2019-10-23

[\[pdf\]](#) User Manual Instructions

CV J80 EngFreSpa indd SAVE THESE INSTRUCTIONS Singer otro ajuste o mantenimiento mencionado en el manual de instrucciones RIESGO DE QUEMADURAS INCENDIO DESCARGA ELÉCTRICA O DAÑOS PERSONALES No permita que se utilice como un juguete Deberá prestar 20 ® A C5200 singer sites default files Ajuste botones para largo puntada Boutons d ajustement manuel la longueur du point Page 33 27 Your sewing machine will produce your Manual Machine Manuals |||

Keep fingers away from all moving parts. Special care is required around the sewing machine needle. ... ve - Acortar la longitud del punto. 65 66 ENGLISH / FRANAIS / ESPAOL Part No. 19888 6/19 **C5200** INSTRUCTION MANUAL MANUEL D INSTRUCTION MANUAL DE INSTRUCCIONES This household sewing machin... lang:en **score:30** filesize: 6.52 M page_count: 76 document date: 2019-09-10

[\[pdf\]](#) User Manual Instructions

CV J80 EngFreSpa indd C5200 Mondial TissusDo not allow to be used as a toy Close attention is necessary when this sewing machine by or near children Use only for its SINGER C5205mondialtissus fr media wysiwyg notices SINGER C5205 srsltid AfmBOoqPQuINQ3fsdGadsvKFqmzpADt3im5svnPGe r6CrY6eacZ1V9z INSTRUCTION MANUAL MANUEL D TissusC5200 A double insulated product marked with the words DOUBLE INSULATION INSULATED exclusive trademark of The Singer Do its mondialtissus AfmBOorm Nap2XjaNTuH5f8uXRzTb1TCkdvWWH qe28DLmJ S3gzoL2Nmondialtissus |||

C5200 INSTRUCTION MANUAL MANUEL D INSTRUCTION MANUAL DE INSTRUCCIONES This household sewing machine is designed to comply with IEC/EN 60335-2-28 and UL1594. IMPORTANT SAFETY INSTRUCTIONS When using an electrical appliance, basic safety precautions should always be followed, including the followin...

lang:en **score:28** filesize: 6.38 M page_count: 76 document date: 2019-10-23



[SINGER Sewing Machine Accessory User Guide 2022](#)

Explore the SINGER Accessory User Guide 2022, a comprehensive resource for sewing enthusiasts. This guide details various SINGER sewing machine accessories, including presser feet, needles, scissors, bobbins, extension tables, and embroidery hoops. Learn how to use each accessory for utility garment sewing, decorative crafting, quilting, and overlock embellishment. Find compatibility information for SINGER sewing machine models and enhance your creative projects with expert guidance.

lang:en score:26 filesize: 10.53 M page_count: 72 document date: 2024-03-11



[Singer Sewing Accessories User Guide 2022](#)

Explore the comprehensive Singer Sewing Accessories User Guide 2022, featuring a wide range of presser feet, needles, scissors, and other essential notions. This guide provides detailed descriptions and instructions to enhance your sewing, quilting, embroidery, and crafting projects, helping you select the right accessories for any task. Discover compatible accessories for various Singer sewing machine models, including Heavy Duty, Quantum Stylist, Featherweight, and Legacy series.

lang:es score:25 filesize: 19.19 M page_count: 72 document date: 2024-03-11



[\[pdf\] Accessories](#)

INCLUDED ACCESSORIES FEATURES BENEFITS Syndigo The SINGER® C5200 computerized sewing machine has ease of use features that Extension Table Included Provides level surface for larger original content syndigo asset d6cd70a3 b62b 423a afd1 05325332f257 |||

C5200 Sewing Machine The SINGER **C5200** computerized sewing machine has ease-of-use features that help you get started sewing faster, like touch button stitch selection and needle threader. Sew fashions, home dcor, quilts, crafts, and more. With 80 stitches to choose from, including 6 one-step button...


lang:en score:24 filesize: 223.61 K page_count: 1 document date: 2019-07-29



[SINGER Sewing Machine Accessory User Guide 2022](#)

Explore the SINGER Accessory User Guide 2022, a comprehensive catalog and instruction manual for SINGER sewing machine presser feet, embroidery hoops, needles, scissors, and other essential sewing notions. Learn how to use various SINGER accessories for quilting, garment sewing, crafting, and embellishment to enhance your creative projects.

lang:en score:24 filesize: 14.68 M page_count: 72 document date: 2023-02-07



[pdf] User Manual Instructions

INSTRUCTION MANUAL MANUEL D TM by JF 1000 fabriquée par Jaguar International Corporation ou YC 485EC your sewing machine Thread is locked around the edge of fabric aligned f736091 tm sites default files content pf 202402 |||

C5200 INSTRUCTION MANUAL MANUEL D INSTRUCTION MANUAL DE INSTRUCCIONES <https://tm.by> - This household sewing machine is designed to comply with IEC/EN 60335-2-28 and UL1594. IMPORTANT SAFETY INSTRUCTIONS When using an electrical appliance, basic safety precautions should always be followed, includ...

lang:en score:23 filesize: 3.31 M page_count: 76 document date: 2024-04-02



SINGER Sewing Machine and Accessory Guide 2022

Explore the SINGER 2022 User Guide for sewing machine accessories, including presser feet, needles, scissors, and more. Discover tools to enhance quilting, embroidery, utility, and decorative sewing projects, offering time-saving solutions and fostering creativity for all skill levels.

lang:fr score:23 filesize: 21.65 M page_count: 72 document date: 2024-03-11

SINGER® C5200		
English Spanish French		
English		
1 STRAIGHT STITCH	Seams	The most common use for the straight stitch is for joining fabrics together with a seam. The machine needle plate has a series of etched markings to the right of the presser foot which serve as guidelines for various widths of seam allowances when sewing with the needle in center position. Line up the raw edge of the fabric with the desired seam allowance guideline to sew a seam.
2 STRAIGHT STITCH	Quilt Piecing	Quilt piecing is done using a 1/4" seam allowance. After sewing, press seams toward the darker of the two fabrics to help prevent the seam allowance from being visible on the top side of the quilt. It may be helpful to use a Quarter Inch Foot (additional accessory for some machine models).
3 STRAIGHT STITCH	Topstitching	Topstitching is a line of straight stitching on the outside of a garment or project, usually as a decorative embellishment. Set the machine for straight stitch, with a stitch length of 3 to 3.5mm. Sew 1/4" - 3/8" from the edge of the fabric. If sewing with topstitching thread, use a SINGER Topstitching Needle, size 90/14 for medium weight fabrics, or a SINGER Topstitching needle, size 100/16 for heavier fabrics. A Topstitching Needle (additional accessory) has a longer eye to accommodate thicker threads, such as topstitching thread which gives the stitches a bolder look.
4 STRAIGHT STITCH	Edge Stitching	Edgestitching can be used to add stability to projects like tote bags, or it can be used simply as a decorative embellishment. Set the machine for straight stitch. Sew approximately 1/8" from the edge of the fabric.
5 STRAIGHT STITCH	Basting	Basting stitches are used to temporarily hold fabrics together, for example, when you want to check the fit of a garment before sewing the actual seam. To set the machine for basting, if your machine has adjustable stitch length, select straight stitch with the longest stitch length setting. It is helpful to also slightly reduce the upper thread tension as well (this makes it easier to remove the temporary basting stitches later). Sew the row of basting.

[pdf] Accessories


SINGER C5200 NA res cloudinary singer sewing image upload v1593109968 Singer Website Library Stitch Applications |||

English 1 STRAIGHT STITCH 2 STRAIGHT STITCH 3 STRAIGHT STITCH 4 STRAIGHT STITCH 5 STRAIGHT STITCH SINGER **C5200** English Spanish French Seams Quilt Piecing Topstitching Edge Stitching Basting The most common use for the straight stitch is for joining fabrics together with a seam. The machine ne... lang:en score:20 filesize: 2.49 M page_count: 156 document date: 2020-06-25



[pdf]

revize 2020 OCAK SUBAT MART singer modasi 01 tr assets img dergi Singer den Senin Singer in Hangisi Senin Pfaff in Hangisi Duymadik Demeyin 2020 Ki Trendleri Singe ... 0 SENN SINGER N HANGS 2020 yili yeni elektronik makinalarla rengrenk ve kipir kipir ELEKTRONK **C5200** Turq **C5200** Coral **C5200** Grey **C5200** Purple C430 SENN PFAFF IN HANGS CREATIVE STYLISTTM MN... lang:id score:20 filesize: 17.04 M page_count: 28 document date: 2020-01-02



[pdf] Accessories Catalog

Giovanni Mazzucchelli SINGER C5205 catalogo singer it 2021 01 CARATTERISTICHE PRINCIPALI ACCESSORI INCLUSI |||

La macchina per cucire SINGER **C5200** computerizzata facile da usare con caratteristiche che ti aiutano ad iniziare a cucire pi velocemente, come la selezione del punto tramite pulsante e l infila ago. Cuci la moda, decorazioni per la casa, trapunte, artigianato ed altro ancora. Con 80 punti tra cui ...
lang:it score:20 filesize: 124.43 K page_count: 1 document date: 2019-11-19

SINGER® C5200			
English Spanish French			
English			
1	STRAIGHT STITCH	Seams	The most common use for the straight stitch is for joining fabrics together with a seam. The machine needle plate has a series of etched markings to the right of the presser foot which serve as guidelines for various widths of seam allowances when sewing with the needle in center position. Line up the raw edge of the fabric with the desired seam allowance guideline to sew a seam.
2	STRAIGHT STITCH	Quilt Piecing	Quilt piecing is done using a 1/4" seam allowance. After sewing, press seams toward the darker of the two fabrics, to help prevent the seam allowance from being visible on the top side of the quilt. It may be helpful to use a Quarter Inch Foot (additional accessory for some machine models).
3	STRAIGHT STITCH	Topstitching	Topstitching is a line of straight stitching on the outside of a garment or project, usually as a decorative embellishment. Set the machine for straight stitch with a stitch length of 3 to 3.5mm. Sew 1/4" - 3/8" from the edge of the fabric. If sewing with topstitching thread, use a SINGER Topstitching Needle, size 90/14 for medium weight fabrics, or a SINGER Topstitching needle, size 100/16 for heavier fabrics. A Topstitching Needle (additional accessory) has a larger eye to accommodate thicker threads, such as topstitching thread which gives the stitches a bolder look.
4	STRAIGHT STITCH	Edge Stitching	Edgestitching can be used to add stability to projects like tote bags, or it can be used simply as a decorative embellishment. Set the machine for straight stitch. Sew approximately 1/8" from the edge of the fabric.
5	STRAIGHT STITCH	Basting	Basting stitches are used to temporarily hold fabrics together. For example, when you want to check the fit of a garment before sewing the actual seam. To set the machine for basting, if your machine has adjustable stitch length, select straight stitch with the longest stitch length setting. It is helpful to also slightly reduce the upper thread tension as well (this makes it easier to remove the temporary basting stitches later). Sew the row of basting.
1 of 16			

[pdf] Accessories

Untitled SINGER C5200 NA u xyrryw svpworldwide widen net content kwij7hi80 |||

English 1 STRAIGHT STITCH 2 STRAIGHT STITCH 3 STRAIGHT STITCH 4 STRAIGHT STITCH 5 STRAIGHT STITCH SINGER **C5200** English Spanish French
Seams Quilt Piecing Topstitching Edge Stitching Basting The most common use for the straight stitch is for joining fabrics together with a seam. The machine ne...
lang:en score:19 filesize: 1.45 M page_count: 156 document date: 2023-11-28

SEE LISTING PAGE 20

SINGER® Presser Feet Expand the Capabilities Of Your Machine

SINGER® makes it simple and easy to find which presser foot are compatible with your machine. Located on the back panel of each presser foot, machine codes are listed. Match the machine series code with your machine number.

Balance

5430 6180 C2000
5500 6189
7660 6869

CK Series

9000

Quantum 9900
9910
Quantum
9910
Quantum
9910
9910

CG Series

Curvy

5625
5763
5907
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
9470
9475
9480
9485
9490
9495
9500
9505
9510
9515
9520
9525
9530
9535
9540
9545
9550
9555
9560
9565
9570
9575
9580
9585
9590
9595
9600
9605
9610
9615
9620
9625
9630
9635
9640
9645
9650
9655
9660
9665
9670
9675
9680
9685
9690
9695
9700
9705
9710
9715
9720
9725
9730
9735
9740
9745
9750
9755
9760
9765
9770
9775
9780
9785
9790
9795
9800
9805
9810
9815
9820
9825
9830
9835
9840
9845
9850
9855
9860
9865
9870
9875
9880
9885
9890
9895
9900
9905
9910
9915
9920
9925
9930
9935
9940
9945
9950
9955
9960
9965
9970
9975
9980
9985
9990
9995
10000

CK Series

Free/100

Singer One
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
9470
9475
9480
9485
9490
9495
9500
9505
9510
9515
9520
9525
9530
9535
9540
9545
9550
9555
9560
9565
9570
9575
9580
9585
9590
9595
9600
9605
9610
9615
9620
9625
9630
9635
9640
9645
9650
9655
9660
9665
9670
9675
9680
9685
9690
9695
9700
9705
9710
9715
9720
9725
9730
9735
9740
9745
9750
9755
9760
9765
9770
9775
9780
9785
9790
9795
9800
9805
9810
9815
9820
9825
9830
9835
9840
9845
9850
9855
9860
9865
9870
9875
9880
9885
9890
9895
9900
9905
9910
9915
9920
9925
9930
9935
9940
9945
9950
9955
9960
9965
9970
9975
9980
9985
9990
9995
10000

Seams/Confidence

5900 7412
5905 7422
5910 7444
5915 7446
5920 7448
5925 7449
5930 7450
5935 7451
5940 7452
5945 7453
5950 7454
5955 7455
5960 7456
5965 7457
5970 7458
5975 7459
5980 7460
5985 7461
5990 7462
6000 7463
6005 7464
6010 7465
6015 7466
6020 7467
6025 7468
6030 7469
6035 7470
6040 7471
6045 7472
6050 7473
6055 7474
6060 7475
6065 7476
6070 7477
6075 7478
6080 7479
6085 7480
6090 7481
6095 7482
6100 7483
6105 7484
6110 7485
6115 7486
6120 7487
6125 7488
6130 7489
6135 7490
6140 7491
6145 7492
6150 7493
6155 7494
6160 7495
6165 7496
6170 7497
6175 7498
6180 7499
6185 7500
6190 7501
6195 7502
6200 7503
6205 7504
6210 7505
6215 7506
6220 7507
6225 7508
6230 7509
6235 7510
6240 7511
6245 7512
6250 7513
6255 7514
6260 7515
6265 7516
6270 7517
6275 7518
6280 7519
6285 7520
6290 7521
6295 7522
6300 7523
6305 7524
6310 7525
6315 7526
6320 7527
6325 7528
6330 7529
6335 7530
6340 7531
6345 7532
6350 7533
6355 7534
6360 7535
6365 7536
6370 7537
6375 7538
6380 7539
6385 7540
6390 7541
6395 7542
6400 7543
6405 7544
6410 7545
6415 7546
6420 7547
6425 7548
6430 7549
6435 7550
6440 7551
6445 7552
6450 7553
6455 7554
6460 7555
6465 7556
6470 7557
6475 7558
6480 7559
6485 7560
6490 7561
6495 7562
6500 7563
6505 7564
6510 7565
6515 7566
6520 7567
6525 7568
6530 7569
6535 7570
6540 7571
6545 7572
6550 7573
6555 7574
6560 7575
6565 7576
6570 7577
6575 7578
6580 7579
6585 7580
6590 7581
6595 7582
6600 7583
6605 7584
6610 7585
6615 7586
6620 7587
6625 7588
6630 7589
6635 7590
6640 7591
6645 7592
6650 7593
6655 7594
6660 7595
6665 7596
6670 7597

SINGER® C5200			
English Spanish French			
English			
1	STRAIGHT STITCH	Seams	The most common use for the straight stitch is for joining fabrics together with a seam. The machine needle plate has a series of etched markings to the right of the presser foot which serve as guidelines for various widths of seam allowances when sewing with the needle in center position. Line up the raw edges of the fabric with desired seam allowance guideline to sew a seam.
2	STRAIGHT STITCH	Quilt Piecing	Quilt piecing is done using a 1/4" seam allowance. After sewing, press seams toward the darker of the two fabrics, to help prevent the seam allowance from being visible on the top side of the quilt. It may be helpful to use a Quarter Inch Foot (additional accessory for some machine models).
3	STRAIGHT STITCH	Topstitching	Topstitching is a line of straight stitching on the outside of a garment or project, usually as a decorative embellishment. Set the machine for straight stitch, with a stitch length of 3 to 3.5 mm. Sew 1/4" - 3/8" from the edge of the fabric. If sewing with topstitching thread, use a SINGER Topstitching Needle, size #90/14 (for medium weight fabrics, or a SINGER Topstitching needle, size 100/16 for heavier fabrics. A Topstitching Needle (additional accessory) has a larger eye to accommodate thicker threads, such as topstitching thread which gives the stitches a bolder look.
4	STRAIGHT STITCH	Edge Stitching	Edgestitching can be used to add stability to projects like tote bags, or it can be used simply as a decorative embellishment. Set the machine for straight stitch. Sew approximately 1/8" from the edge of the fabric.
5	STRAIGHT STITCH	Basting	Basting stitches are used to temporarily hold fabric together, for example, when you want to check the fit of a garment before sewing the actual seam. To set the machine for basting, if your machine has adjustable stitch length, select straight stitch with the longest stitch length setting. It is helpful to also slightly reduce the upper thread tension as well (this makes it easier to remove the temporary basting stitches later). See the row of basting
1 of 156			

[pdf] Accessories

Untitled SINGER C5200 NA svpworldwide widen net content kvwij7hi80 u xyrryw webkitallowfullscreen mozallowfullscreen allowfullscreen title |||

English 1 STRAIGHT STITCH 2 STRAIGHT STITCH 3 STRAIGHT STITCH 4 STRAIGHT STITCH 5 STRAIGHT STITCH SINGER **C5200** English Spanish French Seams Quilt Piecing Topstitching Edge Stitching Basting The most common use for the straight stitch is for joining fabrics together with a seam. The machine ne... lang:en score:18 filesize: 1.45 M page_count: 156 document date: 2023-11-28

[pdf]

I piedini originali SINGER® espandono le capacità della tua macchina rende semplice e facile trovare quali sono compatibili con la Situato sulla parte posteriore di ciascuna confezione trovate elencati i codici relativi basta abbinare il codice piedino per quello adatto Giovanni Mazzucchelli Piedini macchine singer it 2022 08 |||

MA, MB, CA, CC, EA, EC I piedini originali SINGER espandono le capacit della tua macchina SINGER re ... lla macchina con il piedino per trovare quello adatto. Macchine categoria elettroniche Brilliance **C5200** 5400 5500 6160 6180 6199 6699 Curvy-One 8763 8770 One One Plus Heritage 8768 Confidence 725... lang:it score:18 filesize: 911.51 K page_count: 3 document date: 2022-08-18

MA, MB, CA, CC, EA, EC			
I piedini originali SINGER® espandono le capacità della tua macchina			
			
			
			
Codice serie: MA			




[pdf] Accessories Catalog

Catalogo Singer 2024 final cdr Martina Vigliotti Nuovo complete 1 singer it 04 ||| Catalogo Generale 2024 Benvenuta nella famiglia Singer. Se ti dedichi al quilting, al bricolage, a ... 4205 4206 4210 4212 4218 4220 4228 Serie CA Brilliance 6160 6180* 6199* Starlet 6660 6680 6699 **C5200** *Modello fuori produzione non disponibile all acquisto La categorizzazione delle macchine pe... lang:it score:14 filesize: 3.43 M page_count: 86 document date: 2024-04-18



[pdf] Catalog

Catalogo Singer 2024 final cdr Martina Vigliotti Nuevo Catálogo ES singer it 05 ||| Catlogo General 2024 Bienvenido a la familia Singer de accesorios para coser Si acolcha, elabora, ... 4205 4206 4210 4212 4218 4220 4228 Serie CA Brilliance 6160 6180* 6199* Starlet 6660 6680 6699 **C5200** *Modelo descatalogado no disponible para la compra La categorizacin de las mquinas permite i... lang:es score:14 filesize: 7.68 M page_count: 84 document date: 2024-05-10



[\[pdf\]](#) User Manual Instructions

CV J80 EngFreSpa indd Istruzioni Singer C5205 Confronta prezzi Trovaprezzi it singer c5205 trovaprezzi manuali |||

Questo manuale d'istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Singer C5205 o cerca il tuo prodotto tra le migliori offerte di Macchine da Cucire **C5200**

INSTRUCTION MANUAL MANUEL D'INSTRUCTION MANUAL DE

INSTRUCCIONES This household sewing machine is designed to comply with IEC/...

lang:en **score:12** filesize: 6.43 M page_count: 76 document date: 2019-10-23



[\[pdf\]](#) User Manual Instructions

CV J80 EngFreSpa indd SINGER C5205 electro365 es index controller attachment id 168 |||

C5200 INSTRUCTION MANUAL MANUEL D'INSTRUCTION MANUAL DE

INSTRUCCIONES This household sewing machine is designed to comply with IEC/EN 60335-2-28 and UL1594. IMPORTANT SAFETY INSTRUCTIONS When using an electrical appliance, basic safety precautions should always be followed, including the followin...

lang:en **score:10** filesize: 2.73 M page_count: 76 document date: 2020-06-09