



Manuals.plus /

› Stellar Mounts /

› Stellar Mounts Ultra Slim Tilt TV Wall Mount Instruction Manual for LG 43NANO75UQA TV

## Stellar Mounts Tilt Mount for 43NANO75UQA

# Stellar Mounts Ultra Slim Tilt TV Wall Mount Instruction Manual

MODEL: TILT MOUNT FOR 43NANO75UQA

Brand: Stellar Mounts

---

## 1. INTRODUCTION

---

This manual provides detailed instructions for the safe and proper installation and operation of your Stellar Mounts Ultra Slim Tilt TV Wall Mount. Please read all instructions carefully before beginning installation and retain this manual for future reference. This mount is designed to securely hold flat-panel TVs, including the LG 43NANO75UQA, with compatible VESA patterns and within the specified weight limits.

## 2. SAFETY INFORMATION

---

- **Read all instructions:** Ensure you understand all instructions and warnings before installation. Incorrect installation may result in property damage or personal injury.
- **Professional installation:** If you have any doubts about the installation process, consult a qualified professional.
- **Weight capacity:** Do not exceed the maximum weight capacity of 165 lbs (75 kg). This mount is designed for TVs between 32" and 102".
- **VESA compatibility:** Ensure your TV's VESA mounting pattern (distance between mounting holes on the back of the TV) is compatible with the mount's maximum VESA 600x400.
- **Wall structure:** The wall must be capable of supporting the combined weight of the mount and the TV. For concrete or brick walls, use appropriate anchors. For wood stud walls, ensure the mount is secured to at least two studs.
- **Tools:** Use appropriate tools for installation.
- **Children:** Keep children away during installation.

## 3. PACKAGE CONTENTS

---

Please verify that all components are present and undamaged before proceeding with installation.

- TV Wall Mount (Wall Plate and TV Brackets)
- Hardware Kit (various screws, washers, spacers, anchors)
- Bubble Level
- Instruction Manual

## 4. SPECIFICATIONS

---

Feature	Specification
Brand	Stellar Mounts
Model Number	Tilt Mount for 43NANO75UQA
Material	Alloy Steel
Color	Black
Mounting Type	Wall Mount
Movement Type	Tilt
Maximum Tilt Angle	12 Degrees (Up & Down)
Low Profile Distance from Wall	1.7 inches (4.3 cm)
Maximum VESA Compatibility	600x400 mm
Weight Capacity	165 lbs (75 kg)
Compatible TV Sizes	32" to 102" (diagonal)
Item Weight	6.78 pounds (3.07 kg)
Package Dimensions	27 x 8.6 x 2.2 inches (68.6 x 21.8 x 5.6 cm)
UPC	782706815941

## 5. SETUP AND INSTALLATION

---

Follow these three easy steps for installation. Ensure you have all necessary tools and hardware before starting.

### Step 1: Attach Wall Plate to Wall

1. Determine the desired mounting height and location on your wall. Use a stud finder to locate wood studs if mounting on a drywall surface.
2. Position the wall plate against the wall at the desired height. Use the included bubble level to ensure it is perfectly horizontal.
3. Mark the drilling locations through the holes on the wall plate.
4. Drill pilot holes at the marked locations. For wood studs, use a smaller drill bit than the lag bolts. For concrete or brick walls, use a masonry drill bit and insert the appropriate wall anchors (not included for all

wall types, consult a professional if unsure).

5. Secure the wall plate to the wall using the provided lag bolts and washers. Tighten them firmly but do not overtighten.




Image: The main wall plate component of the TV mount, securely attached to a wall, demonstrating its low-profile design.




Image: A close-up view of a bubble level, indicating a perfectly horizontal alignment, essential for proper mount installation.

Your browser does not support the video tag.

Video: An instructional video demonstrating the process of installing the tilt wall mount, including marking and securing the wall plate.

## Step 2: Attach TV Brackets to TV

1. Carefully place your TV face down on a soft, clean surface to prevent screen damage.
2. Identify the VESA mounting holes on the back of your TV.
3. Select the appropriate screws, washers, and spacers from the hardware kit that fit your TV's mounting holes.
4. Attach the two vertical TV brackets to the back of your TV. Ensure they are centered and securely fastened. The brackets should be oriented so the hooks face upwards and away from the TV.



Image: The complete Stellar Mounts TV wall mount, showing both the wall plate and the TV brackets, ready for assembly.

### Step 3: Attach TV to Wall Plate

1. With assistance, carefully lift the TV and hook the attached TV brackets onto the top edge of the wall plate.
2. Gently lower the TV until the brackets are fully seated on the wall plate.
3. Locate the safety screws or locking mechanisms on the bottom of the TV brackets. Tighten these screws to secure the TV to the wall plate, preventing accidental dislodgement.
4. Perform a final check to ensure the TV is level and securely mounted.

Your browser does not support the video tag.

Video: A comprehensive instructional video demonstrating the full installation process of the Stellar Mounts Heavy Duty Tilting Mount, from wall plate attachment to securing the TV.




Image: A flat-panel TV elegantly mounted on a wall in a contemporary living room, showcasing the low-profile design of the mount.



Image: A TV mounted above a fireplace, illustrating a common installation scenario and the clean aesthetic achieved with the wall mount.

## 6. OPERATING INSTRUCTIONS

---

### Tilt Adjustment

This mount allows for a tilt adjustment of 0 to 12 degrees. To adjust the tilt angle:

1. Loosen the tilt adjustment knobs located on the sides of the TV brackets.
2. Carefully tilt the TV to your desired viewing angle.
3. Tighten the tilt adjustment knobs to secure the TV in place. Do not overtighten.



Image: A diagram illustrating the range of tilt adjustment available with the wall mount, showing how the TV can be angled up or down.

### Horizontal Adjustment

The sliding bracket design allows for horizontal adjustment of the TV on the wall plate, even after installation. This feature helps achieve perfect screen placement.

1. Ensure the safety screws at the bottom of the TV brackets are slightly loosened (but not removed) to allow movement.
2. Gently slide the TV left or right along the wall plate to achieve the desired horizontal position.
3. Once positioned, re-tighten the safety screws to secure the TV.

## 7. MAINTENANCE

---

- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight and secure.
- **Cleaning:** Clean the mount with a soft, dry cloth. Avoid using abrasive cleaners or solvents that could damage the finish.
- **Cable Management:** Utilize the access holes for cable routing to keep cables organized and prevent strain.

## 8. TROUBLESHOOTING

---

- **TV is not level:** Ensure the wall plate was installed level using the bubble level. If the wall plate is level, check if the TV brackets are evenly attached to the TV. Minor adjustments can sometimes be made by slightly loosening and re-tightening the TV bracket screws.
- **TV feels unstable:** Verify that all wall plate screws are securely fastened to the wall and that the TV brackets are tightly attached to the TV. Ensure the safety screws at the bottom of the TV brackets are fully tightened to lock the TV onto the wall plate. Confirm the TV's weight does not exceed the mount's capacity.
- **Difficulty tilting the TV:** Loosen the tilt adjustment knobs slightly more. If the issue persists, check for any obstructions behind the TV.
- **Mounting screws do not fit TV:** The hardware kit includes a variety of screws. Refer to your TV's manual for the correct screw size and length. If none fit, you may need to purchase specific screws for your TV model.

## 9. WARRANTY AND SUPPORT

---

Information regarding specific warranty terms for the Stellar Mounts Ultra Slim Tilt TV Wall Mount is not provided in the product details. For warranty claims or technical support, please contact the retailer where you purchased the product or the manufacturer directly. Keep your proof of purchase for any warranty-related inquiries.