NWIASS 400*400 Shower System

NWIASS 16x16 Inch Chrome Thermostatic LED Rain Shower System User Manual

Model: 400*400 Shower System

Introduction

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your NWIASS 16x16 Inch Chrome Thermostatic LED Rain Shower System. Please read these instructions thoroughly before installation and retain them for future reference. This system combines a thermostatic mixer, LED rain and waterfall shower head, body jets, and a handheld shower for a comprehensive bathing experience.

Product Features

- **Thermostatic Control:** Maintains a stable water temperature with a 38°C safety button, eliminating the need for constant adjustment.
- **LED Music Shower System:** Connects via Bluetooth to your phone for music playback. Features 64 types of LED lighting for varied ambiance.
- **Multi-Function Shower:** Includes a rain shower, waterfall shower head, 6 body jets, and a handheld shower. Each function is controlled by a dedicated knob, allowing for simultaneous or individual operation.
- **Full Body Shower System:** All components feature G1/2" threaded connections for standard US installation.
- **Adjustable Body Jets:** Six body jets offer 360° multi-directional adjustment for targeted water flow.
- **Durable Construction:** Made from 304 stainless steel and brass, providing anticorrosive and rustproof properties for longevity in humid environments.
- **Self-Cleaning Nozzles:** Silicone nozzles prevent clogging and simplify cleaning.

Setup and Installation

Professional installation is highly recommended for this shower system. Detailed installation instructions are included within the product packaging. Ensure all local plumbing and electrical codes are followed during installation.

Components Overview

Familiarize yourself with all included components before beginning installation. The system includes the main shower head, control panel, body jets, handheld shower, hose, mounting hardware, and user manual.



Figure 1: All components included in the NWIASS 16x16 Inch Chrome Thermostatic LED Rain Shower System package.

Connection Standards

All shower components utilize G1/2" threaded connections, which are standard in the US, ensuring compatibility and ease of installation.

Operating Instructions

Thermostatic Water Control

The thermostatic mixer maintains a consistent water temperature. The safety button is set at 38°C (100.4°F) to prevent scalding. To adjust the temperature above 38°C, press and hold the safety button while rotating the knob. The system automatically balances hot and cold water pressure to keep the temperature stable.




Figure 2: Thermostatic control panel showing temperature and function selectors.

LED Lighting and Bluetooth Music

The shower head features integrated LED lighting with 64 color options and a Bluetooth speaker. To use the music function, enable Bluetooth on your smartphone and connect to the shower system (device name typically found in the product manual or on the device itself). Use the provided remote control to change LED colors and manage music playback.



Figure 3: Remote control for LED lighting and Bluetooth music playback.




Figure 4: Visual representation of rain and waterfall modes with LED color changes.

Shower Functions (Rain, Waterfall, Body Jets, Handheld)

The system offers multiple water outlets. Use the individual knobs on the control panel to activate the desired function(s). You can operate the rain shower, waterfall, body jets, and handheld shower simultaneously or individually based on your preference.



Figure 5: The NWIASS shower system demonstrating multiple active water outlets.

Video: LED Rain Shower System Operation

Your browser does not support the video tag.

Video 1: Demonstrates the LED rain shower system, including color changes and water flow. This video is provided by NWIASS Ceiling Fan-tastic Finds.

Maintenance

Cleaning the Shower System

To maintain the polished chrome finish and ensure optimal performance, clean the shower system regularly. Use a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome finishes. Avoid harsh chemicals, abrasive cleaners, or scouring pads, as these can damage the finish.

Nozzle Maintenance

The shower head and body jets feature self-cleaning silicone nozzles. Periodically rub the nozzles with your finger or a soft brush

to dislodge any mineral buildup and maintain consistent water flow.

Troubleshooting

If you encounter any issues with your NWIASS shower system, please refer to the following common troubleshooting steps:

- **No Water Flow or Low Pressure:** Check the main water supply valves. Ensure no blockages in the shower head or hose. Clean the silicone nozzles as described in the Maintenance section.
- **Inconsistent Water Temperature:** Verify that the hot and cold water supplies are correctly connected. Ensure the thermostatic control knob is set correctly and the safety button is not stuck.
- **LED Lights Not Working:** Check the power supply connection to the LED system. Ensure the remote control batteries are functional and the remote is within range.
- **Bluetooth Connection Issues:** Ensure your device's Bluetooth is enabled and the shower system is discoverable. Try restarting both your device and the shower system's power.
- **Leaks:** Check all connections for tightness. Ensure O-rings and seals are properly seated. If leaks persist, professional assistance may be required.

For issues not resolved by these steps, please contact customer support.

Specifications

Feature	Detail
Brand	NWIASS
Model Number	400*400 Shower System
Style	16×16 Inch Chrome Shower System
Color	Chrome
Material	Brass, Stainless Steel
Finish Type	Polished
Number of Handles	5
Mounting Type	Ceiling Rainfall Shower, Wall Mount Shower System
Included Components	Handheld Shower Head, Handle, Hose, Mounting Hardware, Shower Bracket, Shower Head, Tub Spout, User Manual, Valve
Item Weight	45.6 pounds
Product Dimensions	29.92 x 18.9 x 11.02 inches
Voltage	110 Volts
Type of Bulb	LED

Warranty and Support

NWIASS is committed to providing high-quality thermostatic shower systems. If you have any questions or encounter problems

with your product, please do not hesitate to contact us via email. We offer active guidance and after-sales service to ensure your satisfaction.

Please refer to the contact information provided in your product packaging or on the official NWIASS website for specific support channels.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question