

[Manuals.plus](#) /

› [Justkey](#) /

› VOOPOO TPP DM2 0.2Ω Replacement Coils User Manual

Justkey DM2 0.2Ω

VOOPOO TPP DM2 0.2Ω Replacement Coils User Manual

Model: DM2 0.2Ω | Brand: Justkey

1. PRODUCT OVERVIEW

The VOOPOO TPP DM2 0.2Ω Replacement Coils are designed for direct-to-lung (DL) vaping, offering a balanced and powerful flavor experience. These coils utilize an upgraded "Dual In One" atomization technology for enhanced performance. This package contains three (3) TPP DM2 0.2Ω coils.



Image: Three VOOPOO TPP DM2 0.2Ω replacement coils, showing their design and specifications printed on the side.



Image: Packaging for VOOPOO TPP DM1 coils, showing three coils in a blister pack alongside the product box.

2. COMPATIBILITY

These VOOPOO TPP DM series coils are compatible with the following VOOPOO devices and tanks:

- VOOPOO DRAG 3 KIT
- VOOPOO DRAG X PLUS KIT
- VOOPOO Drag S Pro KIT
- VOOPOO Drag X Pro KIT
- VOOPOO TPP Pod Tank
- VOOPOO TPP-X Pod Tank



Image: Illustrates compatibility with VOOPOO Drag 3 Kit, Drag X Plus Kit, Drag X Pro Kit, and Drag S Pro Kit, showing two TPP coils (DM1 and DM2).

3. COIL SPECIFICATIONS AND RECOMMENDED WATTAGE

The TPP DM series coils offer various resistances and recommended power outputs for optimal performance:

Coil Type	Resistance	Recommended Wattage	Vaping Style
DM1	0.15Ω	60W - 80W	DL (Direct Lung)
DM2	0.2Ω	40W - 60W	DL (Direct Lung)
DM3	0.15Ω	80W - 100W	DL (Direct Lung)
DM4	0.3Ω	32W - 40W	Half DL (Restricted Direct Lung)

アップグレードされた TPPコイル



DM3

- より快適な口当たり
- より多くのパフを利用可能
- より良い漏れ防止
- よりバランスのとれた味わいと力強さ



DM4

VOOPOO Drag 3 Kit、
Drag X Plus Kit、
Drag X Pro Kit、
Drag S Pro Kit
などの対応



TPP-DM1 0.15ohm



TPP-DM2 0.2ohm

Image: Displays the four TPP-DM coil types (DM1, DM2, DM3, DM4) with their respective resistances and recommended power ranges, highlighting their suitability for larger clouds and stronger flavor.

革新的なメッシュ技術

アップグレードされたTPP-DMコイルは、「Dual In One」という新しい霧化技術を採用し、よりバランスのとれた力強い味わいを実現します。



より大きな雲、より強い口当たり



TPP-DM1
DL
Resistance: 0.15Ω
Power Range: 60-80W



TPP-DM2
DL
Resistance: 0.2Ω
Power Range: 40-60W



TPP-DM3
DL
Resistance: 0.15Ω
Power Range: 80-100W



TPP-DM4
Half DL
Resistance: 0.3Ω
Power Range: 32-40W

Image: A close-up view of a TPP-DM coil, emphasizing its innovative mesh technology designed for balanced and powerful flavor.



Image: Highlights the upgraded features of TPP coils, including more comfortable draw, more puffs, better leak prevention, and a more balanced and powerful flavor. Shows DM3 and DM4 coils.

4. SETUP AND INSTALLATION

To install or replace your VOOPOO TPP DM2 coil, follow these general steps:

1. **Remove the Pod/Tank:** Detach the TPP Pod Tank or TPP-X Pod Tank from your compatible VOOPOO device.
2. **Remove Old Coil:** If replacing, pull out the old coil from the bottom of the pod/tank. It is usually a press-fit installation.
3. **Prime the New Coil:** Before inserting the new coil, apply a few drops of e-liquid to the cotton wicking ports of the new DM2 coil. This helps saturate the cotton and prevents dry hits.
4. **Insert New Coil:** Firmly push the new DM2 coil into the coil slot at the bottom of the pod/tank until it is securely seated.
5. **Fill with E-liquid:** Fill the pod/tank with your preferred e-liquid.
6. **Wait for Saturation:** Allow the coil to sit for at least 5-10 minutes after filling to ensure the cotton is fully saturated with e-liquid. This is crucial for optimal performance and coil longevity.
7. **Reattach Pod/Tank:** Reattach the filled pod/tank to your VOOPOO device.

5. OPERATING GUIDELINES

Once the coil is installed and primed, ensure your device is set to the recommended wattage range for the DM2 0.2Ω coil

(40W - 60W). Adjust airflow to your preference for optimal vapor production and flavor. Avoid exceeding the recommended wattage to prevent premature coil burning and ensure a consistent vaping experience.

6. MAINTENANCE

Coils are consumable parts and require regular replacement to maintain optimal performance and flavor. It is recommended to replace your TPP DM2 coil every 1 to 2 weeks, depending on your usage frequency and the type of e-liquid used. E-liquids with high sugar content can shorten coil lifespan.

- **Regular Replacement:** Replace coils when you notice a burnt taste, reduced vapor production, or diminished flavor.
- **Cleanliness:** Keep the coil seating area and pod/tank clean to ensure good connection and prevent e-liquid leakage.

7. TROUBLESHOOTING

- **Burnt Taste:**
 - Ensure the coil is properly primed before first use.
 - Check if the wattage setting is within the recommended range (40W-60W for DM2).
 - Replace the coil if it's old or burnt out.
 - Ensure the e-liquid level is sufficient to prevent dry hits.
- **No Vapor Production:**
 - Check if the coil is correctly installed and seated.
 - Ensure the device is powered on and charged.
 - Verify the device recognizes the coil (check for "Atomizer Short" or "No Atomizer" messages).
- **Leaking:**
 - Ensure the coil is fully inserted and sealed.
 - Check O-rings for damage or misalignment.
 - Avoid overfilling the pod/tank.
 - Use e-liquids with appropriate VG/PG ratio for DL coils (typically higher VG).
- **Weak Flavor/Vapor:**
 - The coil may be nearing the end of its lifespan; replace it.
 - Ensure proper priming and saturation.
 - Check wattage setting.

8. SPECIFICATIONS

- **Product Name:** VOOPOO TPP DM2 Replacement Coil
- **Resistance:** 0.2Ω
- **Recommended Wattage:** 40W - 60W
- **Quantity:** 3 pieces per pack
- **Dimensions (Package):** 7.1 x 4.3 x 1.9 cm
- **Weight (Package):** 20 g
- **Manufacturer:** Justkey (Brand)

9. WARRANTY AND SUPPORT

As coils are consumable items, they typically do not come with a long-term warranty against wear and tear. However, if you experience any manufacturing defects upon receiving the product, please contact your retailer or the manufacturer's customer support immediately. Keep your proof of purchase for any warranty claims.

For further assistance or inquiries, please refer to the contact information provided by your point of purchase or the official VOOPOO website.

© 2025 Justkey. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question