Baseus WKWG020113

Baseus Metal Gleam Series 7-in-1 Multifunctional Type-C HUB User Manual

Model: WKWG020113

INTRODUCTION

Thank you for choosing the Baseus Metal Gleam Series 7-in-1 Multifunctional Type-C HUB. This device expands the connectivity of your Type-C enabled laptop or desktop, providing essential ports for data transfer, video output, network connection, and power delivery. Please read this manual carefully to ensure proper use and optimal performance.

Image: The Baseus Metal Gleam Series 7-in-1 Multifunctional Type-C HUB, showcasing its sleek design and multiple ports.

PRODUCT FEATURES

- **7-in-1 Connectivity:** Expands a single Type-C port into multiple essential connections.
- **Dual USB 3.0 Ports:** High-speed data transfer up to 5Gbps.
- **HDMI 4K 30Hz Output:** Connect to external displays for crisp 4K video.
- **RJ45 Gigabit Ethernet:** Stable and fast wired network connection up to 1Gbps.
- **100W Power Delivery (PD):** Charge your laptop while using the hub.
- **SD/TF Card Readers:** Convenient access to memory cards.
- **Durable Metal Gleam Design:** Robust aluminum alloy construction.

SETUP GUIDE

Follow these steps to set up your Baseus 7-in-1 HUB:

1. **Connect to Host Device:** Plug the integrated Type-C cable of the HUB into an available Type-C port on your laptop, tablet, or desktop computer. Ensure the Type-C port on your device supports video output (DisplayPort Alternate Mode) and power delivery if you intend to use these features.
2. **Power Connection (Optional):** For stable operation, especially when connecting power-hungry devices or using

the HDMI output, connect your laptop's original power adapter to the Type-C PD (Power Delivery) port on the HUB. This allows for pass-through charging up to 100W.

3. **Connect Peripherals:**

   - **USB Devices:** Plug your USB flash drives, external hard drives, keyboards, mice, or other USB 3.0/2.0 devices into the USB 3.0 ports.
   - **HDMI Display:** Connect an HDMI cable from the HUB's HDMI port to your monitor, TV, or projector. Select the correct input source on your display.
   - **Ethernet Cable:** For a wired network connection, plug an RJ45 Ethernet cable into the RJ45 port on the HUB.
   - **Memory Cards:** Insert SD or TF (Micro SD) cards into the corresponding card reader slots.

4. **Driver Installation:** The Baseus HUB is typically plug-and-play and does not require additional drivers for most operating systems (Windows, macOS, Chrome OS, Linux). If you encounter any issues, ensure your operating system is up to date.

Image: A detailed view of the Baseus HUB, highlighting its various input and output ports including USB 3.0, HDMI, RJ45, and Type-C PD.

OPERATING INSTRUCTIONS

Once connected, the Baseus HUB operates seamlessly with your device. Here's how to utilize its functions:

- **USB 3.0 Data Transfer:** Files can be transferred between your computer and connected USB devices at speeds up to 5Gbps. Simply drag and drop files as you would with direct connections.
- **HDMI Video Output:**

    - **Windows:** Right-click on the desktop, select "Display settings," and configure your display mode (Extend, Duplicate, Second screen only).
    - **macOS:** Go to "System Preferences" > "Displays" to arrange or mirror your displays.
    - The HDMI port supports resolutions up to 4K at 30Hz. For optimal performance, ensure your display and HDMI cable support 4K.

- **RJ45 Gigabit Ethernet:** Once connected, your computer should automatically detect the wired network. This provides a more stable and faster internet connection compared to Wi-Fi, especially for large downloads or online gaming.
- **Power Delivery (PD):** The Type-C PD port allows you to charge your host device (laptop/tablet) while simultaneously using other ports on the hub. Ensure your power adapter is connected to this port.
- **SD/TF Card Reading:** Insert your SD or TF card into the appropriate slot. The card will appear as a removable drive on your computer, allowing you to access, transfer, and manage files.

Image: The Baseus 7-in-1 HUB connected to a laptop, demonstrating its compact size and integration into a workspace.

MAINTENANCE AND CARE

To ensure the longevity and optimal performance of your Baseus HUB, please follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry, lint-free cloth to clean the surface of the hub. Do not use liquid cleaners, aerosols, or abrasive solvents.
- **Storage:** Store the hub in a cool, dry place away from direct sunlight and extreme temperatures.
- **Handling:** Avoid dropping the device or subjecting it to strong impacts. Do not bend or pull the integrated Type-C cable excessively.
- **Moisture:** Keep the hub away from water and other liquids. If it comes into contact with liquid, disconnect it immediately and allow it to dry completely before re-use.
- **Ventilation:** Ensure the hub has adequate ventilation during use to prevent overheating, especially when multiple high-power devices are connected.

TROUBLESHOOTING

If you encounter issues with your Baseus HUB, refer to the following common problems and solutions:

Problem	Possible Cause / Solution
No display output via HDMI.	Ensure your host device's Type-C port supports DisplayPort Alternate Mode. Check if the HDMI cable is securely connected to both the hub and the display. Verify the display's input source is set correctly. Try a different HDMI cable or display. Update your computer's graphics drivers.
USB devices are not recognized or work intermittently.	Ensure the hub is properly connected to your host device. If connecting power-hungry devices (e.g., external hard drives), connect a power adapter to the hub's PD port. Try connecting the USB device to a different USB port on the hub or directly to your computer. Restart your computer.
Slow data transfer speeds.	Ensure you are using USB 3.0 compatible devices and cables. Avoid connecting too many power-hungry devices simultaneously without external power. Check for background processes that might be consuming bandwidth.
Ethernet connection issues.	Check the Ethernet cable connection to both the hub and your router/modem. Ensure your router/modem is functioning correctly. Verify network settings on your computer. Restart your computer and network devices.
Hub feels warm during use.	It is normal for the hub to become warm during operation, especially when multiple ports are in use or when charging. Ensure adequate ventilation around the device. If it becomes excessively hot, disconnect it and allow it to cool down.

SPECIFICATIONS

Feature	Detail
Model Number	WKWG020113
Brand	Baseus
Color	Gray
Ports	2x USB 3.0, 1x HDMI, 1x RJ45, 1x Type-C PD, 1x SD Card Reader, 1x TF Card Reader
HDMI Resolution	Up to 4K@30Hz
USB 3.0 Data Speed	Up to 5Gbps
Ethernet Speed	10/100/1000Mbps (Gigabit)

| Feature	Detail
Power Delivery	Up to 100W
Compatible Devices	Laptops, Desktops with Type-C port (Windows, macOS, Chrome OS, Linux)
Material	Aluminum Alloy
Item Weight	4.6 ounces
Product Dimensions	19.69 x 19.69 x 11.02 inches

WARRANTY AND SUPPORT

Baseus products are designed and manufactured to the highest quality standards. For warranty information, technical support, or any inquiries regarding your Baseus Metal Gleam Series 7-in-1 Multifunctional Type-C HUB, please refer to the official Baseus website or contact their customer service directly. Keep your purchase receipt for warranty claims.
Official Baseus Store: Visit the Baseus Store on Amazon

Documents - Baseus – WKWG020113

WKWG020113
User Manual • Uživatelský manuál •
Uživatelský manuál • Használati utasítás •
Benutzerhandbuch

[pdf] User Manual Instructions Specifications Warranty Accessories
Lukáš Chlebovský Baseus WKWG020113 dwn alza cz manual 106309 |||
WKWG020113 User Manual Uzivatelsk manul Uzvatesk manul Hasznlati utasts Benutzerhandbuch English 3 8 Cestina 9 14 Slovencina 15 20 Magyar 21 26 Deutsch 27 32 2 Dear customer, Thank you for purchasing our product. Please read the following instructions carefully before first use and kee...
lang:en score:47 filesize: 342.84 K page_count: 32 document date: 2022-05-18

[pdf]

Baseus Metal Gleam Series multifunkcjonalny HUB USB 7w1 Typ C HDMI czytnik kart TF PD szary WKWG020113 Sklep internetowy stylem pl baseus metal gleam series hub usb typ c hdmi tf pd wkwg020113 148112 upload files product |||
Baseus Metal Gleam Series multifunkcjonalny HUB USB 7w1 Typ C HDMI czytnik kart TF PD szary **WKWG020113** Indeks: 148112 Producent: Baseus Kod producenta: 6932172602635 Cena: 211.41 zl Opis Baseus Metal Gleam Series multifunkcjonalny HUB USB 7w1 Typ C HDMI czytnik kart TF PD szary **WKWG020113** Produ...
lang:pl score:38 filesize: 241.67 K page_count: 2 document date: 2023-07-20

[pdf]

6932172602635 PL Instrukcja obsługi pol Baseus Hub 7w1 Adapter USB C 2x 3 0 HDMI PD 46173 22973 023fc2cd76ea2ebc84a3491519a7c24f puputeve hu media wysiwyg attachments |||
Instrukcja obslugi Baseus **WKWG020113** Opis Uyj huba Baseus, aby blyskawicznie przesyla pliki do 500MB/s , szybko ladowa urzdzenia PD 100W lub wywietla pliki na wikszym ekranie w doskonalej jakoci 4K 30Hz . Akcesorium zostalo wyposaone w a 7 portw, dziki czemu ju nie musisz przejmowa si brakiem od...
lang:pl score:25 filesize: 42.56 K page_count: 2 document date: 0000-00-00