

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [ATOTO](#) /

› [ATOTO P9 7-inch QLED Portable Car Stereo User Manual](#)

ATOTO P907SD-S2

ATOTO P9 7-inch QLED Portable Car Stereo User Manual

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your ATOTO P9 Series 7-inch QLED Portable Car Stereo (Model P907SD-S2). Please read this manual thoroughly before using the product to ensure proper functionality and safety. Keep this manual for future reference.



Image: The ATOTO P9 7-inch QLED Portable Car Stereo, showcasing its main display and compact design.

SAFETY INFORMATION

- Do not operate the device in a manner that distracts you from driving. Always prioritize road safety.
- Ensure the device is securely mounted and does not obstruct your view or interfere with vehicle controls.
- Connect the device only to a 12V or 24V power source via the provided cigarette lighter adapter.
- Avoid exposing the device to extreme temperatures, direct sunlight for prolonged periods, or moisture.
- Do not attempt to disassemble or modify the device. Refer all servicing to qualified personnel.

PACKAGE CONTENTS

Verify that all items are present in the package:

- ATOTO P9 7-inch QLED Portable Car Stereo Unit
- Mounting Holder (for front glass or dashboard)
- 12V/24V Cigarette Lighter Power Adapter

- HD 1080P Rear Camera (2-in-1 recording and reversing function)
- Remote Control
- User Manual (this document)
- Necessary cables and accessories for installation

SETUP AND INSTALLATION

1. Mounting the Unit

1. Choose a suitable location on your front windshield or dashboard that does not obstruct your view or interfere with airbags.
2. Clean the mounting surface thoroughly to ensure a strong adhesion for the holder.
3. Attach the mounting holder to the chosen surface.
4. Securely attach the ATOTO P9 unit to the mounting holder.

2. Power Connection

- Connect the provided power adapter to the ATOTO P9 unit.
- Plug the other end of the power adapter into your vehicle's 12V or 24V cigarette lighter socket.
- The unit will power on automatically when the vehicle's ignition is turned on.

3. Rear Camera Installation

- Install the rear camera at the back of your vehicle, ensuring a clear view.
- Route the camera cable to the ATOTO P9 unit and connect it to the designated input port.
- Connect the camera's power cable to your vehicle's reverse light circuit for automatic display when reversing.

OPERATING INSTRUCTIONS

1. Power On/Off

- The unit powers on automatically with vehicle ignition.
- To manually turn off the P9, press and hold the power button on the unit or use the remote control.

2. Wireless CarPlay and Android Auto

- Ensure your smartphone's Bluetooth and Wi-Fi are enabled.
- On the P9 unit, select the CarPlay or Android Auto application.
- Follow the on-screen prompts to pair your smartphone via Bluetooth.
- Once paired, the unit will automatically connect to Wireless CarPlay or Android Auto, allowing access to navigation, calls, messages, and music.

3. Mirror Link Function

- Select the Mirror Link option on the P9 unit.
- Follow the specific instructions displayed on the screen to connect your smartphone for screen mirroring. This typically involves connecting via Wi-Fi or USB and enabling screen casting on your phone.

4. GPS Tracking

- The P9 unit supports GPS tracking for navigation applications.
- Ensure a clear view of the sky for optimal GPS signal reception.

5. Dual Bluetooth Connectivity

- The P9 features dual Bluetooth for enhanced connectivity.
- One Bluetooth connection is typically used for phone calls and audio streaming, while the other can be used for connecting accessories like OBD2 scanners or steering wheel controls.
- Access Bluetooth settings on the unit to manage paired devices.

6. HDMI Input

- The P9 unit supports HDMI input.
- Connect compatible external devices via an HDMI cable to display their content on the P9 screen.

7. HD 1080P Drive Recorder (DVR)

- The included rear camera functions as a 1080P HD drive recorder.
- Insert an SD card (not included) into the designated slot on the P9 unit to enable recording.
- The DVR automatically starts recording when the unit is powered on.
- The built-in G-sensor detects sudden impacts or abnormal gravity changes and automatically locks the current video segment to prevent overwriting.

8. Automatic Brightness Adjustment (Auto Dimmer)

- The P9 features a built-in light sensor that automatically adjusts the QLED display's brightness based on ambient light conditions.
- This ensures optimal visibility in various lighting environments, such as entering or exiting tunnels, or moving into shaded areas.
- Manual brightness adjustment is also available through the unit's settings.

9. Remote Control

- Use the provided remote control to operate various functions of the ATOTO P9 unit, including power, volume, mode selection, and navigation within menus.
- Ensure the remote control has fresh batteries and a clear line of sight to the unit's IR receiver.

MAINTENANCE

- **Cleaning the Screen:** Use a soft, lint-free cloth to gently wipe the QLED screen. Do not use abrasive cleaners or solvents.
- **General Cleaning:** Keep the unit free from dust and debris. Use a dry cloth to wipe the exterior.
- **Cable Management:** Ensure all cables are securely connected and not pinched or damaged.
- **Software Updates:** Periodically check the ATOTO official website for firmware updates to ensure optimal performance and access to new features.

TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|---------|----------------|----------|
|---------|----------------|----------|

| Problem | Possible Cause | Solution |
|---|--|--|
| Unit does not power on. | No power from cigarette lighter; loose connection. | Check cigarette lighter socket and power adapter connection. Ensure vehicle ignition is on. |
| Wireless CarPlay/Android Auto fails to connect. | Bluetooth/Wi-Fi off on phone; incorrect pairing; software issue. | Ensure phone's Bluetooth and Wi-Fi are on. Repair the device. Check for firmware updates for the P9 unit. |
| No sound or poor audio quality. | Volume too low; incorrect audio output setting; FM transmitter interference. | Adjust volume. Check audio output settings (e.g., FM transmitter frequency). Ensure no strong interference sources nearby. |
| Rear camera image is unclear or not displayed. | Loose cable connection; dirty lens; incorrect wiring. | Check camera cable connections. Clean the camera lens. Verify wiring to reverse light. |
| Screen flickering or unit restarting. | Unstable power supply; software glitch. | Ensure stable power connection. Perform a factory reset if necessary (consult support). |

SPECIFICATIONS

| Feature | Detail |
|-------------------------|--|
| Brand | ATOTO |
| Model Name | P907SD-S2 (P9 Series) |
| Screen Size | 7 inches |
| Display Type | QLED LCD |
| Connectivity Technology | Bluetooth, Wireless CarPlay, Wireless Android Auto |
| Memory Storage Capacity | 32 GB |
| Map Type | City, Street (via connected smartphone apps) |
| Human Interface Input | Button |
| Control Method | App, Remote Control |
| Compatible Vehicle Type | Passenger Car |
| Rear Camera | HD 1080P, 150° wide-angle, G-sensor (included) |
| Power Input | 12V/24V (via cigarette lighter) |
| Special Features | Built-in Light Sensor, HDMI Input, Dual Bluetooth |

WARRANTY AND SUPPORT

ATOTO products typically come with a manufacturer's warranty. Please refer to the warranty card included with your product or visit the official ATOTO website for specific warranty terms and conditions.

For technical support, troubleshooting assistance, or inquiries regarding your ATOTO P9 unit, please contact ATOTO customer service through their official website or the contact information provided in your product packaging. When contacting support, please have your model number (P907SD-S2) and purchase details ready.