

Tempur-Pedic TP7000

Tempur-Pedic TP7000 Mesh Back Fabric Task Chair Instruction Manual

Model: TP7000

1. INTRODUCTION

This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your Tempur-Pedic TP7000 Mesh Back Fabric Task Chair. Please read all instructions carefully before use and retain this manual for future reference.

2. SAFETY INFORMATION

- **Maximum Weight Capacity:** This chair is designed to support a maximum weight of 250 pounds (113 kg). Exceeding this limit may cause damage to the chair or personal injury.
- **Intended Use:** This chair is intended for office and task use. Do not use it for purposes other than its intended design.
- **Assembly:** Ensure all components are securely fastened before using the chair. Periodically check all bolts and screws for tightness.
- **Stability:** Avoid standing on the chair or using it as a step stool. Do not lean excessively to one side or the back, as this may cause the chair to tip over.
- **Children:** Keep children away from the chair during assembly. Do not allow children to play on or around the chair.

3. PACKAGE CONTENTS

Before beginning assembly, verify that all parts are present and undamaged. If any parts are missing or damaged, do not proceed with assembly. Contact customer support for assistance.

- Chair Back (Mesh)
- Chair Seat (Fabric with Tempur Material)
- Armrests (2)
- Chair Base (5-star with casters)
- Gas Lift Cylinder
- Mechanism Plate

- Hardware Pack (screws, washers, Allen wrench)

4. SETUP AND ASSEMBLY

Follow these steps to assemble your Tempur-Pedic TP7000 Task Chair. It is recommended to assemble the chair on a soft, non-abrasive surface to prevent damage.

1. **Attach Casters to Base:** Insert the five casters into the holes at the end of each leg of the chair base. Push firmly until they click into place.
2. **Insert Gas Lift:** Place the gas lift cylinder into the center hole of the assembled chair base.
3. **Attach Mechanism Plate to Seat:** Align the mechanism plate with the pre-drilled holes on the underside of the chair seat. Secure it using the provided screws and Allen wrench. Ensure the front of the mechanism faces the front of the seat.
4. **Attach Armrests to Seat:** Attach the armrests to the sides of the chair seat using the designated screws. Do not fully tighten yet.
5. **Attach Backrest to Seat/Mechanism:** Align the backrest with the mounting points on the mechanism plate or seat. Secure with screws. Once the backrest is attached, fully tighten all armrest screws.
6. **Connect Seat Assembly to Gas Lift:** Carefully place the assembled seat and backrest onto the gas lift cylinder, ensuring the tapered end of the gas lift fits securely into the mechanism plate.



Figure 1: Front view of the assembled Tempur-Pedic TP7000 Mesh Back Fabric Task Chair in Cobalt.



Figure 2: Angled side view of the assembled Tempur-Pedic TP7000 Mesh Back Fabric Task Chair in Cobalt.

5. OPERATING INSTRUCTIONS (ADJUSTMENTS)

Your Tempur-Pedic TP7000 chair offers several adjustments to customize your seating experience for optimal comfort and support.

- **Seat Height Adjustment:** To raise the seat, lift the lever located under the right side of the seat while taking your weight off the chair. To lower the seat, lift the lever while seated. Release the lever at the desired height.
- **Armrest Height Adjustment:** Press the button on the side of each armrest and move the armrest up or down to your preferred height. Release the button to lock it in place.
- **Tilt Lock/Unlock:** The chair features a single reclining position. To allow the chair to recline, pull the lever (usually the same as the height adjustment lever, or a separate one) outwards. To lock the chair in an upright position, push the lever inwards.
- **Tilt Tension Adjustment:** Rotate the round knob located under the front of the seat to adjust the tension of the recline. Turn clockwise to increase tension (making it harder to recline) and counter-clockwise to decrease tension (making it easier to recline).

6. MAINTENANCE

Proper care will extend the life and appearance of your chair.

- **Cleaning:** The fabric seat and mesh back should be spot cleaned only. Use a mild detergent and a damp cloth. Do not saturate the fabric. Test any cleaning solution on an inconspicuous area first.
- **Inspection:** Periodically inspect all bolts, screws, and connections to ensure they are tight. Retighten as necessary.
- **Casters:** Keep casters free of hair and debris to ensure smooth movement.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or strong detergents, as these can damage the chair's materials.

7. TROUBLESHOOTING

If you encounter issues with your chair, refer to the following common problems and solutions:

- **Chair Sinks or Does Not Stay Up:**
Solution: The gas lift cylinder may be faulty. Contact customer support for a replacement.
- **Chair Squeaks:**
Solution: Check all screws and bolts and tighten them. A small amount of silicone lubricant can be applied to moving parts if the squeaking persists.
- **Casters Do Not Roll Smoothly:**
Solution: Remove any hair or debris wrapped around the caster wheels. Clean the wheels with a damp cloth.
- **Chair Does Not Recline:**
Solution: Ensure the tilt lock lever is disengaged (pulled outwards). Adjust the tilt tension knob counter-clockwise to reduce tension.

8. SPECIFICATIONS

Feature	Detail
Brand	Tempur-Pedic
Model	TP7000
Color	Cobalt (Seat), Black (Mesh Back)
Overall Dimensions (H x W x D)	40.6-44.1" x 27.2" x 25.2"

Feature	Detail
Seat Dimensions (W x D)	20.9" x 20.1"
Back Dimensions (W x H)	20.9" x 22.4"
Maximum Weight Recommendation	250 lbs (113 kg)
Material	Mesh Back, Fabric Seat with Authentic Tempur Material
Special Features	Adjustable Height, Adjustable Armrests, Tilt Lock, Tilt Tension
Product Care Instructions	Spot Clean
Recommended Daily Usage	8-10 hours








Figure 3: Side view with key dimensions of the Tempur-Pedic TP7000 Task Chair.

9. WARRANTY AND SUPPORT

Your Tempur-Pedic TP7000 Mesh Back Fabric Task Chair is backed by a**Lifetime Limited Warranty**. This warranty covers defects in materials and workmanship under normal use. Specific terms and conditions apply. For warranty claims, technical support, or to order replacement parts, please contact Tempur-Pedic customer service. Refer to your purchase documentation or the official Tempur-Pedic website for the most current contact information. When contacting support, please have your model number (TP7000) and proof of purchase readily available.

© 2023 Tempur-Pedic. All rights reserved.

Related Documents - TP7000

	<p>Tempur-Pedic Product Training Guide Winter 2010: Mattresses, Pillows, and Accessories</p> <p>Comprehensive product training guide for Tempur-Pedic mattresses, pillows, and sleep system accessories from Winter 2010. Features detailed information on TEMPUR material, model comparisons, benefits, features, specifications, and warranty information.</p>
	<p>Tempur-Pedic Ergo Smart Base Owner's Manual: Features, Setup, and Safety</p> <p>This owner's manual provides comprehensive guidance for the Tempur-Pedic Ergo Smart Base with Sleeptracker AI, covering setup, operation, safety, troubleshooting, and warranty information for enhanced sleep comfort.</p>
	<p>Tempur-Pedic 10-Year Limited Warranty for Mattresses and Flat Foundations</p> <p>Official 10-year limited warranty details for Tempur-Pedic mattresses and flat foundations, covering defects, exclusions, and the claims process. Learn about your warranty rights and responsibilities.</p>
	<p>Tempur-Pedic Adjustable Bed Owners Manual</p> <p>Comprehensive owners manual for the Tempur-Pedic adjustable bed, covering installation, operation, troubleshooting, and warranty information. Learn how to set up and use your Tempur-Pedic bed for optimal comfort and performance.</p>
	<p>Tempur-Ergo Premier Reset and Remote Pairing Guide</p> <p>Comprehensive instructions for resetting and pairing the remote control for the Tempur-Ergo Premier adjustable bed bases, covering single and dual base setups.</p>

