

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [TecTake](#) /
- › [TecTake Metal Office Cabinet with Lock, 80 x 40 x 180 cm - User Manual](#)

## TecTake 800599

# TecTake Metal Office Cabinet with Lock

Model: 800599

[Introduction](#)   [Safety Information](#)   [Package Contents](#)   [Assembly](#)  
[Instructions](#)   [Operation](#)   [Maintenance](#)   [Troubleshooting](#)   [Specifications](#)   [Warranty & Support](#)

## 1. INTRODUCTION

Thank you for choosing the TecTake Metal Office Cabinet. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new cabinet. Please read these instructions carefully before beginning assembly and retain them for future reference.



Figure 1: TecTake Metal Office Cabinet with doors open, showcasing its storage capabilities.

## 2. SAFETY INFORMATION

Please observe the following safety guidelines to prevent injury or damage to the product:

- Keep keys in a secure location and do not leave the cabinet unlocked when unattended.
- Exercise caution to avoid pinching fingers in the hinges of the swing doors during use.
- Ensure the cabinet is assembled on a flat, stable surface to prevent tipping.

- Do not exceed the maximum weight capacity per shelf (40 kg) to maintain stability and prevent structural damage.
- Keep small parts and packaging materials away from children to prevent choking hazards.

## 3. PACKAGE CONTENTS

---

Before assembly, verify that all components are present and undamaged. The package should contain:

- Cabinet panels (sides, top, bottom, back, doors)
- Adjustable shelves (quantity: 3)
- Drawer components (quantity: 2 sets)
- Lock mechanisms and keys (8 keys total, 2 per lock)
- Assembly hardware (screws, bolts, nuts, shelf pins)
- Rubber buffers for silent door operation
- Instruction manual (this document)

If any parts are missing or damaged, please contact customer support before proceeding with assembly.

## 4. ASSEMBLY INSTRUCTIONS

---

Assembly requires careful attention to detail. It is recommended to have two people for assembly. A Phillips head screwdriver is the only tool required. Avoid using power drills, as overtightening can damage the metal.

### 4.1 Preparation

1. Clear a spacious, clean, and flat area for assembly.
2. Unpack all components and lay them out, identifying each part according to the provided parts list (if separate from this manual).
3. Ensure all hardware is sorted and easily accessible.

### 4.2 Step-by-Step Assembly

1. **Assemble the Frame:** Begin by connecting the side panels to the base and top panels using the provided screws. Ensure all connections are secure but do not overtighten until the entire frame is upright.
2. **Install Back Panels:** Slide or attach the back panels into the designated grooves or screw points.
3. **Assemble Drawers:** Construct the two drawers. Pay close attention to the orientation of the drawer slides and the central support for the drawer mechanism. Incorrect orientation can prevent drawers and doors from closing properly.

# S'INTÈGRE partout.



**tectake**  
bureau

Ce meuble polyvalent offre un rangement sûr et organisé pour vos dossiers, vos objets de valeur, vos outils et autres effets personnels. Son design discret s'intègre parfaitement à tout intérieur, idéal pour le garage, l'atelier, l'entrepôt ou le bureau.

Figure 2: Detail of adjustable shelves, drawer, and lock mechanism.

4. **Insert Drawers:** Carefully slide the assembled drawers into their respective compartments. Test their movement.
5. **Attach Doors:** Mount the four swing doors to the cabinet frame using the hinges. Ensure the rubber buffers are placed to allow for silent closing. Adjust hinges if necessary for proper alignment.
6. **Install Locks:** Secure the cylinder locks into the doors. Each lock comes with two keys. Test all locks to ensure they function correctly.
7. **Place Adjustable Shelves:** Insert the shelf pins into the desired height slots. Place the shelves onto the pins. The shelves are adjustable to accommodate various item sizes.



Figure 3: Detail of adjustable shelf brackets.

**8. Final Check:** Verify all screws are tightened, doors open and close smoothly, and drawers slide without obstruction.

For visual guidance, refer to the assembly diagrams provided in the separate assembly manual (if included) or the product images showing the assembled unit.

## 5. OPERATION

---

### 5.1 Doors

The cabinet features four swing doors. To open, turn the key in the lock and pull the handle. To close, push the door firmly until it engages with the magnetic catch or lock mechanism, then turn the key to secure. The rubber buffers ensure quiet operation.

### 5.2 Drawers

The two drawers are designed for smooth operation. Pull the handle to open and push to close. Each drawer has its own lock for securing contents. Insert the key and turn to lock or unlock.

### 5.3 Adjustable Shelves

The three adjustable shelves allow for flexible storage configurations. To adjust a shelf, remove all items from it, lift the shelf, and reposition the shelf pins into the desired slots on the cabinet sides. Ensure all four pins are securely seated before placing items back on the shelf.



La **solide serrure à cylindre** avec clé de secours permet de conserver tes documents en toute sécurité.

Les **étagères réglables en hauteur** peuvent être adaptés de manière flexible en fonction de l'espace disponible.



Le **boîtier en tôle d'acier revêtu par poudre** garantit une stabilité et une résistance extrêmement élevées.

Les **4 portes battantes** & les **2 tiroirs faciles à ouvrir** vous permettent d'accéder facilement à tout le contenu.

Figure 4: Key features of the cabinet, including adjustable storage and secure locking.

## 6. MAINTENANCE

To ensure the longevity and appearance of your TecTake Metal Office Cabinet, follow these simple maintenance guidelines:

- **Cleaning:** Wipe down all surfaces with a soft, damp cloth. For stubborn marks, a mild soap solution can be used. Avoid abrasive cleaners or harsh chemicals, as these can damage the powder-coated finish. Dry thoroughly after cleaning.
- **Locks and Hinges:** Periodically check the locks and hinges for smooth operation. If they become stiff, a small amount of silicone-based lubricant can be applied.
- **Stability:** Regularly check that all screws and connections remain tight. Retighten if necessary to maintain the cabinet's stability.
- **Weight Distribution:** Distribute weight evenly across shelves and drawers to prevent warping or instability.

## 7. TROUBLESHOOTING

If you encounter issues with your cabinet, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Doors do not close properly or are misaligned.	<ul style="list-style-type: none"> <li>Hinges are not properly adjusted.</li> <li>Cabinet frame is not square.</li> <li>Drawer mechanism is incorrectly installed (affecting door closure).</li> </ul>	<ul style="list-style-type: none"> <li>Adjust the screws on the door hinges to align the doors.</li> <li>Ensure the cabinet is on a level surface. Check all frame connections for tightness.</li> <li>Review assembly steps for drawer mechanism installation, especially the central support.</li> </ul>
Drawers are stiff or do not slide smoothly.	<ul style="list-style-type: none"> <li>Drawer slides are misaligned or damaged.</li> <li>Drawer contents are too heavy or unevenly distributed.</li> <li>Assembly error in drawer construction.</li> </ul>	<ul style="list-style-type: none"> <li>Check alignment of drawer slides on both the drawer and cabinet frame.</li> <li>Reduce weight or redistribute contents.</li> <li>Disassemble and reassemble drawers, paying close attention to slide orientation.</li> </ul>
Cabinet feels unstable or wobbly.	<ul style="list-style-type: none"> <li>Not all screws are fully tightened.</li> <li>Cabinet is on an uneven surface.</li> </ul>	<ul style="list-style-type: none"> <li>Check and tighten all assembly screws.</li> <li>Move the cabinet to a level surface or use shims to stabilize.</li> </ul>
Lock mechanism is jammed or difficult to turn.	<ul style="list-style-type: none"> <li>Key is incorrect or damaged.</li> <li>Lock mechanism requires lubrication.</li> <li>Door/drawer is not fully closed, preventing the lock from engaging.</li> </ul>	<ul style="list-style-type: none"> <li>Ensure you are using the correct key.</li> <li>Apply a small amount of graphite powder or silicone spray to the lock mechanism.</li> <li>Push the door/drawer firmly closed before attempting to lock.</li> </ul>

## 8. SPECIFICATIONS

Key technical specifications for the TecTake Metal Office Cabinet:

<b>Model Number</b>	800599
<b>Brand</b>	TecTake
<b>Material</b>	Alloy Steel (Powder-coated)
<b>Color</b>	Black
<b>Overall Dimensions (L x W x H)</b>	80 x 40 x 180 cm (approximately 31.5 x 15.7 x 70.9 inches)
<b>Weight</b>	44 kg (approximately 97 lbs)
<b>Maximum Weight Capacity per Shelf</b>	40 kg (approximately 88 lbs)
<b>Number of Doors</b>	4 (swing doors)
<b>Number of Drawers</b>	2 (lockable)
<b>Special Features</b>	Lockable doors and drawers, adjustable shelves, silent rubber buffers.

IDÉALEMENT  
placé.



Figure 5: Dimensions of the TecTake Metal Office Cabinet.

## 9. WARRANTY AND SUPPORT

Specific warranty information for this product is not provided in the available data. Please refer to your purchase documentation or contact the retailer/manufacturer directly for details regarding warranty coverage and customer support.

For technical assistance or inquiries about replacement parts, please contact TecTake customer service through their official website or the contact information provided with your purchase.

