

MURPISO F21

MURPISO 3-in-1 Magnetic Foldable Wireless Charging Station

USER MANUAL

Introduction

The MURPISO 3-in-1 Magnetic Foldable Wireless Charging Station (Model F21) is designed to efficiently charge your Apple iPhone, Apple Watch, and AirPods simultaneously. Its compact and foldable design makes it ideal for both home use and travel. This charging station features strong magnetic alignment for compatible iPhones and includes multiple safety protections to ensure secure charging.



Image: The MURPISO 3-in-1 Magnetic Foldable Wireless Charging Station in white, shown with an iPhone, Apple Watch, and AirPods being charged. The station is unfolded, displaying its three charging pads. A compact travel case, USB-C cable, and 18W adapter are also visible.



Image: A graphic illustrating the "New Third-Generation Wireless Charger" with improved design, feel, and portability compared to previous generations.

What's in the Box

- 1 x MURPISO 3-in-1 Wireless Charger
- 1 x USB Type-C Power Cable
- 1 x Storage Box
- 1 x 18W Adapter
- 1 x User Manual



Image: The charging station, USB cable, and 18W adapter neatly packed inside the included storage box, highlighting its portability.

Specifications

Brand	MURPISO
Model Number	F21
Product Dimensions	4.33 x 3.52 x 1.97 inches
Item Weight	0.317 ounces
Connectivity Technology	Wireless
Connector Type	USB Type C
Input Voltage	5 Volts
Special Features	Charging Indicator, Foldable, Lightweight Design, Magnetic, Wireless Charging
Color	White

Setup Guide

1. **Unpack:** Carefully remove all components from the packaging.
2. **Connect Power:** Connect the provided USB Type-C cable to the charging station and the 18W adapter. Plug the adapter into a wall outlet.
3. **Unfold the Station:** The charging station can be unfolded into various configurations. For optimal multi-device charging, unfold it completely flat or into a triangular stand.



Image: The charging station connected to the 18W adapter and USB-C cable, ready to charge multiple devices on a desk setup.

Operating Instructions

The MURPISO 3-in-1 charging station supports simultaneous wireless charging for compatible devices.

Placing Devices for Charging:

- **iPhone:** Place your iPhone (12/13/14/15/16 series) on the magnetic charging pad. The strong magnetic bracket design ensures proper alignment.
- **Apple Watch:** Place your Apple Watch on the dedicated watch charging module.
- **AirPods:** Place your AirPods (with wireless charging case) on the designated AirPods charging pad.

Breathing Indicator Light:

The charging station features a breathing indicator light to show charging status:

- **Blue Light:** Indicates the iPhone is actively charging.
- **Green Light:** Indicates AirPods or Apple Watch are actively charging (when charged separately).
- **Blue Pulse:** Device is charging.
- **Blue On:** Device is fully charged.
- **Blue and Green Light Flash:** Indicates a foreign object detection.

A light switch is provided to turn the indicator lights off at any time, which is useful for nighttime use.



Light Switch Sleep Friendly



Image: The charging station in a bedroom setting, demonstrating the ability to turn off the indicator lights for a sleep-friendly environment.

Multiple Usage Methods Support Multiple Scenarios

The product comes with a storage box. Easy to store and carry



Image: The charging station shown in various configurations, including flat for charging all three devices and folded into a stand for video calls or media consumption.

Compatibility

This wireless charging station is designed for Apple devices:

- **iPhones:** iPhone 16/16 Plus/16 Pro/16 Pro Max, iPhone 15/15 Plus/15 Pro/15 Pro Max, iPhone 14/14 Pro/14 Pro Max/14 Plus, iPhone 13/13 Pro/13 Pro Max/13 mini, iPhone 12/12 Pro/12 Pro Max/12 mini.
- **Apple Watch:** iWatch 10/9/8/7/6/5/4/3/2/SE/Ultra/Ultra 2.
- **AirPods:** AirPods 2/3/4/Pro/Pro 2. (Note: AirPods 2/3/4 require a wireless charging case).

Important Note: This charging station is NOT compatible with Samsung smartwatches.

Phone Case Considerations:

For optimal wireless charging performance, it is recommended to use a phone case with a thickness of **≤4MM**. The use of magnetic phone cases is also recommended for iPhones 12/13/14/15/16 series to ensure strong magnetic alignment.

Avoid using cases with:

- Metal rings
- PopSockets
- Metal cases

Unparalleled Compatibility



iPhone14/Pro/Pro Max/Plus
iPhone13/Pro/Pro Max/Mini
iPhone12/Pro/Pro Max/Mini

The magnetic function only supports the
iPhone14/13/12 series



iWatch Ultra/SE/8/7/6/5
/4/3/2

NOTE: Not compatible with Samsung watch



AirPods 2/3/
Pro/Pro 2

Only support AirPods 2/3 wireless versions



Image: A graphic detailing the compatibility of the charging station with various iPhone models, Apple Watch series, and AirPods, along with power output specifications.

Phone Case
 $\leq 4\text{mm}$



Metal Ring



Credit Card



Popsocket



Metal Cases

Image: Visual guidance on recommended phone case thickness ($\leq 4\text{mm}$) and types of cases to avoid (metal rings, credit cards, PopSockets, metal cases) for optimal wireless charging.

Maintenance

To ensure the longevity and optimal performance of your MURPISO charging station, follow these simple maintenance guidelines:

- **Cleaning:** Disconnect the charger from the power source before cleaning. Use a soft, dry, lint-free cloth to wipe the surface. Do not use abrasive cleaners, solvents, or aerosol sprays.
- **Storage:** When not in use, especially during travel, store the charging station in its provided storage box to protect it from dust, bumps, and scratches.
- **Avoid Liquids:** Keep the device away from water and other liquids.

- **Temperature:** Avoid exposing the charger to extreme temperatures.

Troubleshooting

Device Not Charging or Charging Slowly:

- **Check Power Connection:** Ensure the USB-C cable is securely connected to both the charging station and the 18W adapter, and the adapter is properly plugged into a working wall outlet.
- **Proper Placement:** Verify that your device is correctly centered on the respective charging pad. For iPhones, ensure magnetic alignment.
- **Phone Case:** Remove any thick phone cases (>4MM), cases with metal, credit cards, or PopSockets, as these can interfere with wireless charging.
- **Foreign Objects:** Check for any foreign metallic objects between the device and the charging pad. The indicator light will flash blue and green if a foreign object is detected.
- **Adapter:** Ensure you are using the provided 18W adapter. Lower wattage adapters may result in slower charging or no charging.
- **Device Compatibility:** Confirm your device is compatible with the charging station (refer to the Compatibility section).

Indicator Light Behavior:

- If the light is off, ensure the light switch has not been toggled to the "off" position.
- If the light flashes blue and green, remove the device and check for foreign objects on the charging pad.

Safety Information

Please read and follow these safety guidelines to prevent injury or damage to the device:

- Do not disassemble, modify, or repair the product yourself.
- Keep the charger away from water, moisture, and extreme temperatures.
- Avoid dropping or subjecting the charger to strong impacts.
- The charger is equipped with multiple security protections, including over-temperature protection. If the temperature becomes too high, the charger will automatically interrupt charging to protect your devices.
- Do not place metal objects, magnetic cards, or other sensitive items near the charging area during operation.

Magnetic Suction and Security Protection

The magnetic suction function is supported only for the **12/13/14 series**.




Image: An X-ray view of the charging station highlighting its internal magnetic components and security protection features.

Warranty and Support

The MURPISO 3-in-1 Magnetic Foldable Wireless Charging Station comes with a **36-month warranty** from the date of purchase.

For any product inquiries, technical support, or warranty claims, please contact MURPISO customer service:

Email: Support@murpiso.com

Please have your model number (F21) and purchase details ready when contacting support.



Image: A graphic indicating 24-hour support and a 36-month warranty for the product.






© 2024 MURPISO. All rights reserved.

Related Documents - F21



[F21 Series Industrial Wireless Remote Control User Manual](#)

Comprehensive user manual for F21 Series E1, E1B, 4D, 4S, 4SB, 2D, 2S industrial wireless remote control systems, covering installation, operation, warranty, and troubleshooting.

	<p>VISION VFM-F21 Adjustable Display Stand Assembly Instructions</p> <p>Comprehensive assembly guide for the VISION VFM-F21 adjustable display stand, detailing each step with textual descriptions of diagrams, parts, and required tools for safe and proper installation.</p>																																						
 <table border="1"> <thead> <tr> <th colspan="2">PRODUCT INSTRUCTIONS</th> </tr> </thead> <tbody> <tr> <td colspan="2">Product name: XDL19 Industrial Remote Control</td> </tr> <tr> <td colspan="2">Model: see options</td> </tr> <tr> <td colspan="2">Power: see options</td> </tr> <tr> <td>Material of Housing</td> <td>Die-cast Zinc alloy/ABS plastic</td> </tr> <tr> <td>Operating Frequency</td> <td>433MHz</td> </tr> <tr> <td>Frequency Band</td> <td>433MHz</td> </tr> <tr> <td>Control Power</td> <td>3.7V (2000mAh Battery)</td> </tr> <tr> <td>Receiver Power (V)</td> <td>4200V, 4200V, 4200V, 4200V/200</td> </tr> <tr> <td>Frequency Range</td> <td>433-433MHz</td> </tr> <tr> <td>Power of Signal Receiver</td> <td>433MHz</td> </tr> <tr> <td>Receiver Sensitivity</td> <td>-91dBm</td> </tr> <tr> <td>Power Consumption</td> <td><100</td> </tr> <tr> <td>Code Length</td> <td>128bit (see the instruction)</td> </tr> <tr> <td>Interference Immunity</td> <td>>100dB</td> </tr> <tr> <td>Antenna Type</td> <td>433MHz</td> </tr> <tr> <td>Control Distance</td> <td>8 buttons: 0.5km (see the instruction)</td> </tr> <tr> <td>Receiver Channel</td> <td>8 buttons: 0.5km (see the instruction)</td> </tr> <tr> <td>Weight</td> <td>Controller: 100g, Receiver: 400-600g</td> </tr> </tbody> </table>	PRODUCT INSTRUCTIONS		Product name: XDL19 Industrial Remote Control		Model: see options		Power: see options		Material of Housing	Die-cast Zinc alloy/ABS plastic	Operating Frequency	433MHz	Frequency Band	433MHz	Control Power	3.7V (2000mAh Battery)	Receiver Power (V)	4200V, 4200V, 4200V, 4200V/200	Frequency Range	433-433MHz	Power of Signal Receiver	433MHz	Receiver Sensitivity	-91dBm	Power Consumption	<100	Code Length	128bit (see the instruction)	Interference Immunity	>100dB	Antenna Type	433MHz	Control Distance	8 buttons: 0.5km (see the instruction)	Receiver Channel	8 buttons: 0.5km (see the instruction)	Weight	Controller: 100g, Receiver: 400-600g	<p>XINDALI XDL19 Industrial Remote Control System - Product Instructions & Specifications</p> <p>Detailed product instructions and technical specifications for the XINDALI XDL19 series industrial remote control systems. Includes model variations, dimensions, and performance data.</p>
PRODUCT INSTRUCTIONS																																							
Product name: XDL19 Industrial Remote Control																																							
Model: see options																																							
Power: see options																																							
Material of Housing	Die-cast Zinc alloy/ABS plastic																																						
Operating Frequency	433MHz																																						
Frequency Band	433MHz																																						
Control Power	3.7V (2000mAh Battery)																																						
Receiver Power (V)	4200V, 4200V, 4200V, 4200V/200																																						
Frequency Range	433-433MHz																																						
Power of Signal Receiver	433MHz																																						
Receiver Sensitivity	-91dBm																																						
Power Consumption	<100																																						
Code Length	128bit (see the instruction)																																						
Interference Immunity	>100dB																																						
Antenna Type	433MHz																																						
Control Distance	8 buttons: 0.5km (see the instruction)																																						
Receiver Channel	8 buttons: 0.5km (see the instruction)																																						
Weight	Controller: 100g, Receiver: 400-600g																																						
	<p>Loshall Anti-lost Device User Manual</p> <p>User manual for the Loshall Anti-lost Device, detailing setup, pairing, locating, and lost mode features using Apple's Find My network.</p>																																						
	<p>F21 Series Industrial Wireless Remote Control User Manual</p> <p>Comprehensive user manual for F21 Series E1, E1B, 4D, 4S, 4SB, 2D, 2S industrial wireless remote control systems, covering installation, operation, warranty, and troubleshooting.</p>																																						
	<p>F21-E1B Wireless Remote Control System for Industrial Cranes - Technical Specifications</p> <p>Comprehensive technical details for the F21-E1B wireless remote control system, including wiring diagrams, connection and matching procedures, product features, emitter/receiver parameters, and FCC compliance information for industrial crane and hoist applications.</p>																																						