



Manuals.plus /

› Addtam /

› Addtam Wall Outlet Extender with Shelf User Manual

Addtam B0B5TYB9ZF

Addtam Wall Outlet Extender with Shelf User Manual

Brand: Addtam
Model: B0B5TYB9ZF

1. INTRODUCTION

Thank you for choosing the Addtam Wall Outlet Extender with Shelf. This multi-functional device is designed to expand your power options, providing 12 AC outlets, 2 USB-A ports, and 1 USB-C port, along with a convenient removable shelf. It features built-in surge protection to safeguard your electronic devices. This manual provides essential information for the safe and efficient use of your new outlet extender.

2. PRODUCT FEATURES

- **Multi-Plug Outlet Extender:** Equipped with 12 AC outlets (15A/125V/1875W) for simultaneous charging of multiple devices.
- **USB Charging Ports:** Includes 1 USB-C port (3A Max) and 2 USB-A ports (2.4A Max), with a total output of DC 5V/3.1A, compatible with most USB devices.
- **Space-Saving Removable Shelf:** A 6.3 x 4.8 inch shelf provides extra space for small items like phones, razors, or speakers, and can be easily removed.
- **Enhanced Stability:** Designed with a mounting screw and a plastic stability prong for secure attachment to duplex wall outlets.
- **Superior Safety & Surge Protection:** Features 3 complementary surge protection circuits (TVS MOV GDT) with 490 Joules energy absorption, along with overload, short-circuit, over-current, over-voltage, and overheating protection.



Image 1: Front view of the Addtam Wall Outlet Extender with the removable shelf, showing a device charging on top and cables plugged into the side outlets.



Image 2: Diagram illustrating the dimensions of the removable shelf (6.3 x 4.8 inches) and highlighting the 1 USB-C port, 2 USB-A ports, and 12 AC outlets.

2 USB-A & 1 USB-C

Compatible with most usb devices



USB A

5V/2.4A

USB C

5V/3.0A

Image 3: Illustration demonstrating the USB charging capabilities, showing devices like a phone, tablet, and earbuds connected to the USB-A and USB-C ports.

3. PACKAGE CONTENTS

Please check the package contents upon unboxing to ensure all components are present:

- 1 x Addtam Wall Outlet Extender
- 1 x Removable Shelf
- 1 x Mounting Screw

4. SETUP AND INSTALLATION

Follow these steps to properly install your Addtam Wall Outlet Extender:

1. **Prepare the Outlet:** Ensure the wall outlet you intend to use is a standard duplex outlet and is free from obstructions.
2. **Attach the Shelf (Optional):** If you wish to use the removable shelf, slide it into the designated slots on the top of the outlet extender until it clicks securely into place. The shelf is designed to be stable and can hold small items.
3. **Plug In:** Align the prongs of the outlet extender with the top receptacle of your duplex wall outlet. Gently push the extender firmly into the outlet until it is flush with the wall.
4. **Secure with Screw:** For enhanced stability, use the provided mounting screw to secure the extender to the wall outlet's center screw hole. Turn the screw clockwise until it is snug. Do not overtighten.
5. **Stability Rod:** The extender also features a plastic prong at the back for additional stability. If this prong interferes with installation on certain outlets, it can be carefully cut off.

Increased Stability



Image 4: Visual guide for installation, showing how to plug the extender into a wall outlet and secure it using the mounting screw and the optional stability rod.

5. OPERATING INSTRUCTIONS

Once installed, your Addtam Wall Outlet Extender is ready for use:

- **AC Outlets:** Plug your AC-powered devices into any of the 12 available three-prong outlets. These outlets are distributed on the front and sides of the unit for convenient access.
- **USB Charging:** Connect your USB-powered devices (smartphones, tablets, smartwatches, etc.) to the USB-A or USB-C ports located on the top of the unit. The intelligent charging technology will deliver the optimal current for your device.

- **Surge Protection Indicator:** A "SURGE PROTECTED" indicator light (typically green) on the front of the unit will illuminate when the surge protection feature is active and functioning correctly. If this light is off, the surge protection may have been compromised, and the unit should be replaced.



Image 5: The outlet extender in use, showing the "SURGE PROTECTED" indicator light and a phone charging on the shelf.

6. SAFETY INFORMATION

To ensure safe operation and prevent damage to the unit or connected devices, please observe the following safety precautions:

- **Indoor Use Only:** This product is designed for indoor use in dry locations. Do not use it outdoors or in wet environments.

- **Avoid Overloading:** Do not exceed the maximum power rating of 1875W (15A/125V). Overloading can cause overheating and fire hazards.
- **Proper Grounding:** Ensure the wall outlet is properly grounded. Do not use with ungrounded outlets or adapters.
- **Keep Away from Water:** Do not expose the unit to water or other liquids.
- **Children and Pets:** Keep out of reach of children and pets.
- **Ventilation:** Do not block the ventilation openings of the unit.
- **Damage:** Do not use if the unit or its cord is damaged. Contact customer support for assistance.
- **Disassembly:** Do not attempt to disassemble or modify the unit. This will void the warranty and may pose a safety risk.

7. MAINTENANCE

The Addtam Wall Outlet Extender requires minimal maintenance:

- **Cleaning:** Disconnect the unit from the wall outlet before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or abrasive chemicals.
- **Storage:** If storing the unit for an extended period, disconnect it from the power source and store it in a cool, dry place.

8. TROUBLESHOOTING

If you encounter issues with your Addtam Wall Outlet Extender, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No power to outlets/USB ports.	Unit not fully plugged in; wall outlet is not active; circuit breaker tripped; unit overloaded.	Ensure the extender is firmly plugged into the wall outlet. Check if the wall outlet is working by plugging in another device. Reset the circuit breaker if it has tripped. Reduce the total wattage of connected devices.
"SURGE PROTECTED" light is off.	Surge protection has been compromised due to a power surge.	The surge protection feature may no longer be active. While the outlets may still provide power, your devices are no longer protected from surges. It is recommended to replace the unit.
Devices charging slowly or not at all via USB.	Cable issue; device not compatible; total USB current exceeded.	Try a different USB cable. Ensure your device is compatible with USB charging. The total USB output is 3.1A; if multiple high-demand devices are connected, charging speed may be affected.
Shelf is not stable.	Shelf not properly installed; extender not securely mounted.	Ensure the shelf is fully inserted into its slots. Make sure the extender is firmly plugged into the wall and secured with the mounting screw.

9. SPECIFICATIONS

Feature	Detail
Product Dimensions	6.3 x 6.3 x 0.01 inches (Unit dimensions; removable shelf is 6.3 x 4.8 inches)
Item Weight	15.8 ounces
Total AC Outlets	12
USB Ports	1 x USB-C, 2 x USB-A
USB-C Output	5V/3.0A Max
USB-A Output	5V/2.4A Max
Total USB Output	5V/3.1A
AC Electrical Rating	15A/125V/1875W
Surge Protection	490 Joules (3 complementary circuits: TVS MOV GDT)
Special Features	Surge Protection, USB Slots, Removable Shelf, Overload Protection, Short-Circuit Protection, Over Current Protection, Over-Voltage Protection, Overheating Protection
Color	White
Manufacturer	Addtam

10. WARRANTY AND SUPPORT

Addtam is committed to providing high-quality products. For specific warranty details, please refer to the warranty card included with your product packaging or visit the official Addtam website. If you have any questions, require technical assistance, or need to report an issue, please contact Addtam customer support.

Contact Information: Please refer to the contact details provided on the product packaging or the official Addtam website for the most up-to-date support information.