

[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UpBright 2-Pin 5V AC/DC Adapter Instruction Manual for Kokido XTROVAC 110 Telsa 5 EV05 Pool Vacuum Cleaner

UPBRIGHT Kokido Telsa 5 EV05 EV05CBX Charger

UpBright 2-Pin 5V AC/DC Adapter Instruction Manual

For Kokido XTROVAC 110 Telsa 5 EV05 Series Pool Vacuum Cleaners

INTRODUCTION

This manual provides essential information for the safe and effective use of your UpBright 2-Pin 5V AC/DC Adapter. This adapter is designed to power and charge compatible Kokido XTROVAC 110 Telsa 5 EV05 series handheld pool and spa vacuum cleaners.

Please read these instructions carefully before using the product and retain them for future reference.

COMPATIBLE DEVICES

This UpBright AC/DC adapter is compatible with the following models of Kokido handheld pool and spa vacuum cleaners:

- Kokido XTROVAC 110
- Kokido Telsa 5 EV05
- Kokido EV05CBX
- Kokido EV05CBX/US
- Kokido EV05DIS/CBX/EU
- Kokido EV05CBX/KIT/EU
- Kokido EV05KIT
- Kokido EV05DIS
- Kokido EV05EU

The adapter is designed for devices utilizing a 3.7V 2000mAh Li-ion battery pack.

UpBright AC Adapter Power Supply Compatible with:



Figure 1: Examples of compatible Kokido pool vacuum cleaners.

SETUP INSTRUCTIONS

Follow these steps to properly set up your UpBright AC/DC adapter:

1. **Unpack the Adapter:** Carefully remove the adapter from its packaging. Inspect it for any visible damage.
2. **Identify the Connectors:** The adapter features a standard 2-pin connector for the device and a 2-prong plug for the wall outlet.
3. **Connect to Device:** Insert the 2-pin connector of the adapter firmly into the charging port of your Kokido pool vacuum cleaner. Ensure a secure connection.
4. **Connect to Power Outlet:** Plug the 2-prong end of the adapter into a standard wall power outlet. The adapter supports a worldwide input voltage range of 100-240VAC, 50/60Hz.



Figure 2: The UpBright 2-Pin 5V AC/DC Adapter with its 2-prong plug and 2-pin connector.

OPERATING INSTRUCTIONS

Once the adapter is connected to both the device and a power outlet, it will begin to supply power or charge the device's battery. The adapter provides a stable 5V DC output.

- **Charging Indication:** Refer to your Kokido pool vacuum cleaner's user manual for specific charging indicators (e.g., LED lights) to determine when the battery is fully charged.
- **Charging Time:** Charging time will vary depending on the battery's current charge level and capacity.
- **Battery Life:** Rechargeable batteries have a finite lifespan, typically 1 to 3 years. An old or degraded battery may not accept a charge, which is not an indication of a faulty charger.

MAINTENANCE AND CARE

To ensure the longevity and proper functioning of your UpBright AC/DC adapter, follow these maintenance guidelines:

- **Keep Dry:** Avoid exposing the adapter to water or excessive moisture.
- **Temperature:** Store and operate the adapter within normal room temperatures. Avoid extreme heat or cold.
- **Cleanliness:** Keep the adapter and its connectors free from dust and debris. Use a dry, soft cloth for cleaning.
- **Cable Care:** Do not bend, twist, or pull the power cord excessively. Avoid placing heavy objects on the cord.

The adapter is equipped with safety features including:

- **OVP (Over Voltage Output Protection):** Protects against excessive output voltage.
- **OCP (Over Current Output Protection):** Protects against excessive output current.
- **SCP (Short Circuit Output Protection):** Protects against short circuits.

TROUBLESHOOTING

If you encounter issues with your adapter, consider the following:

- **No Power/Charging:**
 - Ensure the adapter is securely plugged into both the wall outlet and the device.
 - Verify that the wall outlet is functional by testing it with another device.
 - Check the adapter cable for any visible damage.
- **Device Not Holding Charge:**
 - If the device's battery is old or degraded, it may no longer accept a charge. This is a common issue with rechargeable batteries and not typically a fault of the charger.
 - Consult your device's manual for battery replacement procedures if applicable.

SPECIFICATIONS

Feature	Specification
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	5V DC
Output Current	1 Amps
Wattage	10 watts
Connector Type	2-Pin Connector
Product Dimensions	3 x 2 x 1 inches

Feature	Specification
Item Weight	2.08 ounces
Protection Features	OVP, OCP, SCP

WARRANTY AND SUPPORT


Your UpBright AC/DC Adapter comes with the following warranty and support:

- **Refund Policy:** 30 days refund period.
- **Exchange Policy:** 24 months exchange period.

For warranty claims or technical support, please refer to the contact information provided with your purchase or on the official UpBright website.

Come With A Suitable Outlet Adapter (Only One) to Fit

Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Figure 3: Example of a warranty certificate and international plug adapters (if applicable to your order).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details.](#)

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0B6P7ZBF2>

More documents and user manuals: <https://manuals.plus/>