**SENSEA 3276007327021**

# SENSEA Studio Shower Enclosure Instruction Manual

Model: 3276007327021

## 1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your SENSEA Studio Shower Enclosure. Please read this manual carefully before beginning installation to ensure proper setup and safe use. Keep this manual for future reference.

The SENSEA Studio Shower Enclosure features an industrial design with matte black aluminum profiles and 8 mm thick safety glass. It is designed for walk-in shower configurations and includes an anti-limescale treatment for easy cleaning. The enclosure is reversible, allowing for left or right-hand installation.

## 2. Safety Information

Always follow basic safety precautions when installing or maintaining the shower enclosure. Failure to do so may result in personal injury or damage to the product.

- Ensure all components are present and undamaged before starting installation.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, during installation.
- Handle glass panels with extreme care. Safety glass, while robust, can shatter if impacted at the edges.
- Ensure the installation surface (wall and floor) is level, structurally sound, and capable of supporting the weight of the enclosure.
- Use appropriate tools and follow all local building codes and regulations.
- If you are unsure about any part of the installation process, consult a qualified professional.

## 3. Package Contents

Verify that all parts are included in the package before beginning assembly. Refer to the diagram below for identification of components.





**Figure 3.1:** Main components and features. P1 and P2 represent wall profiles, P3 is the glass panel, and P4 is the stabilization bar. Icons indicate 8mm glass thickness, easy-clean surface, quick assembly, and reversible installation (left or right).

- Glass Panel (P3): 8 mm thick safety glass with industrial style screen print.
- Wall Profiles (P1, P2): Matte black aluminum profiles for securing the glass panel to the wall.
- Stabilization Bar (P4): Cuttable and swivel aluminum bar for additional stability.
- Mounting Hardware: Screws, wall plugs, gaskets, and other small parts required for installation.

## 4. Installation Instructions

The SENSEA Studio Shower Enclosure is designed for straightforward installation. Follow these steps carefully.

### 4.1. Pre-Installation Checks

- **Dimensions:** Ensure your shower area can accommodate the 90 cm width and 200 cm height of the enclosure.
- **Wall Preparation:** The wall where the enclosure will be mounted must be solid, plumb, and capable of bearing the weight.
- **Floor Preparation:** The shower tray or tiled floor must be level and properly sealed.
- **Tools Required:** Drill, spirit level, measuring tape, pencil, screwdriver, silicone sealant, utility knife, safety glasses, gloves.





**Figure 4.1:** Product dimensions: 200 cm height and 87-88.5 cm width.

## 4.2. Step-by-Step Assembly

1. **Marking and Drilling:**

   Position the wall profile (P1) against the wall at the desired location. Use a spirit level to ensure it is perfectly vertical. Mark the drilling points through the pre-drilled holes in the profile. Drill holes into the wall and insert appropriate wall plugs.

2. **Attaching Wall Profile:**

   Secure the wall profile (P1) to the wall using the provided screws. Ensure it is firmly attached and plumb.

3. **Inserting Glass Panel:**

   Carefully slide the glass panel (P3) into the wall profile (P1). Ensure the glass is properly seated within the profile's channel. The enclosure is reversible, so you can choose left or right orientation.

4. **Securing Glass Panel:**

   Once the glass panel is in place, secure it within the wall profile using the provided fasteners or sealing strips as per the detailed instructions in the product's included manual. This typically involves tightening screws or applying silicone.

5. **Installing Stabilization Bar:**

   Attach the stabilization bar (P4) to the top edge of the glass panel and to the adjacent wall. The bar is cuttable and swivel, allowing for adjustment to fit your space and avoid obstacles like windows. Ensure the bar is level and provides firm support to the glass panel.



**Figure 4.2:** Stabilization bar installation.



**Figure 4.3:** Wall profile attachment detail.

6. **Sealing:**

   Apply a waterproof silicone sealant along all exterior joints where the wall profiles meet the wall and the floor/shower tray. Ensure a continuous, watertight seal to prevent leaks. Allow the sealant to cure completely before using the shower.



**Figure 4.4:** Example of a fully installed SENSEA Studio Shower Enclosure.

## 5. Operation

The SENSEA Studio Shower Enclosure is a fixed panel designed for walk-in showers. There are no moving parts or specific operational procedures beyond its intended use as a shower partition.

- Ensure proper ventilation in the bathroom during and after showering to prevent excessive moisture buildup.
- Avoid direct impact on the glass panel, especially on the edges, to prevent damage.

## 6. Care and Maintenance

Regular cleaning and proper maintenance will ensure the longevity and appearance of your SENSEA Studio Shower Enclosure.

### 6.1. Daily Cleaning

- After each use, rinse the glass panel with clean water to remove soap residue and prevent limescale buildup.
- Use a soft cloth or squeegee to wipe down the glass and profiles. The anti-limescale treatment facilitates this process.

### 6.2. Periodic Cleaning

- For deeper cleaning, use a mild, non-abrasive bathroom cleaner specifically designed for glass and aluminum surfaces.
- Avoid using abrasive sponges, harsh chemicals, or cleaners containing acids, alkalis, or solvents, as these can damage the anti-limescale coating and the matte black finish of the profiles.
- Rinse thoroughly with clean water after cleaning and dry with a soft cloth.

### 6.3. Inspection

- Periodically check the silicone seals for any signs of wear, cracking, or mold. Re-seal if necessary to maintain watertight integrity.
- Ensure all screws and fasteners remain tight. Do not overtighten.

## 7. Troubleshooting

| Problem | Possible Cause | Solution |
|---|---|---|
| Water leakage from base or wall. | Inadequate or damaged silicone sealant. | Inspect and reapply silicone sealant to all joints. Ensure proper curing time. |
| Glass panel feels loose or wobbly. | Loose wall profiles or stabilization bar. | Check and tighten all screws on wall profiles and the stabilization bar. Do not overtighten. |
| Limescale buildup on glass despite anti-limescale treatment. | Insufficient daily rinsing or hard water. | Rinse glass thoroughly after each use. Use a mild, non-abrasive limescale remover periodically. |
| Scratches on aluminum profiles. | Use of abrasive cleaners or tools. | Avoid abrasive materials. Minor scratches may be permanent. |

## 8. Technical Specifications

| Feature | Detail |
|---|---|
| Brand | SENSEA |
| Model Number | 3276007327021 |
| Dimensions (W x H) | 90 cm x 200 cm (approx. 5 x 87 x 200 cm overall product dimensions) |
| Glass Thickness | 8 mm Safety Glass |
| Material | Glass, Aluminum (Matte Black Finish) |
| Style | Industrial, Modern |

| Feature | Detail |
|---|---|
| Installation Type | Screw-in (Wall-mounted) |
| Features | Anti-limescale treatment, Reversible installation, Cuttable/Swivel stabilization bar |
| Item Weight | 37.2 Kilograms |

## 9. Warranty Information

Specific warranty details for the SENSEA Studio Shower Enclosure are typically provided with the product packaging or can be obtained from your point of purchase. Please retain your proof of purchase for any warranty claims.
Generally, SENSEA products are designed for durability and are covered by standard consumer warranties against manufacturing defects. Damage resulting from improper installation, misuse, or lack of maintenance is not covered.

## 10. Customer Support

For technical assistance, missing parts, or warranty inquiries, please contact SENSEA customer support or your retailer.

- **Manufacturer:** SENSEA (Brand of ADEO)
- **Online Store:** SENSEA Amazon Store
- Please have your model number (3276007327021) and proof of purchase ready when contacting support.

© 2024 SENSEA. All rights reserved. Information subject to change without notice.

### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question