

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Aureday](#) /

› [Aureday 14-inch Selfie Ring Light with 62-inch Tripod Stand and Phone Holder User Manual](#)

Aureday AB Shutter3

Aureday 14-inch Selfie Ring Light with 62-inch Tripod Stand and Phone Holder User Manual

Model: AB Shutter3

INTRODUCTION

This manual provides instructions for the proper setup, operation, and maintenance of your Aureday 14-inch Selfie Ring Light with 62-inch Tripod Stand and Phone Holder. Please read this manual thoroughly before use to ensure optimal performance and safety.

PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 1 x 14-inch Selfie Ring Light
- 1 x 62-inch Tripod Stand
- 1 x Wireless Remote Shutter
- 1 x Phone Holder
- 1 x User Manual



Image: All components of the Aureday 14-inch Selfie Ring Light kit.

SAFETY INFORMATION

- Ensure the tripod is placed on a stable, level surface to prevent tipping.
- Do not expose the ring light to water or excessive moisture.
- Use only a power supply that meets the specified requirements (5V/2A, minimum 10W).
- Keep out of reach of children.
- Avoid direct eye exposure to the LED light for prolonged periods.

SETUP INSTRUCTIONS

1. Assemble the Tripod Stand

1. Unfold the tripod legs outwards until they are fully extended and stable.
2. Extend the tripod pole to your desired height by unlocking the section clamps and then re-locking them securely.

Alloy Reverse Folding Tripod

Longer tripod legs, more stable construction than other tripods.



- Alloy material
- Reverse fold
- Storage easily

Image: The tripod stand with its dimensions, showing its stable base.

2. Attach the Ring Light

1. Align the mounting screw on top of the tripod stand with the screw hole at the bottom of the ring light.
2. Rotate the ring light clockwise to securely fasten it to the tripod stand.

3. Install the Phone Holder

1. Insert the bottom of the phone holder into the slot located on the ring light.
2. Screw the 1/4-inch screw on the tripod into the hole of the phone holder to secure it.
3. Adjust the phone holder to your preferred angle and orientation (horizontal or vertical).



14" diameter



Power: 10W

Ring Light Usage Notes

Power Requirements: Rated for 10W
Use a $\geq 10W$ power source
(recommended: 5V/2A adapter).

#NOTE: Insufficient power may cause the light not work, dim or flickering

Recommended Power Sources

Power banks, laptop/DC USB ports, or 5V 2A adapters.

Fast charging and non-compliant power supplies are not recommended.

Image: Step-by-step guide for assembling the phone holder onto the ring light and tripod.

4. Power Connection

1. Connect the USB cable from the ring light to a compatible power source (e.g., USB wall adapter, power bank, laptop USB port).
2. Ensure the power source provides at least 10W (5V/2A) for optimal performance.



Selfie Photography



Live Streaming



Creation Video



Make Up

Image: Various compatible USB power sources for the ring light, including power banks, wall adapters, and laptops.

OPERATING INSTRUCTIONS

1. Power On/Off and Brightness Adjustment

- Locate the touchpad controls on the ring light.
- Tap the power symbol to turn the light on or off.
- Use the '+' and '-' symbols on the touchpad to increase or decrease the brightness level (10% to 100%).

2. Change Color Temperature

- Tap the color temperature symbol on the touchpad to cycle through the 5 available color modes: Warm, Warm White, Nature White, Sunlight, and Cold White.




Image: Visual representation of the 5 color temperature modes (Warm, Warm White, Nature White, Sunlight, Cold White) and 10 brightness levels.

3. Using the Wireless Remote Shutter

1. Ensure the remote shutter has a working battery (1 Lithium Metal battery included).
2. Turn on the remote shutter.
3. Enable Bluetooth on your smartphone (iOS or Android).
4. Search for and pair with 'AB Shutter3' or a similar device name.
5. Once paired, open your phone's camera app. Press the corresponding button on the remote (iOS or Android) to take photos or start/stop video recording.

Selfie Tripod Mode



Image: Illustration of the Bluetooth remote shutter, showing compatibility with iOS and Android phones and its function for taking photos and recording videos.

4. Adjusting Height and Angle

- The tripod stand can be adjusted from 16 to 62 inches using the section clamps.
- The ring light's angle can be adjusted by tilting the head where it connects to the tripod, allowing for perpendicular or parallel positioning.



Image: The tripod stand shown at various adjustable heights, demonstrating its versatility for different uses with cameras and phones.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to wipe the ring light and tripod. Do not use abrasive cleaners or solvents.
- **Storage:** When not in use, collapse the tripod and store the unit in a cool, dry place away from direct sunlight.
- **Battery Replacement (Remote):** If the remote shutter stops responding, replace the Lithium Metal battery.

TROUBLESHOOTING

Issue: Light is flickering or not bright enough.

Solution: Ensure your power supply provides at least 10W (5V/2A). Insufficient power can cause dimming or flickering. Fast charging adapters or non-compliant power supplies are not recommended.

Issue: Remote shutter is not connecting to the phone.

Solution:

- Ensure the remote shutter is turned on and has a charged battery.
- Verify Bluetooth is enabled on your phone.
- Try unpairing and re-pairing the remote shutter in your phone's Bluetooth settings.
- Restart your phone and try again.

Issue: Phone holder is unstable.

Solution: Ensure the phone holder is securely screwed into the ring light and the tripod. Check that your phone is properly seated and clamped within the holder.

WIDE COMPATIBILITY

Compatible with iOS and Android Phones



Bluetooth Remote Shutter
Easy setup in minutes



Image: Important notes regarding the 10W power requirement for the ring light to function correctly, recommending a 5V/2A adapter.

SPECIFICATIONS

Feature	Detail
Ring Light Diameter	14 inches
Tripod Stand Height	Adjustable from 16 to 62 inches
LED Beads	288 high-density beads
Color Temperatures	5 modes (Warm, Warm White, Nature White, Sunlight, Cold White)
Brightness Levels	10 levels (10%-100%)
Control Method	Touchpad
Power Input	USB (Recommended: 5V/2A, minimum 10W)
Phone Holder Compatibility	2.3-5.3 inches wide devices
Remote Shutter Connectivity	Bluetooth
Remote Shutter Model	AB Shutter3
Item Weight	3.12 pounds
Product Dimensions	62.09 x 14 x 62.09 inches (fully extended)
UPC	760701966875

WARRANTY AND SUPPORT

Aureday products are designed for reliability and performance. For warranty information or technical support, please refer to the contact details provided with your purchase documentation or visit the official Aureday website. Please retain your proof of purchase for warranty claims.

Related Documents - AB Shutter3

	<p><u>Wireless Remote Shutter Owner's Manual</u></p> <p>This manual provides instructions for setting up and using the Wireless Remote Shutter, compatible with Android and iOS devices. It includes product illustrations, specifications, and safety warnings regarding battery usage.</p>
	<p><u>AB Shutter3 Wireless Remote Control User Guide</u></p> <p>Comprehensive guide for the AB Shutter3 Bluetooth remote control, including setup, usage, specifications, warnings, and FCC compliance information.</p>
	<p><u>AB Shutter3 Wireless Remote Shutter Owner's Manual</u></p> <p>User manual and specifications for the AB Shutter3 Wireless Remote Shutter, detailing setup, usage, compatible devices, and FCC compliance for iOS and Android smartphones.</p>
	<p><u>AB Shutter3 Remote Control - Instructions and FCC Compliance</u></p> <p>User guide for the AB Shutter3 remote shutter, including setup instructions, battery installation, and FCC compliance information. Learn how to pair and use your remote shutter with your smartphone.</p>
	<p><u>LINKCOOL 10-Inch Ring Light with Tripod User Manual</u></p> <p>Comprehensive user manual for the LINKCOOL 10-inch Ring Light with Tripod, covering product components, specifications, installation guides, usage instructions, and important safety precautions for content creators.</p>
	<p><u>Magnetic Phone Vlog Selfie Screen - ETG_X397 User Manual</u></p> <p>User manual for the ETG_X397 Magnetic Phone Vlog Selfie Screen. Features a 3.97-inch screen, magnetic attachment, Bluetooth connectivity, and TYPE-C connection for easy selfie and video recording with smartphones.</p>