

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Husky](#) /

› [Husky Premium Beverage Cooler & Mini Fridge User Manual](#)

Husky OSFG012-WM

Husky Premium Beverage Cooler & Mini Fridge User Manual

Model: OSFG012-WM

INTRODUCTION

Thank you for choosing the Husky Premium Beverage Cooler & Mini Fridge. This compact and efficient appliance is designed to keep your beverages and small food items perfectly chilled, making it ideal for various settings such as kitchens, home bars, dorm rooms, offices, or recreational vehicles. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new refrigerator.

Please read this manual thoroughly before installation and use, and retain it for future reference.

KEY FEATURES

- **Compact with Large Capacity:** Ideal size for drinks, fruits, and vegetables, fitting up to 2.3 cu ft. / 65 Liters / 90 Cans / 60 Bottles.
- **Advanced Quiet Cooling System:** Operates with low sound, suitable for bedrooms or offices.
- **Stylish with Reversible Door Design:** Features reversible doors for flexible placement in any corner.
- **Premium Eco-Friendly Design:** Engineered for energy efficiency with optimal insulation, cyclopentane foaming, and low emissivity glass.
- **Convenient Design:** Includes adjustable shelves, leveling legs, and adjustable temperature settings (32°F - 50°F).

PRODUCT OVERVIEW



Front view of the Husky Premium Beverage Cooler, showcasing its sleek white design and clear glass door.

Medium Beverage Fridge



1.6 Cubic Feet
46 Liters
40 Cans
30 Bottles



Adjustable Shelf
Double Glazed Glass Door
Reversible Door
Adjustable Feet
32-50° F

Diagram highlighting key features such as adjustable shelf, double glazed glass door, reversible door, adjustable feet, and temperature range.

1.6ft³ Capacity

46 Liters of space



40 Cans



30 Bottles

Illustrations demonstrating the cooler's capacity, showing it can hold 40 cans or 30 bottles, along with its dimensions.

Change the direction of
how the door swings open

Reversible Door





Diagram illustrating the process of reversing the door swing direction for flexible installation.

Adjustable Shelving



3 Locations
to fit taller or
shorter items

Image showing the adjustable shelving with three different height locations to accommodate various item sizes.

Quiet Compressor

Fall asleep knowing your
fridge is quiet and
energy efficient



The beverage cooler placed in a bedroom, emphasizing its quiet compressor for undisturbed sleep.

Note: No official product videos from the seller were available for embedding.

SETUP INSTRUCTIONS

Unpacking and Placement

1. Carefully remove all packaging materials, including foam and adhesive tape.
2. Inspect the appliance for any shipping damage. Report any damage to your retailer immediately.
3. Place the refrigerator on a flat, stable surface away from direct sunlight or heat sources (e.g., stoves, radiators).
4. Ensure adequate ventilation around the unit. Allow at least 4 inches (10 cm) of space on the back and sides for proper air circulation.
5. Use the adjustable leveling legs at the bottom of the unit to ensure it is perfectly level. This is crucial for efficient operation and proper door sealing.
6. Allow the refrigerator to stand upright for at least 2-4 hours before plugging it in. This allows the refrigerant to settle.

Power Connection

1. Plug the refrigerator into a dedicated, grounded 110-120V AC outlet. Do not use extension cords or adapter plugs.
2. Ensure the power cord is not pinched or damaged.

Initial Operation

1. After plugging in, set the temperature control to the coldest setting for the first 2-3 hours to allow the interior to cool down thoroughly.
2. Once the initial cooling period is complete, adjust the temperature to your desired setting (between 32°F and 50°F).
3. Avoid placing warm items inside the refrigerator immediately after plugging it in, as this will increase the cooling time.

OPERATING INSTRUCTIONS

Temperature Control

The temperature inside the refrigerator is controlled by an adjustable thermostat located at the rear of the unit. The dial typically has settings from 1 (warmest) to 5 (coldest). Adjust the dial to achieve your desired temperature. Higher numbers indicate colder temperatures.

- For optimal beverage cooling, a setting between 3 and 4 is generally recommended.
- Factors such as ambient room temperature, frequency of door openings, and the amount of contents can affect the internal temperature. Adjust the thermostat as needed.

Adjusting Shelves

The refrigerator comes with adjustable wire shelves. To adjust the shelf height:

1. Empty the shelf of all contents.
2. Lift the shelf slightly and pull it out.
3. Reinsert the shelf into the desired set of grooves, ensuring it is level and securely in place.

Reversible Door Installation

The door of your Husky beverage cooler can be reversed to open from either the left or right side, offering greater flexibility for placement. This process involves carefully detaching and reattaching the door hinges and stopper to the opposite side. Refer to the detailed diagrams provided in the original packaging for step-by-step instructions, as specific tools (e.g., screwdriver) will be required.

MAINTENANCE

Cleaning

1. Always unplug the refrigerator before cleaning.
2. Clean the interior and exterior surfaces regularly with a soft cloth and a mild detergent solution. Avoid abrasive cleaners or solvents.
3. For the glass door, use a glass cleaner.
4. Wipe down the door gasket regularly to ensure a tight seal.
5. Clean the condenser coils at the back of the unit periodically (every 6-12 months) using a soft brush or vacuum cleaner to remove dust and debris. This improves efficiency.

Defrosting

This unit features an automatic defrost system, minimizing the need for manual defrosting. However, if a significant layer of ice builds up on the evaporator (usually at the back interior wall), it may indicate excessive humidity or frequent door

openings. In such cases:

1. Unplug the unit.
2. Remove all contents.
3. Leave the door open to allow the ice to melt naturally. Place a towel at the bottom to absorb water.
4. Once defrosted, clean and dry the interior thoroughly before plugging the unit back in.

Long-Term Storage

If the refrigerator will not be used for an extended period:

1. Unplug the unit and clean it thoroughly.
2. Leave the door slightly ajar to prevent odors and mold growth.
3. Store in a dry, well-ventilated area, away from extreme temperatures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Refrigerator does not operate.	Not plugged in; circuit breaker tripped; temperature control set to "OFF" or too warm.	Ensure plug is secure; reset circuit breaker; adjust temperature control.
Temperature is not cold enough.	Door opened too frequently; warm items placed inside; poor ventilation; thermostat setting too high.	Minimize door openings; allow warm items to cool before storing; ensure proper clearance around unit; lower thermostat setting.
Unit is noisy.	Unit not level; loose parts; normal operating sounds.	Adjust leveling legs; check for loose components; gurgling or humming sounds are normal.
Excessive frost buildup.	Door not sealed properly; high humidity; frequent door openings.	Check door gasket for damage or obstruction; ensure door closes completely; reduce frequency of door openings.

SPECIFICATIONS

Attribute	Value
Brand Name	Husky
Model Info	OSFG012-WM
Item Weight	38.2 pounds
Product Dimensions	19.3 x 17 x 27.2 inches (D x W x H)
Capacity	46 Liters / 2.3 Cu.ft.
Annual Energy Consumption	147 Kilowatt Hours Per Year
Installation Type	Countertop / Freestanding
Form Factor	Compact

Attribute	Value
Special Features	Adjustable Feet, Adjustable Shelves, Compact, Low Noise, Reversible Door
Color	White
Voltage	110 Volts
Defrost System	Automatic
Door Hinges	Reversible
Door Material Type	Solid (Frame) / Glass (Panel)
Shelf Type	Wire
Number of Shelves	1
Certification	ETL
Number Of Doors	1
BEE Star Rating	4 Star

WARRANTY AND SUPPORT


Husky products are manufactured to the highest quality standards. This product is covered by a limited warranty against defects in materials and workmanship. For specific warranty terms, conditions, and duration, please refer to the warranty card included with your product or visit the official Husky website.


For technical support, service inquiries, or to order replacement parts, please contact Husky customer service through their official website or the contact information provided in your product's packaging. When contacting support, please have your model number (OSFG012-WM) and purchase date readily available.

You can also find additional support resources and frequently asked questions on the [Husky Store on Amazon](#).

© 2024 Husky. All rights reserved.

Related Documents - OSFG012-WM

	<p>Husky OSFS009-WM Compact Refrigerator - Technical Specifications and Product Information</p> <p>Detailed technical specifications, features, energy ratings, and safety information for the Husky OSFS009-WM compact refrigerator. Includes dimensions, capacity, performance data, and handling guidelines.</p>
	<p>Husky Refrigeration Appliances Instruction Manual - Operation, Maintenance, and Troubleshooting</p> <p>Comprehensive instruction manual for Husky countertop and undercounter drinks coolers, solid door refrigerators, and retro refrigerators. Learn about safe operation, energy saving tips, maintenance, troubleshooting, and warranty information.</p>
	<p>Henderson Sliding and Folding Door Hardware Product Catalogue</p> <p>Explore the Henderson Product Catalogue for a comprehensive range of sliding and folding door hardware solutions. Discover detailed specifications, applications, and product information for various residential, commercial, and industrial uses.</p>
	<p>Frigidaire 18 Can/4 Bottles Beverage Fridge with Temperature Control: Use & Care Manual</p> <p>Official use and care manual for the Frigidaire 18 Can/4 Bottles Beverage Fridge with Temperature Control (Model EFMIS567 series). Includes safety information, operating instructions, specifications, maintenance, and warranty details.</p>
	<p>Husky Drinks Refrigerator HUS130CNBLK User Manual</p> <p>Comprehensive user manual for the Husky Drinks Refrigerator HUS130CNBLK. Contains essential safety guidelines, operating instructions, troubleshooting tips, and warranty details for optimal performance of this beverage chiller.</p>
	<p>Husky HUS-115IN Integrated Bar Fridge Freezer Instruction Manual</p> <p>This instruction manual provides essential information for the safe operation, installation, and maintenance of the Husky HUS-115IN integrated bar fridge freezer. It includes safety warnings, usage guidelines, food storage recommendations, cleaning procedures, troubleshooting tips, and energy-saving advice.</p>



[\[pdf\] Dimension Guide Guide](#)

OPCM001 LED Beauty Mirror DIMS Size Guide Husky Premium Countertop Mini Fridge 46L Compact Beverage Refrigerator with 40 Can Capacity Freestanding Drink Reversible Glass Door White Appliances A1rTJ0VbLQL m media amazon images |||

Medium Fridge Glass Door OSFG010-RM OSFG011-BM **OSFG012-WM**

DIMENSIONS 20 50.9cm 18.5 47cm 16.9 43cm ...

lang: score:31 filesize: 1.99 M page_count: 1 document date: 2023-11-03




[\[pdf\] User Manual Specifications Dimension Guide](#)

Specification Sheet Husky Premium Countertop Mini Fridge 46L Compact Beverage Refrigerator with 40 Can Capacity Freestanding Drink Reversible Glass Door White Appliances 81udRinYrqL m media amazon images |||

OSFG012-WM Technical Specifications HUSKY MODEL NUMBER KK50-307-US-HU

PRODUCT CLASS Free Standing Compact Cooler CAPACITY Nett Volume/litre/cu.ft. 43/1.61 cuft PERFORMANCE Climate Class 3 Power V/Hz 110-120V 60Hz Noise Level db 40db Energy Consumption kWh/yr147 FEATURES Temp. Con...

lang:en score:30 filesize: 312.07 K page_count: 7 document date: 2023-11-03



[\[pdf\] Dimension Guide Guide](#)

OPCM001 LED Beauty Mirror DIMS Size Guide Husky Countertop Glass Door Mini Fridge 46L Compact Beverage with 40 Can 30 Bottles Capacity 1.6 Cu ft Freestanding Drink Refrigerator Reversible Black Appliances A1ITyRVJmuL m media amazon images |||

Medium Fridge Glass Door OSFG010-RM OSFG011-BM **OSFG012-WM**

DIMENSIONS 20 50.9cm 18.5 47cm 16.9 43cm ...

lang:en score:30 filesize: 1.99 M page_count: 1 document date: 2023-11-03

HUSKY

ONE

Instruction manual

- Glass Door Drinks Cooler – Countertop and Undercounter
- Solid Door Refrigerator – Countertop and Undercounter
- Retro Refrigerator – Countertop and Undercounter



To ensure a safe operation, please read this instruction manual thoroughly before use.
Please retain for future reference.
Husky reserves the right to make possible changes to design to alter the instruction manual without notice.
For customer service, please call (016) 665 6600 or Email: contact@servicehusky.com

[**\[pdf\]** User Manual Instructions Warranty Catalog](#)

Husky Beverage Refrigerator 1 6 Cu ft Freestanding Counter Top Mini Fridge with Glass Door White
Warranty OSFG012 WM 810054151722 0810054151722 1008464088 4c754a2c eae6 417e a984
de993ebba5d0 images thdstatic catalog Images 4c |||

Instruction manual Glass Door Drinks Cooler Countertop and Undercounter Solid
Door Refrigerator Countertop and Undercounter Retro Refrigerator Countertop and
Undercounter To ensure safe operation, please read this instruction manual
thoroughly before use. Please retain for future reference. Hu...

lang:en **score:19** filesize: 1.78 M page_count: 9 document date: 2022-01-07