



[Manuals.plus](#) /

> [MVMT](#) /

> MVMT Men's Multifunction Quartz Analog Watch 28000230-D User Manual

MVMT 28000230-D

MVMT Men's Multifunction Quartz Analog Watch 28000230-D User Manual

Model: 28000230-D

INTRODUCTION

Thank you for choosing the MVMT Men's Multifunction Quartz Analog Watch, Model 28000230-D. This manual provides essential information for the proper setup, operation, and maintenance of your timepiece. Please read it carefully to ensure optimal performance and longevity of your watch.



Image: Front view of the MVMT Men's Multifunction Quartz Analog Watch, Model 28000230-D, featuring a silver stainless steel bracelet and a grey dial with chronograph subdials.

SETUP INSTRUCTIONS

1. Setting the Time and Date

1. **Pull out the crown:** Gently pull the crown (the knob on the side of the watch) to the second click position.
2. **Set the time:** Rotate the crown to adjust the hour and minute hands to the desired time. Ensure AM/PM is correctly set

if your watch has a date function that changes at midnight.

3. **Set the date:** Push the crown in one click to the first position. Rotate the crown to adjust the date. Avoid setting the date between 9 PM and 3 AM, as this can interfere with the date change mechanism.
4. **Push in the crown:** Once the time and date are set, push the crown back into its normal position to start the watch.

2. Adjusting the Bracelet

The stainless steel bracelet can be adjusted by removing or adding links. This procedure typically requires specialized tools and is best performed by a professional jeweler or watch repair service to avoid damage to the bracelet or clasp.





Image: Close-up view of the MVMT watch's stainless steel bracelet and deployant clasp with push-button release, showing the MVMT logo.

OPERATING INSTRUCTIONS

Multifunction Dials (Chronograph)

Your MVMT watch features a chronograph function with multiple subdials. These subdials typically measure elapsed time in seconds, minutes, and sometimes hours, along with a 24-hour indicator or day of the week.

1. **Start/Stop Chronograph:** Press the top pusher button (usually located at 2 o'clock) to start and stop the chronograph.
2. **Reset Chronograph:** Press the bottom pusher button (usually located at 4 o'clock) to reset the chronograph hands to zero. This can only be done when the chronograph is stopped.
3. **Subdial Functions:** Refer to the specific markings on your watch's dial for the exact function of each subdial (e.g., 60-second counter, 60-minute counter, 24-hour indicator, day of the week).



Image: MVMT watch worn on a wrist, showcasing the chronograph subdials and pushers, indicating its multifunction capabilities.

MAINTENANCE

Cleaning Your Watch

To maintain the appearance of your MVMT watch, wipe it regularly with a soft, dry cloth. For the stainless steel bracelet, a slightly damp cloth can be used, followed by a dry cloth. Avoid using harsh chemicals or abrasive materials.

Water Resistance

Your MVMT watch has a water resistance rating of 5 ATM (50 meters). This means it can withstand splashes, rain, and brief immersion in water, such as during hand washing. It is **not suitable** for swimming, showering, or diving. Always ensure the crown is fully pushed in before any contact with water. Water damage is typically not covered under warranty.

Battery Replacement

The watch is powered by a quartz movement, which requires a battery. When the watch stops or the second hand begins to skip, it indicates a low battery. Battery replacement should be performed by a qualified watch technician to prevent damage to the movement or case sealing, which could affect water resistance.

TROUBLESHOOTING

- **Watch not running:**
 - Check if the crown is fully pushed in.
 - The battery may be depleted. Seek professional battery replacement.
- **Time or date is incorrect:**
 - Refer to the "Setting the Time and Date" section for proper adjustment.
 - Ensure the crown is fully pushed in after setting.
- **Condensation under the crystal:**
 - This indicates a breach in water resistance. Avoid further contact with water and seek immediate professional service to prevent internal damage.

SPECIFICATIONS

Feature	Detail
Brand	MVMT
Model Number	28000230-D
Display Type	Analog
Movement Type	Quartz
Special Features	Chronograph
Power Source	Battery Powered
Strap Material	Stainless Steel
Clasp Type	Deployant Clasp with Push-Button
Water Resistance Depth	50 Meters (5 ATM)
Case Material	Stainless Steel
Dial Window Material	Mineral Glass
Case Diameter	42 Millimeters
Band Width	20 Millimeters
Case Thickness	11 Millimeters

Feature	Detail
Item Weight	141 Grams
Product Dimensions	4.2 x 2 x 1.1 cm

WARRANTY INFORMATION

MVMT watches typically come with a limited warranty covering manufacturing defects. Please refer to the official MVMT website or the warranty card included with your purchase for specific terms and conditions. **Important:** Damage resulting from improper use, accidents, or water damage (beyond the specified water resistance rating) is generally not covered under warranty. Unauthorized repairs or modifications will void the warranty.

CUSTOMER SUPPORT

For further assistance, service, or inquiries regarding your MVMT watch, please visit the official MVMT website or contact their customer support directly. Keep your purchase receipt and model number (28000230-D) handy when contacting support.

Official MVMT Website: www.mvmtwatches.com

