Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

James Martin Vanities E444-V30-GW-3ENC

James Martin Vanities Addison 30-inch Free Standing Vanity Instruction Manual

Model: E444-V30-GW-3ENC

1. Introduction

Thank you for choosing the James Martin Vanities Addison 30-inch Free Standing Vanity. This manual provides essential information for the safe assembly, installation, operation, and maintenance of your new vanity. Please read all instructions carefully before beginning installation and retain this manual for future reference.

2. Safety Information

- Always ensure the installation area is clear and well-lit.
- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during assembly and installation.
- Due to the weight of the vanity and countertop, it is recommended that two or more people assist with lifting and positioning.
- Ensure all plumbing and electrical connections (if applicable for USB) are performed by a qualified professional and comply with local codes.
- Do not overtighten fasteners, as this may damage the cabinet materials.
- Keep small parts away from children to prevent choking hazards.
- This product is designed for indoor use only.

3. Package Contents

Verify that all components are present and undamaged before proceeding with assembly. If any parts are missing or damaged, contact customer support immediately.

- Addison 30-inch Poplar Vanity Cabinet (1 door, 3 drawers, 1 shelf)
- Ethereal Noctis Quartz Vanity Top (pre-drilled for 8-inch wide-set faucet)
- Rectangular Undermount Porcelain Sink

- Burnished Nickel Cabinet Hardware (handles/knobs)
- Assembly Hardware (screws, wall anchors, etc.)
- USB Charging Port (integrated, if applicable)



Figure 3.1: Front view of the Addison 30-inch Vanity in Glossy White with Ethereal Noctis Quartz Top and rectangular sink. Faucet not included.

4. Assembly Instructions

The Addison vanity cabinet requires some assembly. Follow these steps carefully.

1. **Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a clean, soft surface to prevent scratches.
2. **Cabinet Construction:** The cabinet is constructed from poplar with 1/2" (13mm) thick multi-layered plywood sides, bottoms, and shelves. Ensure all panels are correctly oriented.
3. **Drawer Assembly:** The drawer boxes feature classic English dovetail joinery for durability. Assemble drawers according to the provided diagrams, ensuring all joints are secure.
4. **Hardware Installation:** Attach the burnished nickel cabinet hardware (handles/knobs) to the door and drawers using the provided screws.
5. **Hinge Adjustment:** The soft-close door hinges are dual-adjustable (up and down/forward and backward) to allow for alignment adjustments after the cabinet has been installed. Adjust as needed for proper door closure and alignment.
6. **Shelf Installation:** Insert the adjustable shelf into the cabinet using the shelf pins.



Figure 4.1: View of the Addison 30-inch Vanity in Glossy White with drawers and door open, showcasing internal storage and construction.



Figure 4.2: Internal view of the Addison vanity (shown in a dark wood finish for illustrative purposes) demonstrating drawer organization and cabinet storage.

5. Installation

This vanity is designed for free-standing installation. Professional installation is recommended for plumbing and electrical connections.

1. **Positioning:** Carefully move the assembled vanity to its desired location. Ensure the floor is level.
2. **Wall Anchoring:** Secure the vanity to the wall using appropriate wall anchors (provided) to prevent tipping. The full back panel allows for variable plumbing locations.
3. **Countertop Placement:** With assistance, carefully place the Ethereal Noctis Quartz vanity top onto the cabinet. Ensure it is centered and level. Apply a bead of silicone sealant (not included) around the top edge of the cabinet where the countertop will rest to secure it and prevent water infiltration.
4. **Sink Installation:** The rectangular porcelain sink is designed for undermount installation. Ensure it is properly sealed to the underside of the countertop according to manufacturer instructions for the sink and sealant.
5. **Faucet Installation:** Install your 8-inch wide-set faucet (sold separately) into the pre-drilled holes on the vanity top according to the faucet manufacturer's instructions.
6. **Plumbing Connections:** Connect the hot and cold water supply lines to the faucet and the drain assembly to the sink and wall drain. Ensure all connections are watertight.
7. **Electrical Connections (for USB):** If your vanity includes an integrated USB charging port, have a qualified electrician connect it to a dedicated electrical circuit according to local electrical codes.



Figure 5.1: The Addison 30-inch Vanity in Glossy White, installed in a bathroom, demonstrating its free-standing design.



Figure 5.2: Angled view of the Addison 30-inch Vanity in Glossy White, showcasing its integration into a modern bathroom environment.

6. Operation

- **Drawers and Door:** The vanity features three functional drawers and one cabinet door. The drawers are equipped with soft-close mechanisms for quiet and smooth operation. The door also has soft-close hinges.
- **Sink:** Use the rectangular porcelain sink for washing and other bathroom activities. Ensure the faucet is properly connected and functioning.
- **USB Charging Port:** If equipped, the integrated USB port allows for convenient charging of compatible electronic devices. Ensure it is properly connected to power.

7. Maintenance

7.1 Cabinet Care

- Clean the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, which can damage the finish.
- Wipe up spills immediately to prevent moisture damage.
- Periodically check all fasteners and hardware for tightness and adjust as needed.

7.2 Quartz Top Care

- The Ethereal Noctis Quartz top is highly durable and resistant to stains. Clean with mild soap and water.
- Avoid harsh chemicals, strong acids, or alkaline cleaners.
- Do not place hot items directly on the surface; use a trivet.
- Wipe away any standing water to prevent mineral deposits.

7.3 Sink Care

- Clean the porcelain sink with non-abrasive cleaners and a soft cloth or sponge.
- Rinse thoroughly after cleaning to remove any residue.

8. Troubleshooting

Problem	Possible Cause	Solution
Door/Drawer not closing properly	Hinges or drawer slides out of alignment.	Adjust the soft-close hinges (dual adjustments available). Check drawer slide alignment and tighten screws.
Water leaks from faucet or drain	Loose plumbing connections or improper sealant application.	Check all plumbing connections for tightness. Ensure proper use of plumber's tape or sealant. Consult a qualified plumber if necessary.
USB port not charging	No power supply or faulty connection.	Verify the USB port is properly connected to an electrical source. Check circuit breaker. Consult a qualified electrician.
Vanity feels unstable	Not properly anchored to the wall or uneven floor.	Ensure the vanity is securely anchored to the wall using appropriate hardware. Shim the vanity base if the floor is uneven.

9. Specifications

- **Model:** E444-V30-GW-3ENC
- **Brand:** James Martin Vanities
- **Dimensions (W x D x H):** 30" x 23.5" x 35.68" (76.2 cm x 59.7 cm x 90.6 cm)
- **Cabinet Material:** Poplar, 1/2" (13mm) thick multi-layered plywood with stain-grade wood veneers
- **Finish:** Glossy White
- **Countertop Material:** 3 cm Ethereal Noctis Quartz with Silestone HybriQ+ technology
- **Sink Type:** Rectangular Undermount Porcelain
- **Faucet Holes:** Pre-drilled for 8-inch wide-set faucet (faucet sold separately)
- **Hardware:** Burnished Nickel
- **Drawer Construction:** English Dovetail Joinery
- **Hinges:** Soft-close, dual-adjustable
- **Installation Type:** Free Standing, with wall anchors
- **Item Weight:** Approximately 217 pounds (98.4 kg)

10. Warranty and Support

This James Martin Vanities product is covered by a**one-year limited warranty** from the date of purchase. This warranty covers manufacturing defects in materials and workmanship under normal use and service.
For warranty claims, technical assistance, or to order replacement parts, please contact James Martin Vanities customer support:

- **Website:** www.jamesmartinvanities.com
- **Email:** Refer to the official website for current contact information.
- **Phone:** Refer to the official website for current contact information.

Please have your model number (E444-V30-GW-3ENC) and proof of purchase available when contacting support.

© 2023 James Martin Vanities. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0B7P5NX3H

More documents and user manuals: **https://manuals.plus/**