

Candy FIDC X502

Candy Idea FIDC X502 Multi-Function Oven

User Instruction Manual
Model: FIDC X502

1. INTRODUCTION

Thank you for choosing the Candy Idea FIDC X502 Multi-Function Oven. This appliance is designed to provide efficient and versatile cooking performance for your kitchen. With a generous 65-liter capacity, 2100W power, and five distinct cooking functions, this oven is equipped to handle a wide range of culinary tasks. Its stainless steel and black finish ensures it integrates seamlessly into modern kitchen designs. Please read this manual thoroughly before installation and use to ensure safe and optimal operation of your new oven.

2. IMPORTANT SAFETY INSTRUCTIONS

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury to persons.

- Electrical Safety:** Ensure the oven is properly grounded. Do not operate the oven with a damaged cord or plug. Disconnect power before servicing or cleaning.
- Hot Surfaces:** The oven and its components become very hot during use. Use oven mitts or pot holders when handling hot items. Keep children and pets away from the oven during operation.
- Ventilation:** Ensure adequate ventilation around the oven as specified in the installation instructions. Do not block any ventilation openings.
- Cleaning:** Always allow the oven to cool completely before cleaning. Do not use abrasive cleaners or sharp metal scrapers to clean the oven door glass, as they can scratch the surface, which may result in shattering of the glass.
- Supervision:** Never leave the oven unattended during operation, especially when cooking with oil or fat.
- Proper Use:** Use the oven only for its intended purpose of cooking food. Do not use it for heating the room or drying clothes.

3. SETUP AND INSTALLATION

The Candy Idea FIDC X502 is a built-in oven designed for integration into kitchen cabinetry. Professional installation is highly recommended to ensure proper fit, electrical connection, and ventilation.

3.1. Unpacking

Carefully remove all packaging materials from the oven. Inspect the oven for any signs of damage during transit. Report any damage to your retailer immediately.

3.2. Location and Ventilation

Choose a location that allows for proper ventilation and access to a suitable electrical outlet. Ensure the cabinet opening dimensions match the oven's requirements.



Figure 3.1: Oven dimensions and recommended installation clearances. Consult the cooktop manufacturer's installation guide for adequate clearances if installing below a cooktop.

3.3. Electrical Connection

The oven requires a 230 Volts, 2100 Watts electrical supply. The electrical connection must be performed by a qualified electrician in accordance with local wiring regulations.

- Ensure the power supply is disconnected before making any electrical connections.
- Verify that the voltage and frequency of your electrical supply match the specifications on the oven's rating plate.

4. OPERATING INSTRUCTIONS

The Candy Idea FIDC X502 oven features intuitive mechanical controls for easy operation.




Figure 4.1: Close-up of the oven's control panel with three mechanical knobs.

4.1. Control Panel Overview

The control panel consists of three mechanical rotary knobs:

1. **Temperature Selector Knob:** Used to set the desired cooking temperature (e.g., from 50°C to 250°C).
2. **Function Selector Knob:** Used to select one of the five available cooking functions (e.g., Convection, Grill, Bottom Heat, etc.).
3. **Timer Knob:** Used to set the cooking duration. The oven will automatically switch off once the set time has elapsed.



Figure 4.2: Front view of the Candy Idea FIDC X502 Multi-Function Oven.

4.2. First Use

Before using the oven for the first time, it is recommended to heat it empty to burn off any manufacturing residues and odors.

- Remove all accessories (trays, grids) from the oven cavity.
- Set the function selector to a high temperature setting (e.g., Convection at 200°C).
- Run the oven for approximately 30-60 minutes. Ensure the kitchen is well-ventilated during this process.
- Allow the oven to cool down completely before cleaning the interior.

4.3. Basic Operation

To begin cooking:

1. **Place Food:** Position your food on the provided tray or grid within the oven cavity. The oven comes with 1 tray and 2 grids.
2. **Select Function:** Turn the Function Selector Knob to choose the desired cooking mode (e.g., Convection for even baking).
3. **Set Temperature:** Turn the Temperature Selector Knob to the required temperature for your recipe.
4. **Set Time:** Turn the Timer Knob to set the cooking duration. The oven will start heating immediately.
5. **Monitoring:** The interior light allows you to monitor cooking progress without opening the door.



Figure 4.3: The oven in a kitchen setting, demonstrating food cooking inside.



Figure 4.4: The oven door open, revealing the interior light and food cooking.



Figure 4.5: The oven in a kitchen setting, showing a tart baking.

5. CLEANING AND MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your oven.

5.1. General Cleaning

- Always ensure the oven is cool and disconnected from the power supply before cleaning.
- **Exterior:** Wipe the stainless steel and black surfaces with a soft cloth dampened with warm, soapy water. Dry thoroughly. Avoid abrasive cleaners or scouring pads, which can scratch the finish.
- **Interior:** For light soiling, wipe the interior with a damp cloth and mild detergent. For stubborn stains, use an oven cleaner specifically designed for oven interiors, following the product's instructions.
- **Oven Door:** Clean the glass door with a soft cloth and a non-abrasive glass cleaner.
- **Accessories:** Trays and grids can be washed in warm, soapy water or in a dishwasher.



Figure 5.1: Interior view of the oven, highlighting the easy-to-clean surfaces and removable racks.

5.2. Replacing the Oven Light

If the interior light bulb needs replacement:

- Ensure the oven is cool and disconnected from the power supply.
- Locate the light cover inside the oven cavity.
- Carefully unscrew or unclip the cover.
- Remove the old bulb and replace it with a new oven-specific bulb of the correct wattage and type.
- Replace the light cover securely.

6. TROUBLESHOOTING

Before contacting customer service, please check the following common issues and solutions:

Problem	Possible Cause	Solution
Oven does not heat up.	No power supply. Timer not set. Function/temperature not selected.	Check power connection and circuit breaker. Set the timer. Ensure function and temperature knobs are correctly set.
Oven light not working.	Bulb is faulty.	Replace the oven light bulb (refer to Section 5.2).
Excessive smoke during first use.	Residues from manufacturing.	This is normal for first use. Ensure good ventilation. It should subside after the initial burn-off (refer to Section 4.3).
Food not cooking evenly.	Incorrect rack position. Overcrowding.	Adjust rack position. Avoid overcrowding the oven. Ensure proper preheating.

If the problem persists after attempting these solutions, please contact qualified service personnel.

7. SPECIFICATIONS

Detailed technical specifications for the Candy Idea FIDC X502 Multi-Function Oven:

- Brand:** Candy
- Model:** FIDC X502
- Capacity:** 65 Liters
- Wattage:** 2100 Watts
- Voltage:** 230 Volts
- Item Weight:** Approximately 53 pounds (24 kg)
- Product Dimensions (H x W x D):** Approximately 11.02 x 19.69 x 19.69 inches (28 x 50 x 50 cm)
- Installation Type:** Built-In
- Oven Cooking Mode:** Convection
- Fuel Type:** Electric
- Functions:** 5 Mechanical Functions
- Accessories:** 1 Tray, 2 Grids
- Interior Light:** Yes
- Finish:** Stainless Steel and Black

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. Keep your proof of purchase for any warranty claims.

For technical assistance, spare parts, or service inquiries, please contact Candy customer support through their official website or the contact details provided in your purchase documentation.

You can visit the official Candy store for more information: [Candy Official Store](#)

Related Documents

 	Candy 33703434 FIDC X502 Oven Service Manual Detailed service and user instructions for the Candy 33703434 FIDC X502 oven, covering safety, operation, maintenance, and troubleshooting. Includes multilingual user guides and technical diagrams.
 	Candy OCGF12B Built-In Oven User Manual Comprehensive user manual for the Candy OCGF12B 60 cm built-in gas and electric oven. Includes installation, operation, safety, maintenance, and troubleshooting guides.
 	Candy CA38FL7N25WXBUX Frameless Built-In Microwave Specifications Detailed technical specifications, features, dimensions, and performance data for the Candy CA38FL7N25WXBUX frameless built-in microwave oven.
 	Candy MIC 201 EX Microwave Oven User Manual This comprehensive user manual provides essential information for the safe and effective operation of the Candy MIC 201 EX microwave oven. Explore detailed instructions, safety guidelines, and operational tips to maximize the performance and lifespan of your Candy microwave oven.

Documents - Candy – FIDC X502



[illegible]

[\[pdf\]](#)


Candy Idea FIDC X502 65 L A Nero Acciaio inossidabile in Offerta Online Freeshop.it mmo 101928938 1663740910 757 8175 pim freeshop media |||
Scheda prodotto conforme al Regolamento Delegato UE N. 65/2014 e 66/2014 Identificativo del modello **FIDC X502** Nome o marchi
Energy Efficiency Index, EEI Cav 1 95.1 Energy Efficiency Index...
lang:it score:38 filesize: 75.33 K page count: 2 document date: 2022-09-21

Informační list výrobku	
Název výrobku: plastový štít, 60 x 90 cm	
Kód výrobku: 00000000000000000000000000000000	0000
Roční výrobní kapacita	1000000000
Průměr délky výrobku	90
Průměr šířky výrobku	60
Průměr výšky výrobku	20
Průměr tloušťky výrobku	10
Průměr hmotnosti výrobku	0,00000000000000000000000000000000
Průměr množství výrobku	0,00000000000000000000000000000000
Průměr	00,000

lang:es score:36 filesize: 40.09 K page_count: 1 document date: 2022-07-27

[illegible]

lang:es score:36 filesize: 80.51 K page_count: 1 document date: 2024-10-23



Ficha de producto de conformidad con el Reglamento Delegado (UE) N° 66/2014 y 66/2014	
Identificador del modelo	FIDC X502
Nombre del proveedor o marca comercial	Candy
(M) Built-in / Free-standing	Encastrable
Product Line	Hornos
Peso neto (kg)	24,4
Índice de eficiencia energética, EEE (Clase 1)	A
Índice de eficiencia energética, EEE (Clase 2)	A
Clase de eficiencia energética - cantidad 1	A
Clase de eficiencia energética - cantidad 2	A
Consumo convencional (kWh) - cantidad 1	0,08
Consumo energético en modo tradicional (kWh) - cantidad 2	0,79
Consumo energético en circulación forzada (kWh) - cantidad 1	0,79
Consumo energético en circulación forzada (kWh) - cantidad 2	0,79
Indicador de ruido	1
Tipos de energía	Eléctrica
Instalación (kWh) - cantidad 1	65
Instalación (kWh) - cantidad 2	65
Instalación (kWh) - cantidad 2	65

[pdf]

Identificador del modelo FIDC X502 Nombre proveedor 7 ore fa — o marca comercial Candy M Built in Free standing Encastrable Product Line Hornos Peso neto I
Ficha de producto de conformidad con el Reglamento Delegado UE N 65/2014 y 66/2014 Identificador del modelo **FIDC X502** Nomb
Hornos Peso neto kg : 24,4 ndice de eficiencia energtica, EEI Cav 1: ...
lang:es score:35 filesize: 75.69 K page_count: 2 document date: 2025-03-18

Scheda prodotto conforme al Regolamento Delegato (UE) N° 66/2014 e 66/2014	
Identificativo del modello	FIDC X502
Nome o marchio del fornitore	Candy
(M) Built-in / Free-standing	Incastrabile
Product Line	Forni
Peso netto (kg)	24,4
Indice di efficienza energetica, EEE (Classe 1)	A
Indice di efficienza energetica, EEE (Classe 2)	A
Classe di efficienza energetica - quantità 1	A
Classe di efficienza energetica - quantità 2	A
Consumo convenzionale (kWh) - quantità 1	0,08
Consumo energetico convenzionale (kWh) - quantità 2	0,79
Consumo energetico con circolazione forzata (kWh) - quantità 1	0,79
Consumo energetico con circolazione forzata (kWh) - quantità 2	0,79
Indicatore di rumore	1
Tipi di energia	Elettrica
Capacità (kWh) - quantità 1	65
Capacità (kWh) - quantità 2	65
Capacità (kWh) - quantità 2	65

[pdf]

Identificativo del modelo FIDC X502 Nome o marchio fornitoreFIDC fornitore Candy M Built in Free standing Incasso Product Line Forni Peso netto kg 24 4 Energy
|||
Scheda prodotto conforme al Regolamento Delegato UE N. 65/2014 e 66/2014 Identificativo del modello **FIDC X502** Nome o marchi
Energy Efficiency Index, EEI Cav 1 95.1 Energy Efficiency Index...
lang:it score:34 filesize: 75.33 K page_count: 2 document date: 2024-02-22

CARATTERISTICHE PRINCIPALI	
Modello	FIDC X502
Codice prodotto	33703434
Codice EAN	8690703370343
Tipo di forno	Combinato a F+G
Alimentazione	230V/50Hz
Capacità (litri)	65
Volumi utili (litri)	65
CARATTERISTICHE TECNICHE	
Caratteristica	Accessori
Grill	Grill
Tecnologia	Tecnologia
Tipi di cottura	Miscelabili
Dispositivi a rischio	No
Classe	Classe
Indicatore	1, 1, 66/2014
Indicatore (Classe 1)	2
Alimentazione elettrica	---
PROGRAMMI E FUNZIONI	
Controllo remoto	No
Controllo remoto	No

[pdf] Guide Accessories

Candy Idea FIDC X502 65 L A Nero Acciaio inossidabile in Offerta Online Freeshop it mmo 101928938 1663740909 5342 10556 pim freeshop media |||
Forni **FIDC X502** Modello Codice prodotto Codice EAN Tipo di forno Alimentazione Sistema di pulizia Volume utile I Connettività IoT A
opzionali Sonda carne Softclose CARATTERISTICHE PRINCIPALI **FIDC X502** 3370...
lang:it score:34 filesize: 64.33 K page_count: 2 document date: 2022-09-21

Fiche produit conforme au Règlement Delegé (UE) N° 66/2014 et 66/2014	
Identifiant du modèle	FIDC X502
Nom du fournisseur ou marque commerciale	Candy
(M) Built-in / Free-standing	Encastrable
Product Line	Fours
Poids net (kg)	24,4
Indice d'efficacité énergétique, EEE (Classe 1)	A
Indice d'efficacité énergétique, EEE (Classe 2)	A
Classe d'efficacité énergétique - quantité 1	A
Classe d'efficacité énergétique - quantité 2	A
Consommation conventionnelle (kWh) - quantité 1	0,08
Consommation énergétique conventionnelle (kWh) - quantité 2	0,79
Consommation énergétique en circulation forcée (kWh) - quantité 1	0,79
Consommation énergétique en circulation forcée (kWh) - quantité 2	0,79
Indicateur de bruit	1
Type d'énergie	Électrique
Installation (kWh) - quantité 1	65
Installation (kWh) - quantité 2	65
Installation (kWh) - quantité 2	65

[pdf]

Référence du modèle FIDC X502 Nom fournisseur ou marqueFIDC marque commerciale Candy M Built in Free standing Encastrable Product Line Fours Poids net
b384dcd 2237 4d99 8360 d12c3900b0ae |||
Fiche produit conforme au Rglement Dlgu UE N 65/2014 y 66/2014 Rfrrence du mode **FIDC X502** Nom du fournisseur ou marque co
Indice d Efficacit nergtique EEI , cavit gauche 95.1 Indice d Effi...
lang:fr score:33 filesize: 75.91 K page_count: 2 document date: 2024-02-22

PRESENTAZIONE STANDARD DI POWERPOINT LUISA RIBALDONE FICHA TECNICA HORNO FIDC X502 Horno Candy FIDCX502 Multifuncion eTendencias Electrodoméstico	
HORNOS MULTIFUNCION 65 LITROS A MODELO: 33703434 - FIDC X502 Horno multifuncin Capacidad: 65 LITROS Clase energtica	
/Ventilador Grill Puerta de doble cristal 1 Bandeja 2 rejillas Peso Bruto ...	
lang:pt score:32 filesize: 137.6 K page_count: 1 document date: 2022-04-07	


[pdf]

Presentazione standard di PowerPoint Luisa Ribaldone FICHA TECNICA HORNO FIDC X502 Horno Candy FIDCX502 Multifuncion eTendencias Electrodoméstico
HORNOS MULTIFUNCION 65 LITROS A MODELO: 33703434 - **FIDC X502** Horno multifuncin Capacidad: 65 LITROS Clase energtica
/Ventilador Grill Puerta de doble cristal 1 Bandeja 2 rejillas Peso Bruto ...
lang:pt score:32 filesize: 137.6 K page_count: 1 document date: 2022-04-07

Fiche de produit	
Présentation standard de PowerPoint Luisa Ribaldone FICHA TECNICA HORNO FIDC X502 Horno Candy FIDCX502 Multifuncion eTendencias Electrodoméstico	
HORNOS MULTIFUNCION 65 LITROS A MODELO: 33703434 - FIDC X502 Horno multifuncin Capacidad: 65 LITROS Clase energtica	
/Ventilador Grill Puerta de doble cristal 1 Bandeja 2 rejillas Peso Bruto ...	
lang:pt score:32 filesize: 137.6 K page_count: 1 document date: 2022-04-07	


[pdf]

Fiche de produit Cloudfront netCandy Référence du modèle FIDC X502 Nombre cavités 1 Cavité Indice d efficacité énergétique 95 Classe A Consommation d 120:
Fiche de produit Rglement dlgu UE n 65/2014 Nom du fournisseur ou marque commerciale Rfrrence du mo ... haleur tournante Sour
95,1 A 0,98 kWh 0,78 kWh lectricité 65 Litres EPREL registration number: 1205888 Supplie...
lang:it score:31 filesize: 54.15 K page_count: 1 document date: 2024-05-28



[pdf] Specifications Declaration of Conformity

PN TYPE CHG EU DoC Caterina Sala Technopolis FIDCP X625 L 33703582 Candy X200 33703583 FIDC N615 1 33703586 N602IT 33704077 X605IT 33704078 bWFzdGVyflHJvb3R8MjM3ODgzlGFwcGxpY2F0aW9uL3BkZnNhRFJpTDJneFlpODBOekksTmnd09Uz3pNalEzT0M5R1NVUkRVQ0JZTmJmVjRDNXdar118MW attachment true TechnopolisPN PraktikerFIDCP FMCIDC FIDC X502 33704022 X605 CA 33704050 FMCIDC N602 B602ITFIDCP X625LDOC 624919api trues3 p CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part number: Made in: Manufacturer Name: Address: Website: Built-in electric i EU DECLARATION OF CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part n ... B625 L FIDC N FIDC N200/1 **FIDC X502/1** FIDC X605/CA FMCIDC N602/CA FIDC X602/CA FMCIDC X605/CA FCM955NRL/CA FMCIDC N602/XI lang:en score:28 filesize: 232.31 K page_count: 5 document date: 2024-10-02



[pdf] Instructions Troubleshooting Guide

candy fido x502 trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Candy **FIDC X502** o cerca il tuo prodotto tra le migliori FORNI IT 26 Instrucciones de uso HORNOS ES 38 Handleiding ... lang:en score:27 filesize: 1.72 M page_count: 104 document date: 2022-07-19



[pdf]

productdetails lan NL sku 33703434 mkt be docgenerator candy it |||

Idea **FIDC X502** Essential design Embossed cavity HOOFDENMERKEN Productnaam Productcode EAN code Manufacturer Netto App Type controle Gemotoriseerd draaispit Bakplaat **FIDC X502** 33703434 8059019050416 Candy Hoover ... lang:nl score:27 filesize: 144.96 K page_count: 3 document date: 2025-08-02



[pdf]

productdetails lan HU sku 33703434 mkt hu docgenerator candy it |||

IDEA **FIDC X502** Letisztult dizajn Dombornyomott bels F JELLEMZK ModellInv Termekkd EAN kd Manufacturer reges kapacits l - st 1 F **FIDC X502** 33703434 8059019050416 Candy Hoover Group S.r.l. 65 hlgkevers elektromos E... lang:en score:26 filesize: 145.63 K page_count: 3 document date: 2025-08-02



[pdf] Dimension Guide

productdetails lan FR sku 33703434 mkt fr docgenerator candy it |||


Idea **FIDC X502** Design essentiel Caractéristiques principales Rfrence commerciale Code produit Code EAN Manufacturer Volume de Application disponible Type de contrle Tournebroche Plateau **FIDC X502** 33703434 80... lang:fr score:26 filesize: 144.94 K page_count: 3 document date: 2025-08-02




lang:es score:26 filesize: 145.15 K page_count: 3 document date: 2025-08-02




lang:hr score:26 filesize: 146.06 K page_count: 3 document date: 2025-08-02




lang:fr score:26 filesize: 75.91 K page_count: 2 document date: 2024-04-05




lang:fr score:25 filesize: 75.91 K page_count: 2 document date: 2022-04-07




lang:fr score:25 filesize: 199.92 K page count: 1 document date: 2025-08-02




[pdf] Label
energylabel lan SK mkt EU sku 33703434 cav 1 docgenerator candy it |||
CANDY **FIDC X502** 0.98 L 0.78 ...
lang:fr score:25 filesize: 199.92 K page_count: 1 document date: 2025-08-02




[pdf] Label
energylabel lan ES mkt EU sku 33703434 cav 1 docgenerator candy it |||
CANDY **FIDC X502** 0.98 L 0.78 ...
lang:fr score:25 filesize: 199.92 K page_count: 1 document date: 2025-08-02



[pdf] Label
energylabel lan NL mkt EU sku 33703434 cav 1 docgenerator candy it |||
CANDY **FIDC X502** 0.98 L 0.78 ...
lang:fr score:25 filesize: 199.92 K page_count: 1 document date: 2025-08-02



[pdf] Label
energylabel lan FR mkt EU sku 33703434 cav 1 docgenerator candy it |||
CANDY **FIDC X502** 0.98 L 0.78 ...
lang:fr score:25 filesize: 199.92 K page_count: 1 document date: 2025-08-02




[pdf] Dimension Guide
Fiche produit FIDCX502 Four Encastrable Multifonction Inox CANDY promo electro fr index controller attachment id 3605 |||
Fours **FIDC X502** Recyclabilit du produit Pourcentage de matire recycle dans le produit Terres rares dans le produit, contient au moi
emballage Emballage remployable Rfrence commerciale Code produit Code ...
lang:fr score:21 filesize: 66.12 K page_count: 3 document date: 2024-04-05




[pdf]

aquí HORNO CANDY FIDCX502 65L MF INOX EuropeanPC Ficha del producto mmo 101928938 1666558675 3279 3880932 objects icecat biz |||
Hornos **FIDC X502** Nombre del producto / Cdigo Comercial Cdigo de producto Cdigo EAN Tipo de horno Consumo energtico Sistem
Tipo de regulador Rustepollos motorizado Guas del horno Bandeja Rejillas Accesorios o...
lang:es score:21 filesize: 65.84 K page_count: 2 document date: 2022-10-23




[pdf]

Soldes 2023 Découvrez des réductions imbattables Kréfel 12006312 20230210113853 media krefel be sys master energySheets 9232206266398 |||
CANDY **FIDC X502** 0.98 65 L 0.78 ...
lang:es score:20 filesize: 200.08 K page_count: 1 document date: 2023-02-10




[pdf] Declaration of Conformity

StÅjhnot 1 27 MB Trouba Candy Idea FIDC X502 nerez DATART doc 5276331 datart cz document 3 |||
Navodila za uporabnika PECICE SL 02 Nvod na použitie RRY SK 14 BG 26 Upute za korisnike PENICE HR 38 Instrukcije uytownik
CANDY HOOVER GROUP Via Comolli 16 Brugherio Italy Sommario 03 Varnostna N...
lang:hr score:18 filesize: 1.27 M page_count: 89 document date: 2022-06-16



Candy 33703434 FIDC X502 Oven Service Manual

Detailed service and user instructions for the Candy 33703434 FIDC X502 oven, covering safety, operation, maintenance, and troub
lang:es score:17 filesize: 2.55 M page_count: 112 document date: 2022-07-19



[pdf] Catalog

Catalogo New Candy BI 74Mb cms candy home documents d global catalogo new bi 74mb |||
Coccin Fro Lavado CATLOGO INTEGRACIN 2025 Aqu est el catlogo 2025 de Candy para Electrodomsticos ... ofundidad : 665 x 62
GRILL A ENERGY CLASS CLASE ENERGTICA VENTILADOR 33703434 - **FIDC X502** Horno Multifunci...
lang:es score:15 filesize: 70.89 M page_count: 308 document date: 2024-10-24