

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Linq](#) /

› [LINQ byELEMENTS LQ48022 8-in-1 8K Pro Studio SSD USB-C Multiport Hub User Manual](#)

## Linq LQ48022

# LINQ byELEMENTS LQ48022 8-in-1 8K Pro Studio SSD USB-C Multiport Hub User Manual

Model: LQ48022

## PRODUCT OVERVIEW

The LINQ byELEMENTS LQ48022 8-in-1 8K Pro Studio SSD USB-C Multiport Hub is a compact and versatile connectivity solution designed to expand the capabilities of your MacBook or laptop. It delivers ultra-sharp 8K video and audio, provides high-speed data transfer, and offers a stable wired internet connection, along with integrated SSD storage options.



Image: The LINQ byELEMENTS LQ48022 8-in-1 8K Pro Studio SSD USB-C Multiport Hub, showcasing its compact design and multiple

ports.

## KEY FEATURES

- **8K HDMI Output:** Supports 8K resolution at 30Hz or 4K resolution at 60Hz for crystal clear video and audio.
- **SuperSpeed+ USB 3.2 Gen2 Ports:** Includes USB-A and USB-C ports with data transfer speeds up to 10 Gbps.
- **Multi-Gigabit Ethernet:** Provides a wired network connection with speeds up to 2.5 Gbps for fast and stable internet.
- **Power Delivery (PD) Charging:** Supports up to 100W PD charging for your laptop.
- **Integrated SSD Storage Option:** Offers a convenient option for expanding storage.
- **Peripheral USB-A Ports:** Two USB-A ports for connecting essential peripherals like keyboards, mice, printers, and scanners.



Image: The LINQ Multiport Hub connected to various devices, illustrating its 8-in-1 functionality and multiple port types.

## SETUP GUIDE

1. **Connect to Host Device:** Plug the integrated USB-C cable of the LINQ Hub into an available USB-C port on your MacBook or laptop. Ensure the USB-C port on your host device supports DisplayPort Alternate Mode (Alt Mode) and Power Delivery for full functionality.
2. **Power Connection (Optional but Recommended):** For optimal performance and to charge your laptop, connect your laptop's USB-C power adapter (up to 100W) to the USB-C PD port on the hub.



Image: Close-up of the USB-C Power Delivery port on the LINQ Hub, indicating support for up to 100W charging.

3. **Operating System Compatibility:** The hub is compatible with Mac OS 9 and Windows 10. No specific driver installation is typically required for basic functionality (plug-and-play).

## OPERATING INSTRUCTIONS

### Connecting External Displays (HDMI)

Connect an HDMI cable from your external monitor or TV to the HDMI port on the LINQ Hub. Your host device should automatically detect the display. Adjust display settings (resolution, orientation) through your operating system's display preferences.

#### Supported Resolutions:

- Up to 8K (7680x4320) at 30Hz
- Up to 4K (3840x2160) at 60Hz



Image: Close-up of the 8K HDMI port on the LINQ Hub, highlighting its high-definition video output capability.

## Using USB Data Ports

The hub features multiple USB ports for connecting various devices:

- **USB 3.2 Gen2 (10 Gbps) Ports:** Use the SuperSpeed+ USB-A and USB-C data ports for high-speed data transfer with external SSDs, flash drives, or other compatible devices. These ports support speeds up to 10 Gbps.



Image: Close-up of the USB 3.2 Gen 2 ports on the LINQ Hub, illustrating their high-speed data transfer capabilities.

- **Peripheral USB-A Ports:** Connect your keyboard, mouse, printer, scanner, or other lower-speed USB peripherals to these dedicated ports.






Image: Close-up of the peripheral USB-A ports on the LINQ Hub, ideal for connecting standard input devices and printers.

### Connecting to a Wired Network (Ethernet)

For a stable and secure internet connection, connect an Ethernet cable from your router or modem to the Multi-Gigabit Ethernet port on the hub. This port supports speeds up to 2.5 Gbps.



Image: Close-up of the Multi-Gigabit Ethernet port on the LINQ Hub, designed for ultra-fast and stable wired network connections.

## MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the surface of the hub. Avoid using liquid cleaners or aerosols.
- **Storage:** When not in use, store the hub in a cool, dry place away from direct sunlight and extreme temperatures.
- **Handling:** Handle the hub with care. Avoid dropping it or subjecting it to strong impacts.
- **Cable Management:** Ensure cables connected to the hub are not excessively bent or strained to prevent damage to the ports or cables.

## TROUBLESHOOTING

### No display output via HDMI:

- Ensure your laptop's USB-C port supports DisplayPort Alt Mode.
- Check the HDMI cable connection at both the hub and the monitor.
- Try a different HDMI cable or monitor to rule out faulty equipment.
- Restart your laptop.
- Verify display settings in your operating system.

### USB devices not recognized or slow data transfer:

- Ensure the hub is properly connected to your laptop.
- If using high-power devices, ensure the hub is connected to a power source via the PD port.



- Try connecting the USB device directly to your laptop to confirm it functions.
- Disconnect and reconnect the USB device to the hub.

**Ethernet connection issues:**

- Check the Ethernet cable connection at both the hub and your router/modem.
- Ensure your router/modem is functioning correctly.
- Verify network settings on your laptop.
- Try a different Ethernet cable.

**Laptop not charging via PD port:**

- Ensure your laptop's USB-C port supports Power Delivery.
- Verify that your power adapter is connected to the hub's PD port and is functioning.
- Check the wattage of your power adapter; it should be sufficient for your laptop's charging requirements (up to 100W supported by hub).







**SPECIFICATIONS**


Feature	Detail
Model Number	LQ48022
Brand	Linq
HDMI Output	8K@30Hz, 4K@60Hz
USB-C Data Port	1 x USB 3.2 Gen2 (10 Gbps)
USB-A Data Port	1 x USB 3.2 Gen2 (10 Gbps)
Peripheral USB-A Ports	2 x USB-A (lower speed)
Ethernet Port	Multi-Gigabit (up to 2.5 Gbps)
Power Delivery (PD)	Up to 100W
Integrated Storage	SSD option
Operating System Compatibility	Mac OS 9, Windows 10
Dimensions (LxWxH)	1.69 x 3.12 x 0.27 inches
Weight	2.43 ounces
Color	Gray

**WARRANTY AND SUPPORT**

For warranty information and technical support, please refer to the official Linq byELEMENTS website or contact their customer service directly. Keep your purchase receipt as proof of purchase for warranty claims.  
*Note: Specific warranty terms may vary by region and retailer.*

## Related Documents - LQ48022

	<p><a href="#">LINQ 6 in 1 Pro Multiport Hub LQ48015 Product Manual</a></p> <p>User manual for the LINQ 6 in 1 Pro Multiport Hub (Model LQ48015), detailing specifications, system requirements, and port overview. Supports HDMI 4K@60Hz, USB-A 3.2 Gen 2, USB-C 3.2 Gen 2, USB-C PD up to 100W, and Gigabit Ethernet.</p>
	<p><a href="#">LINQ 5in1 Multiport Hub - User Manual and Specifications</a></p> <p>User manual and specifications for the LINQ 5in1 Multiport Hub (model LQ49051) and other LINQ models by Telco Accessories. Details ports, power delivery, physical specifications, warnings, recycling information, and EU Declaration of Conformity.</p>
	<p><a href="#">LINQ 3-in-1 Multiport Hub - Specifications, Manual &amp; Warnings</a></p> <p>Comprehensive guide for the LINQ 3-in-1 Multiport Hub, detailing its specifications, features like 4K HDMI, USB-C PD 140W, USB-A 3.2, and providing essential safety warnings, recycling information, and EU Declaration of Conformity from Telco Accessories BV.</p>
	<p><a href="#">LINQ LQ48001 4-in-1 USB-C VGA/HDMI Adapter User Manual</a></p> <p>Official user manual for the LINQ LQ48001 4-in-1 USB-C to VGA/HDMI adapter. Learn about product specifications, system requirements, how to use, notes, and troubleshooting for this versatile USB-C hub.</p>
	<p><a href="#">Linq: Build Your Digital Profile Page and Activate Your Card</a></p> <p>Learn how to build your Linq digital profile page and activate your Linq card using simple steps. Includes FCC compliance information.</p>
	<p><a href="#">Linq Fully Custom Card - Product Specifications</a></p> <p>Detailed specifications for the Linq Fully Custom Card, including dimensions and customization options.</p>



Hub 8w1 8K PRO USB-C Multiport hub

Indeks: 246109Producent: LinqKod produktu: LQ48022

Cena: 897.25 zł

Opis

Hub 8w1 8K PRO USB-C Multiport hub

Producent: Linq

Właściwości

- Opis: Hub 8w1 8K PRO USB-C Multiport hub
- Liczba portów: 8
- Standard USB: USB 2.0
- Ładowanie urządzeń: Tak
- Porty (koncentratory): USB 2.0 x USB Type C Zasilaka
- Porty (koncentratory): USB 2.0 x USB Type C Zasilaka
- Porty (koncentratory): USB 2.0 x USB Type A Zasilaka
- Porty (koncentratory): USB 2.0 x USB Type A Zasilaka
- Zasilanie (tętno): USB 2.0
- Akcesoria: Nie zawiera
- Kolor (wykończenie): Czarny
- Wymiary: 5,6 x 4,3 x 2,2 cm
- Waga: 68
- Przeciekające parametry: Wymiary opakowania: 21,5 x 9 x 2,5 cm

Parametry

Stan	Nowy
------	------

Zdjęcia

[pdf]

Hub 8w1 8K PRO USB C Multiport hub Sklep internetowy stylem.pl 8k pro usb c multiport 246109 upload files product |||

Hub 8w1 8K PRO USB-C Multiport hub Indeks: 246109 Producent: Linq Kod producenta: **LQ48022** Cena: 897.25 zł Opis Hub 8w1 8K PRO USB-C Multiport hub Producent: Linq Wlaciwoci Opis Hub 8w1 8K PRO USB-C Multiport hub Liczba portw 8 Standard USB USB 2.0 Ladowanie urzdze Tak Porty koncentratory USB 2 x ... lang:pl score:21 filesize: 76.6 K page\_count: 2 document date: 2023-04-26