TOTO MW4363056CEMFGNA

TOTO WASHLET+ Aquia IV Cube Two-Piece Elongated Dual Flush Toilet with Auto Flush S550e Bidet Seat Instruction Manual

Model: MW4363056CEMFGNA

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your TOTO WASHLET+ Aquia IV Cube Two-Piece Elongated Dual Flush Toilet with Auto Flush S550e Bidet Seat. Please read this manual thoroughly before installation and use to ensure proper function and safety. Keep this manual for future reference.

Safety Information

Always observe the following safety precautions to reduce the risk of injury or property damage:

- Ensure all electrical connections are made by a qualified electrician and comply with local codes.
- Do not install in locations where water may freeze, as this can damage the unit.
- Use only the specified water supply pressure and temperature.
- Disconnect power before performing any maintenance or cleaning.
- Keep children and individuals with reduced physical, sensory, or mental capabilities away from the unit unless supervised.

Package Contents

Verify that all components are present before beginning installation:

- Aquia IV Cube Toilet Bowl
- Aquia IV Toilet Tank
- WASHLET S550e Bidet Seat
- Auto Flush Kit
- Mounting Hardware for Toilet and WASHLET
- Remote Control with Wall Mount

Note: The wax ring, toilet mounting bolts, and toilet water supply lines must be purchased separately.

Setup and Installation

1. Pre-Installation Checks

Before installation, confirm your bathroom's rough-in measurement. This toilet is designed for a 12-inch rough-in. Adapters for 10-inch or 14-inch rough-ins are available for separate purchase.

2. Toilet Assembly

Assemble the toilet bowl and tank according to the included diagrams. Ensure all seals are properly seated to prevent leaks.

3. WASHLET S550e Bidet Seat Installation

The WASHLET+ design features concealed power cord and water supply hose connections for a seamless appearance. Follow the specific instructions provided with the WASHLET for secure attachment and connection to the toilet's water supply and electrical outlet.



Image Description: This image illustrates the difference between conventional and WASHLET+ concealed supply connections. The conventional setup shows visible hoses and cords, while the WASHLET+ setup shows a clean, integrated appearance with all connections hidden.

4. Auto Flush Kit Installation

Install the Auto Flush kit as per its dedicated instructions. This kit enables hands-free automatic flushing after use.

5. Final Connections and Testing

Connect the water supply line to the toilet. Slowly open the water supply valve and check for leaks. Plug in the WASHLET power cord. Perform a test flush and verify all functions of the WASHLET.



Image Description: A diagram showing the key dimensions of the TOTO Aquia IV Cube toilet, including width (16.5 inches), height (30.75 inches), rough-in (12 inches), length (27.5625 inches), and seat height (17.625 inches).

Operating Instructions

1. Toilet Flushing

The Aquia IV Cube features a dual-flush system and an Auto Flush function:

- **Dual Flush Lever:** Pull the lever for a 1.28 GPF (Gallons Per Flush) full flush. Push the lever for a 0.9 GPF light flush.
- **Auto Flush:** The integrated Auto Flush kit provides hands-free flushing after each use. This feature automatically selects the appropriate flush volume.



Image Description: A close-up view of the chrome dual flush lever on the side of the toilet tank. Arrows indicate 'Pull' for 1.28 GPF full flush and 'Push' for 0.9 GPF light flush.



Image Description: An illustration of the TOTO toilet with a blue swirling arrow indicating the automatic flushing action, highlighting the Auto Flush Technology for hands-free operation.

2. WASHLET S550e Bidet Seat Functions

Operate the WASHLET S550e using the illuminated touchpad remote control. The remote allows for personalized settings and various cleansing functions.



Image Description: A detailed diagram of the WASHLET S550e remote control, labeling buttons for functions such as Stop, Rear/Soft cleansing, Front/Wide cleansing, Dryer, Pulsating spray, Oscillating spray, Pressure adjustment, Self-Cleaning Wand, Wand Position, User memory settings, Light Flush, Full Flush, and Seat Open/Close.

Key WASHLET Features:

- **Heated Seat:** Provides warmth for comfort.
- **Auto Open/Close Lid:** The lid automatically opens and closes for convenience.
- **Nightlight:** Illuminates the bowl for nighttime use.
- **Continuous Warm Water:** Ensures a consistent supply of warm water for cleansing.
- **Warm Air Dryer:** Offers a comfortable drying experience after cleansing.
- **Deodorizer:** Minimizes odors during use.
- **Adjustable Water Spray & Pressure:** Customize the spray type (Rear, Soft Rear, Front, Oscillating) and pressure for optimal cleansing.
- **Self-Cleaning Wand:** The wand cleans itself before and after each use with EWATER+.
- **EWATER+:** Electrolyzed water mists the wand and toilet bowl, reducing the need for harsh cleaning chemicals.



Image Description: This image displays five different adjustable water spray patterns from the WASHLET wand: Rear Spray for effective cleansing, Soft Rear for gentle rinsing, Front Spray for delicate areas, Oscillating Spray where the wand moves back and forth, and an Adjustable Wand for finding the perfect position.



Image Description: A composite image highlighting several WASHLET features: an auto-opening seat, continuous warm water supply, a night light illuminating the bowl, and the EWATER+ cleansing system.




Image Description: A diagram illustrating EWATER+ technology. It shows electrolyzed water being sprayed into the toilet bowl and through the bidet wand, explaining that EWATER+ helps clean both the bowl and the wand, reducing the need for harsh chemicals.

Maintenance

1. Toilet Cleaning

The Aquia IV Cube toilet features DYNAMAX TORNADO FLUSH and CEFIONTECT glaze for easier cleaning:

- **DYNAMAX TORNADO FLUSH:** This powerful flush system cleans the entire bowl surface with a 360-degree swirling action.
- **CEFIONTECT:** An ultra-smooth ceramic glaze that prevents waste from sticking to the bowl surface, making cleaning simpler.
- **Rimless Design:** The toilet bowl's rimless design eliminates hidden areas where dirt and grime can accumulate, simplifying cleaning.

For general cleaning, use a soft cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive pads that can

damage the CEFIONTECT glaze.



Image Description: A comparison showing a 'Non CEFIONTECT' ceramic surface with visible residue and a 'CEFIONTECT' surface that is smooth and clean, illustrating how the ceramic glaze minimizes waste from sticking.



Image Description: A side-by-side comparison of a 'Conventional' toilet rim, showing a hidden channel where dirt can accumulate, and a 'Rimless Design' toilet, demonstrating its smooth, easy-to-clean surface that leaves no place for dirt to hide.

2. WASHLET Cleaning

The WASHLET S550e features a self-cleaning wand and EWATER+ for hygiene. For external cleaning, wipe the surfaces with a soft, damp cloth and a mild detergent. Do not use abrasive cleaners or solvents.

Troubleshooting

If you encounter issues with your TOTO WASHLET+ Aquia IV Cube, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
No power to WASHLET	Power cord unplugged, circuit breaker tripped	Check power connection, reset circuit breaker

Problem	Possible Cause	Solution
No water spray from WASHLET	Water supply valve closed, water filter clogged	Open water supply valve, clean or replace water filter
Toilet not flushing properly	Water level too low, flush mechanism issue	Adjust water level in tank, inspect flush valve
Leaks around base of toilet	Loose mounting bolts, faulty wax ring	Tighten bolts (do not overtighten), replace wax ring

If the problem persists after attempting these solutions, please contact TOTO customer support for assistance.

Specifications

Feature	Detail
Model Number	MW4363056CEMFGNA#01
Color	Cotton White
Product Dimensions (D x W x H)	27.5" x 14.5" x 30.5"
Material	Ceramic (Toilet), Plastic (Seat)
Installation Type	Floor Mounted
Toilet Type	Two-Piece, Elongated
Flush Type	Dual Flush (1.28 GPF / 0.9 GPF), Auto Flush
Rough-in	12" (adaptable to 10" or 14" with separate adapter)
Item Weight	82.8 pounds
WASHLET Model	S550e
WASHLET Features	Heated Seat, Auto Open/Close Lid, Nightlight, Continuous Warm Water, Warm Air Dryer, Deodorizer, Self-Cleaning Wand, EWATER+, Adjustable Spray
Certifications	WaterSense Certified

Warranty and Support

TOTO products are manufactured to high-quality standards and come with a limited warranty. For specific warranty details, registration, or to obtain technical support, please refer to the warranty card included with your product or visit the official TOTO website. Keep your proof of purchase for warranty claims.
For further assistance, please contact TOTO Customer Service:

- **Website:** www.totousa.com
- **Phone:** Refer to the TOTO website for regional contact numbers.

© 2023 TOTO. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question