CONOPU DH-CS02

CONOPU Household Dehumidifier Instruction Manual

Model: DH-CS02 | Brand: CONOPU

1. Introduction

Thank you for choosing the CONOPU Household Dehumidifier. This device is designed to efficiently remove excess moisture from the air, creating a healthier and more comfortable environment in your home. With its 2300ml capacity, automatic defrost, automatic shut-off, and three operating modes, it offers convenient and effective humidity control for bedrooms, bathrooms, and other living spaces.



The CONOPU dehumidifier, a compact and efficient unit with a clear water tank and top control panel.

2. Safety Instructions

- Avoid using the product in a very humid environment like a bathroom and avoid getting it wet.
- Empty the water tank promptly when it is full. If the fan stops operating after the tank is full, water vapor can penetrate inside the machine and potentially cause abnormal electronic component behavior.
- Ensure the dehumidifier is placed on a stable, level surface.
- Keep the product at least 20cm away from walls and other objects to ensure proper airflow.
- Do not block the air inlet or outlet.
- Unplug the device before cleaning or maintenance.
- Do not attempt to repair the unit yourself. Contact qualified service personnel for repairs.

3. Product Overview

Familiarize yourself with the main components of your CONOPU Dehumidifier:

- **Control Panel:** Located on the top, with touch buttons for power, mode selection, timer, and light.
- **Air Inlet/Outlet:** Grilles for air circulation.
- **Water Tank:** Transparent, detachable 2.3L capacity tank at the bottom.
- **Portable Handle:** Integrated handle for easy transport.
- **Power Cord Storage:** Convenient compartment at the back for cord management.



The dehumidifier with a portable handle, showing its dimensions (30.5cm height, 22.3cm depth, 15.3cm width) and the recommended 20cm distance from a wall.



Close-up view of the integrated cord storage compartment on the back of the dehumidifier.

4. Setup

1. **Unpack:** Carefully remove the dehumidifier from its packaging.
2. **Placement:** Place the unit on a firm, level surface in the desired room. Ensure there is at least 20cm of clear space around all sides for optimal airflow.
3. **Power Connection:** Plug the power cord into a suitable electrical outlet.

5. Operating Instructions

Power On/Off

Press the **Power button** on the control panel to turn the unit ON or OFF.

Mode Selection

The dehumidifier offers three operating modes to suit different needs:

- **Strong Mode:** For rapid and efficient dehumidification.
- **Auto Mode:** Maintains a fixed humidity level of 50% RH. The unit will automatically shut off when humidity is below 50% and restart when it rises above 50%.
- **Sleep Mode:** Operates at a low noise level (39dB) for quiet operation, ideal for bedrooms.

Press the **Mode button** to cycle through the available modes.



Illustration of the three efficient working modes: Strong Mode, Auto Mode (fixed humidity 50%), and Sleep Mode.

Visual representation of the three operating modes: Day Mode (High speed, efficient dehumidification), Automatic Mode (Real-time humidity control, constant 50% RH), and Night Mode (Low speed, ultra-silent operation).

Timer Function

Set a specific operating duration for the dehumidifier. Available timer settings include 8H, 12H, 24H, and 48H.

Press the **Timer button** to select the desired operating time.




The dehumidifier placed in a closet, illustrating its timed operation feature with options for 8H, 12H, 24H, and 48H.



The dehumidifier next to a bed, illustrating its timer setting for comfortable and peaceful sleep, with options up to 48 hours.

Intelligent Defrost

The unit features an automatic defrost function that speeds up frost melting, allowing the dehumidifier to resume operation without a long waiting period, especially in cooler environments.



Comparison image showing the dehumidifier's intelligent defrost function, with a frosted coil before defrosting and a clear coil after.

The dehumidifier operating in a cold environment, demonstrating its automatic defrost protection feature.

Colorful Night Light

The dehumidifier includes a customizable multi-colored night light to create a calming ambiance. Press the **Light button** to activate or change the light settings.



The dehumidifier on a nightstand, highlighting its low-noise sleep mode (39dB), colorful night light, and auto shut-off feature for enhanced sleep.

The dehumidifier's water tank illuminated with 7-color ambient light, and a red light indicating a full tank for safety.

6. Maintenance

Emptying the Water Tank

When the water tank is full, the dehumidifier will automatically shut off, and an indicator light will illuminate. It is crucial to empty the tank promptly.

1. Turn off the dehumidifier and unplug it from the power outlet.
2. Carefully pull out the water tank from the bottom of the unit.
3. Pour out the collected water.
4. Rinse the tank with clean water if necessary.

5. Slide the empty tank back into the dehumidifier until it clicks into place.
6. Plug the unit back in and turn it on to resume operation.



Step-by-step illustration of detaching, removing, and emptying the 2.3L washable water tank.



The dehumidifier with an overlay indicating its automatic shut-off function when the water tank is full.

Cleaning

- Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the air inlet and outlet grilles regularly to prevent dust buildup, which can affect performance. Use a soft brush or vacuum cleaner.

7. Troubleshooting

Problem	Possible Cause	Solution
Unit does not turn on	No power; Water tank full or not properly inserted.	Check power connection; Empty and re-insert water tank correctly.
No water collected or low efficiency	Room humidity too low; Air inlets/outlets blocked; Temperature too low; Unit too close to wall.	Dehumidifier may not be needed; Clear obstructions; Unit performs best above 15°C; Ensure 20cm clearance from walls.
Unusual noise	Unit not on a level surface; Internal component issue.	Place on a flat, stable surface; If noise persists, contact customer support.
Unit stops working after a short period	Water tank full; Automatic defrost active.	Empty water tank; Wait for defrost cycle to complete.

8. Specifications

Brand	CONOPU
Model Number	DH-CS02
Color	White & Black
Product Dimensions (L x W x H)	30.5 x 15.3 x 22.3 cm
Weight	2.15 Kilograms
Water Tank Capacity	2300 Millilitres
Power	22 Watts
Automatic Shut-off Function	Yes

Number of Speeds	3
Special Features	Automatic Defrost, Automatic Shut-off, Sleep Mode
Recommended Uses	Home

9. Warranty and Support

CONOPU products are manufactured to high-quality standards. For any questions, technical support, or warranty claims, please refer to the contact information provided with your purchase or visit the official CONOPU website. Please retain your proof of purchase for warranty purposes.

© 2024 CONOPU. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question