

Candy FIDC X625 L

Candy Idea FIDC X625 L Multifunction Oven User Manual

Model: FIDC X625 L

Brand: Candy

INTRODUCTION

The Candy Idea FIDC X625 L is a versatile 70-liter electric multifunction oven designed to integrate seamlessly into any kitchen. It features a double glass door for safety, a telescopic guide for ease of use, and a durable stainless steel handle. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new oven.



Figure 1: Front view of the Candy Idea FIDC X625 L Multifunction Oven.

WHAT'S IN THE BOX

Please check the contents of the packaging carefully. If any items are missing or damaged, contact your retailer immediately.

- Candy Idea FIDC X625 L Oven Unit
- 1 x Baking Tray
- 2 x Wire Racks
- Power Cable
- Instruction Manual (this document)



Figure 2: Included baking tray.

SETUP AND INSTALLATION

Proper installation is crucial for the safe and efficient operation of your oven. It is recommended that installation be performed by a qualified technician.

Unpacking

Remove all packaging materials from the oven and its accessories. Inspect the oven for any signs of damage during transit.

Placement and Clearances

The oven is designed for built-in installation. Ensure the cabinet opening dimensions match the oven's requirements. The integration niche size should be approximately 59 cm (Height) x 56 cm (Width) x 56 cm (Depth).



Figure 3: Installation dimensions and clearances. Consult the cooktop manufacturer's guide for adequate clearances if installing below a hob.

Electrical Connection

Connect the oven to a suitable electrical supply according to local regulations. The oven operates at 2400 watts. Do not use extension cords or adapters. Ensure the power cable is not trapped or damaged during installation.

OPERATING INSTRUCTIONS

Control Panel Overview

The oven features a user-friendly control panel with Push&Pull knobs and a Touch Timer Display for precise control over cooking functions and time.



Figure 4: Detail of the oven's control panel with Push&Pull knobs and digital display.

Basic Operation (Temperature and Functions)

To operate the oven:

1. **Select Function:** Use the left Push&Pull knob to choose one of the 8 available cooking functions (e.g., convection, grill, defrost).
2. **Set Temperature:** Use the right Push&Pull knob to set the desired cooking temperature.
3. **Preheating:** Allow the oven to preheat to the set temperature before placing food inside for optimal results.

Using the Timer

The Touch Timer Display allows you to set cooking durations or program delayed starts. Refer to the detailed instructions in the full manual for specific timer functions.

Telescopic Guides

The oven is equipped with telescopic guides for easy and safe insertion and removal of trays and racks. These guides allow you to pull out the tray or rack fully without it tipping.



Figure 5: Oven interior showing the telescopic guides and wire racks.

CLEANING AND MAINTENANCE

Aquactiva Cleaning System

The Aquactiva steam cleaning system simplifies daily maintenance:

1. Pour 300 ml of distilled water into the bottom of the oven cavity.
2. Heat the oven at 90°C for 30 minutes.
3. Once the oven has cooled down, wipe away any remaining grease or residue with a damp cloth.

General Cleaning

- Always ensure the oven is cool before cleaning.
- Clean the exterior surfaces with a soft, damp cloth and mild detergent. Avoid abrasive cleaners.
- The double glass door can be cleaned with a glass cleaner.

TROUBLESHOOTING

If you encounter any issues with your oven, please refer to the following common solutions before contacting customer service.

Problem	Possible Cause	Solution
Oven does not turn on.	No power supply; circuit breaker tripped.	Check power connection and circuit breaker. Ensure oven is properly plugged in.
Oven not heating properly.	Incorrect temperature setting; door not closed properly.	Verify temperature setting. Ensure oven door is fully closed.
Display not working.	Power interruption; control panel issue.	Reset power to the oven. If issue persists, contact service.

For issues not listed here, or if solutions do not resolve the problem, please contact Candy customer support.

SPECIFICATIONS

Feature	Detail
Brand	Candy
Model Number	FIDC X625 L
Product Dimensions (D x W x H)	56.8 x 59.5 x 59.5 cm
Product Weight	22.3 kg
Capacity	70 Liters
Color	Stainless Steel and Black
Heating Method	Convection
Fuel Type	Electric
Installation Type	Built-in
Wattage	2400 watts
Defrost System	Self-defrosting
Country of Origin	Turkey

WARRANTY AND SUPPORT

Your Candy Idea FIDC X625 L oven comes with a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions. For technical assistance, spare parts, or service requests, please contact Candy customer support through their official website or the contact information provided in your warranty documentation. Always use genuine Candy spare parts for repairs to ensure safety and maintain product performance.

Related Documents

	Candy Oven User Manual and Operating Instructions Comprehensive user manual for Candy ovens, providing detailed instructions on operation, safety precautions, various functions, cleaning, and maintenance. Includes information on cooking modes like Grill, Pizza, AQUACTIVA, and U-COOK.
	Candy Oven User Instructions and Installation Guide Comprehensive user instructions and installation guide for Candy ovens, covering safety, product description, usage, cleaning, maintenance, and troubleshooting.
	Candy Oven User Manual: Comprehensive Guide to Operation and Maintenance Official user manual for Candy ovens, providing detailed instructions on safety, installation, operation, cleaning, maintenance, and troubleshooting. Available in English, French, German, and Dutch.
	Candy Ovens User Instructions and Installation Guide Comprehensive user instructions and installation guide for Candy ovens, covering safety, product description, usage, cleaning, maintenance, and troubleshooting.

Documents - Candy – FIDC X625 L

[illegible]

[pdf]

PowerPoint Präsentation Evis Dauti Produktdatenblatt FIDC X625 L Backofen EU Norm 60 cm 10766247 shs fust ch pd |||

BACKOFEN EINBAU **FIDC X625** 1 Backrauminhalt 170 Tre: 2 Fach verglast Backmethode: Konventionell Fan Reinigungssystem: A
Gebölse statisch Gebölse , Kochlicht, Boden Gebölse, natrliche Konvektion, Grill...
lang:it score:41 filesize: 416.77 K page count: 3 document date: 2022-09-22

Ficha de identificação do documento (Código de Acesso e Nome do documento em papel)		PDSQ-NDL 1
Nome do fornecedor do item	Comfy	
Artigo / Item / Item description	Espreito	
Product Line	Espreito	
Price (Unit) USD	24,3	
Index de eficiência energética, EEE (ou 1)	81,0	
Index de eficiência energética, EEE (ou 2)		
Classificação de eficiência energética - categoria 1	A++	
Classificação de eficiência energética - categoria 2		
Energia consumida (potência máxima, kWh / ano)	0,09	
Consumo de energia em standby (potência - categoria 1)		
Consumo de energia em standby (potência - categoria 2)	0,08	
Consumo de energia em standby (potência - categoria 3)		
Indicador de energia	1	
Indicador de energia		
Índice ambiental - categoria 1	-	
Índice ambiental - categoria 2	39	
Capacidade de reciclagem - categoria 1		
Capacidade de reciclagem - categoria 2		

[\[pdf\]](#)

Identificador do modelo FIDC X625 L IcecatFIDC Nome fornecedor ou marca Candy M Built in Free standing Encastre Product Line Fornos Peso líquido kg 28 Indi

Ficha do produto nos termos da Directiva EU N. 65/2014 e 66/2014 Identificador do modelo Nome do f... urce s - cavity 2 Capacidade
Encastre Fornos 28,0 81,0 A 0,98 0,68 1 Eletricidade, 70 Product information fo...

lang:es score:38 filesize: 74.97 K page count: 2 document date: 2025-03-18

CANDY	
	
IDEA	
K6E 100 L	
• Class A • 60 cm wide and 60 cm high cabinet • Glass door • Fastest cooking • Fastest defrost • Single handle	
Caratteristiche principali	
Modello	FAC 0000
Categoria prodotto	11010000
Modello EAN	8000000000000
Modello EAN	Candy Homecare S.p.A. - Bergamo
Accessori disponibili	Accessori
Capacità (litri): oven 1	70
Tipi di forno	Fornelletto
Alimentazione	Elettrico
Caratteristiche tecniche	
Consumo	Consumo medio
Age (months)	Age (months)
Tipi di controllo	Thermostat with digital timer
Accessori in dotazione	No

[\[pdf\]](#) Guide

productdetails lan IT sku 33703469 mkt ch docgenerator candy it III

IDEA FIDC X625 L Classe A Sistema di pulizia idrolitico Guide telescopiche Funzioni speciali Griglie laterali Caratteristiche principali
Tipo di forno Alimentazione Caratteristiche tecniche Connettivi...

lang:it score:29 filesize: 145.54 K page_count: 3 document date: 2025-08-02

lang:fr score:29 filesize: 145.77 K page_count: 3 document date: 2025-08-02

lang:fr score:27 filesize: 200.28 K page_count: 1 document date: 2025-08-02

lang:fr score:27 filesize: 200.28 K page_count: 1 document date: 2025-08-02


lang:fr score:26 filesize: 200.21 K page_count: 1 document date: 2023-03-28

lang:fr score:26 filesize: 200.21 K page_count: 1 document date: 2022-08-12




[pdf] Specifications Decleration of Conformity

PN TYPE CHG EU DoC Caterina Sala Built in electric oven Brand as per Annex Model Type H1RMC Part number Made Turkey Manufacturer Name Candy Hoove
EU DECLARATION OF CONFORMITY No. CBIOV220006 rev. I I Product Description: Brand: Model: Type: Part n ... y Candy Candy
X265 **FIDC X625 L** FIDC X825 L FIDC N403 FIDC X405 FIDC N405 FMCIDC X605 FIDC X403 FIDC X605/S FIDC X600 FI...
lang:en score:25 filesize: 267.84 K page_count: 4 document date: 2022-10-14




[pdf] Specifications Declaration of Conformity

PN TYPE CHG EU DoC Caterina Sala Technopolis FIDCP X625 L 33703582 Candy X200 33703583 FIDC N615 1 33703586 N602IT 33704077 X605IT 33704078
bWfZdGVyHJv3R8MjM3ODgzfGFwcGxpY2F0aW9uL3BkZnNhRFJpTDJneFlpODBOekxxTmndn09UZ3pNalEzT0M5R1NVUkRVQ0JZTmJmJVRDNXdAR118MWI
attachment true TechnopolisPN PraktikerFIDCP FMCIDC FIDC X502 33704022 X605 CA 33704050 FMCIDC N602 B602ITFIDCP X625LDOC 624919api trues3 p
CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part number: Made in: Manufacturer Name: Address: Website: Built-in electric
EU DECLARATION OF CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part n ... andy Candy Ca
X265 **FIDC X625 L** FIDC X825 L FIDC N403 FIDC X405 FIDC N405 FMCIDC X605 FIDC X403 FIDC X605/S FIDC X600 FI...
lang:en score:24 filesize: 232.31 K page_count: 5 document date: 2024-10-02



[pdf]

100371 ft lojae s3 prd files radiopopular pt static ic 371 |||
Ficha do produto nos termos da Directiva EU N. 65/2014 e 66/2014 Identificador do modelo Nome do f ... urce s - cavity 2 Capacida
Encastre Fornos 28,0 81.0 A 0 0.98 0.00 0.68 0.00 1 Eletricidade, 70 Product in...
lang:es score:24 filesize: 75 K page_count: 2 document date: 2024-02-22



[pdf]

003520299 386696fe 7c8e 45bd b4fa d1515df884ad Auchan O Seu Hipermercado Online A Preços Baixos auchan pt on demandware static Library Sites Auchan
CANDY **FIDC X625 L** 0.98 70 L 0.68 ...
lang:es score:23 filesize: 200.21 K page_count: 1 document date: 2022-08-12



[pdf] Specifications Decleration of Conformity

PN TYPE CHG EU DoC Caterina Sala 3306252 media adeo marketplace LMFR 85233944 |||
EU DECLARATION OF CONFORMITY No. CBIOV220006 rev. I Product Description: Brand: Model: Type: Part n ... y Candy Candy
X265 **FIDC X625 L** FIDC X825 L FIDC N403 FIDC X405 FIDC N405 FMCIDC X605 FIDC X403 FIDC X605/S FIDC X600 FI...
lang:en score:22 filesize: 267.84 K page_count: 4 document date: 2022-10-14

