1PZ JP0-27C

1PZ JP0-27C PZ27 27mm Carburetor Instruction Manual

Brand: 1PZ | **Model:** JP0-27C

1. Introduction

A carburetor is a crucial component in an internal combustion engine, responsible for blending air and fuel in the correct ratio for combustion. This 1PZ JP0-27C PZ27 carburetor is engineered to deliver an optimal air-fuel mixture, ensuring efficient engine operation and performance.



Image 1: Overview of the 1PZ JP0-27C PZ27 Carburetor.

2. Compatibility

This carburetor is compatible with the following vehicle types and engine displacements:

- **Compatible Motorcycles:** Hyosung RX125, RX125D, RX125SM
- **Compatible Engine Displacements:** 107cc, 125cc, 150cc, 200cc, and 250cc 4-stroke Chinese engines.

Important: Always verify the genuine part number or compatible model before purchase to ensure proper fitment.

3. Package Contents

The package includes the following items:

- 1 x 1PZ JP0-27C PZ27 Carburetor
- 1 x 1PZ Box

4. Product Features

The 1PZ JP0-27C PZ27 carburetor is designed with the following features:

- **Precise Fuel Atomization:** Efficiently atomizes fuel and mixes it with air, delivering a fine mist for optimal combustion.
- **Fuel Control System:** Utilizes a float valve and needle valve to accurately control fuel height and quantity, ensuring consistent performance.
- **Enhanced Performance:** Contributes to smooth acceleration and stable engine idling.
- **Durable Construction:** Manufactured from high-quality aluminum metal, providing high hardness, good strength, reliable performance, and extended service life.




Image 2: Diagram illustrating the air-fuel mixture process within the carburetor.

5. Setup and Installation

Follow these general steps for installing the carburetor. For specific vehicle instructions, consult your motorcycle's service manual.

1. **Preparation:** Ensure the engine is cool and the fuel supply is turned off. Gather necessary tools, including screwdrivers, wrenches, and a clean cloth.
2. **Removal of Old Carburetor:** Disconnect the fuel line, throttle cable, and choke cable from the old carburetor. Loosen the mounting bolts or clamps securing the old carburetor to the intake manifold and air filter housing. Carefully remove the old carburetor.
3. **Inspection:** Inspect the intake manifold and air filter housing for any debris or damage. Replace gaskets if necessary.

4. **Installation of New Carburetor:** Position the new 1PZ JP0-27C PZ27 carburetor, ensuring proper alignment with the intake manifold and air filter housing. Secure it with mounting bolts or clamps, tightening them evenly.
5. **Connections:** Reconnect the fuel line, throttle cable, and choke cable. Ensure all connections are secure and free from leaks.
6. **Initial Adjustments:** Before starting the engine, perform basic adjustments for idle speed and air-fuel mixture as per general carburetor tuning guidelines.

Note: Professional installation is recommended if you are unfamiliar with carburetor replacement procedures. Incorrect installation can lead to engine damage or poor performance.




Image 3: Exploded view highlighting the float and fuel inlet needle components.



Image 4: Detailed exploded view of the carburetor's internal components.

6. Operating Instructions

Proper operation ensures optimal performance and longevity of your engine.

1. **Fuel Supply:** Ensure the fuel tank has sufficient fuel and the fuel petcock (if present) is in the "ON" position.
2. **Choke Operation:** For cold starts, engage the choke fully. As the engine warms up, gradually disengage the choke.
3. **Starting the Engine:** Start the engine according to your motorcycle's manufacturer instructions.
4. **Warm-up:** Allow the engine to warm up for a few minutes before riding. This ensures proper lubrication and carburetor function.
5. **Throttle Control:** Operate the throttle smoothly. The carburetor is designed to provide a consistent air-fuel mixture across various RPMs for optimal performance.

7. Maintenance

Regular maintenance is crucial for the longevity and performance of your carburetor and engine.

- **Cleaning:** Periodically clean the carburetor, especially the float bowl and jets, to remove any fuel deposits or debris. Use a carburetor cleaner and compressed air.
- **Filter Inspection:** Check the air filter and fuel filter regularly. A clogged air filter can restrict airflow, affecting the air-fuel mixture. A dirty fuel filter can impede fuel flow. Replace filters as needed.
- **Gasket and Seal Check:** Inspect all gaskets and seals for wear or damage. Replace them to prevent air leaks, which can cause lean running conditions.
- **Cable Lubrication:** Lubricate the throttle and choke cables to ensure smooth operation.

8. Troubleshooting

If you encounter issues with your carburetor, refer to the following common troubleshooting steps:

- **Engine Not Starting:**
  - Check fuel supply.
  - Ensure choke is properly engaged for cold starts.
  - Verify spark plug condition.
  - Inspect for fuel leaks around the carburetor.
- **Poor Idling/Stalling:**
  - Adjust idle speed screw.
  - Check for vacuum leaks around the intake manifold.
  - Clean pilot jet if clogged.
- **Lack of Power/Hesitation:**
  - Inspect main jet for clogging.
  - Check air filter for blockage.
  - Ensure proper throttle cable adjustment.
- **Excessive Fuel Consumption/Black Smoke:**
  - Adjust air-fuel mixture screw (indicates rich mixture).
  - Check float level; it might be too high.
  - Inspect for a stuck choke.

9. Specifications

Brand	1PZ
Model Number	JP0-27C
Product Type	Carburetor
Compatible Vehicle Type	Motorcycle
Flange Type	Bolt-on
Included Components	Carburetor
Country of Origin	China
Manufacturer Name	Dragonpartify LLC
EU Spare Parts Availability Period	1 Year



Image 5: Front view of the carburetor with key dimensions (e.g., 26.5mm, 48mm, 167.4mm, 35mm).

10. Warranty and Support

This product comes with a 1-year warranty, subject to the conditions outlined below.

Warranty Details:

- Returns are accepted without reason.
- Exchange or repair services are available within one year from the date of purchase.

Warranty Exclusions:

- Damage resulting from incorrect installation or accidents.
- Normal wear and tear or aging of 1PZ products during use.

- Labor costs or work expenses incurred due to the exchange of defective products.
- Incompatibility issues arising from failure to verify the genuine part number or compatible model before purchase.

Customer Support:

For any product inquiries or support, please contact us via email. We commit to responding within 24 hours.

11. Important Notes

- Always verify the genuine part number or compatible model before purchase to ensure compatibility.
- Improper installation can lead to engine damage or poor performance. Professional installation is highly recommended.
- This product is an aftermarket replacement part.

© 2026 1PZ. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question