

[Manuals.plus](#) /

› [HECASA](#) /

› HECASA Brush Grille Guard Instruction Manual

HECASA NN892

HECASA Brush Grille Guard Instruction Manual

Model: NN892 | Brand: HECASA

1. PRODUCT OVERVIEW

This instruction manual provides detailed information for the installation, operation, and maintenance of your HECASA Brush Grille Guard. This product is designed to provide front-end protection and enhance the aesthetic appeal of your vehicle. The HECASA Brush Grille Guard is compatible with **1998-2004 Toyota Tacoma** models.

COMPATIBLE WITH

1998-2004 Toyota Tacoma



Image: The HECASA Brush Grille Guard shown installed on a Toyota Tacoma, highlighting its compatibility with 1998-2004 models.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Read all instructions thoroughly before beginning. Wear appropriate personal protective equipment, including safety glasses and gloves. Ensure the vehicle is securely parked on a level surface with the engine off and parking brake engaged.

If you are unsure about any step, consult a qualified professional. Do not modify the product in any way not specified in this manual.

3. PACKAGE CONTENTS

Verify that all components listed below are present before beginning installation. If any parts are missing or damaged, contact HECASA customer support.

- 1 x HECASA Brush Grille Guard Assembly
- Mounting Hardware (bolts, nuts, washers, brackets)
- Installation Instructions (this manual)




Image: All components of the HECASA Brush Grille Guard, including the main guard assembly and various mounting hardware pieces.

4. SPECIFICATIONS

Brand	HECASA
Model Number	NN892

Color	Black
Material	High Quality Steel
Surface Finish	Powder Coated (Waterproof & Anti-corrosion)
Installation Type	Bolt-On (No drilling, cutting, or modification required)
Vehicle Service Type	Truck (Specifically 1998-2004 Toyota Tacoma)
Item Weight	61.4 pounds
Package Dimensions	43 x 14 x 9.5 inches




Image: A diagram illustrating the overall dimensions of the brush grille guard, including width and height.

Brush Grille Guard

Hope of Endless Caring, Are Starting Around you. With this mind, we had our brand HECASA in 2011.




Image: Various angles of the grille guard, emphasizing its high strength, ruggedness, black powder coating, and unique mold.

5. SETUP AND INSTALLATION

The HECASA Brush Grille Guard features an easy bolt-on installation process. No drilling, cutting, or modification to your vehicle is required. All necessary installation hardware is included.

Installation Steps:

1. **Prepare Vehicle:** Park your Toyota Tacoma on a flat, stable surface. Turn off the engine and engage the parking brake.
2. **Locate Mounting Points:** Identify the factory mounting points on the front frame of your vehicle. These are typically pre-drilled holes designed for accessories.
3. **Attach Brackets:** Secure the provided mounting brackets to the vehicle's frame using the supplied bolts, nuts, and washers. Ensure all connections are snug but do not fully tighten yet.
4. **Position Grille Guard:** Carefully lift the grille guard assembly and align its mounting points with the attached brackets.
5. **Secure Grille Guard:** Attach the grille guard to the brackets using the remaining hardware. Again, ensure connections are snug.
6. **Final Tightening:** Once the grille guard is properly aligned and positioned, systematically tighten all bolts and nuts. Ensure all connections are secure to prevent movement during driving.
7. **Inspect:** Double-check all connections and ensure the grille guard is firmly attached and does not obstruct any vehicle functions (e.g., headlights, turn signals).

For visual guidance, an official product video demonstrating the product's features and components is available below. While not a step-by-step installation guide, it provides a comprehensive view of the product's structure which can aid in understanding the assembly process.

Your browser does not support the video tag.

Video: A 34-second overview of the HECASA Brush Grille Guard, showcasing its design and various angles.




Image: Illustration emphasizing the no-drilling, bolt-on installation method for the grille guard.

6. OPERATION AND USE

Once properly installed, the HECASA Brush Grille Guard provides an additional layer of protection to your vehicle's front end, including the headlights and grille areas. It is designed to absorb impact in case of minor collisions, helping to mitigate potential damage.

The guard also features a double hood bar design and two light mounting holes, allowing for the addition of auxiliary lights (not included) to enhance visibility.

UPGRADE DESIGN




Image: Detailed view of the grille guard's design, showing the double hood bar, two light mounting holes, and removable light guards.




Image: A visual representation of the brush grille guard's ability to absorb impact and provide protection.

7. MAINTENANCE

To ensure the longevity and appearance of your HECASA Brush Grille Guard, regular maintenance is recommended:

- **Cleaning:** Wash the grille guard regularly with mild automotive soap and water. Avoid abrasive cleaners or harsh chemicals

that could damage the powder-coated finish.

- **Inspection:** Periodically check all mounting bolts and nuts for tightness. Vibrations from driving can sometimes cause fasteners to loosen over time. Re-tighten as necessary.
- **Damage Check:** Inspect the grille guard for any signs of damage, such as bends, cracks, or significant rust. Address any issues promptly to maintain structural integrity and appearance.



Image: Detailed views of the grille guard's construction, highlighting the high-quality steel and durable black powder-coated surface.

8. TROUBLESHOOTING

If you encounter issues with your HECASA Brush Grille Guard, consider the following common solutions:

- **Fitment Issues:** Ensure you have the correct model for your vehicle (1998-2004 Toyota Tacoma). Double-check that all components are oriented correctly as per the installation steps.
- **Loose Components:** If the grille guard feels loose or rattles, re-check and tighten all mounting hardware. Over time, bolts can loosen due to vehicle vibrations.

- **Missing Hardware:** If you find any hardware missing upon unboxing, please contact HECASA customer support immediately for assistance.

9. WARRANTY AND SUPPORT

HECASA is committed to customer satisfaction. This product is typically covered by a 30-day easy returns policy. For specific warranty details, product support, or to report any issues, please contact HECASA customer support through the retailer where the product was purchased.

You can often find customer support contact information on the retailer's website or your purchase receipt.