

Rfiver 23-60 Inch TVs

Rfiver Mobile TV Stand (23-60 Inch TVs) Instruction Manual

Model: 23-60 Inch TVs

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Rfiver Mobile TV Stand. Please read this manual thoroughly before installation and use to ensure safe and correct operation. Keep this manual for future reference.

The Rfiver Mobile TV Stand is designed to accommodate most 23 to 60-inch LCD, LED, OLED, and Plasma flat or curved screen televisions, with a maximum weight capacity of 88 lbs (40 kg). It features a rolling design with lockable wheels, an adjustable shelf, and tilt functionality for optimal viewing.

SAFETY INFORMATION

- **Weight Capacity:** Do not exceed the maximum weight capacity of 88 lbs (40 kg) for the TV mount and 11 lbs (5 kg) for the media shelf. Overloading can result in serious injury or property damage.
- **VESA Compatibility:** Ensure your TV's VESA mounting pattern is within the supported range of 100x100mm to 400x400mm.
- **Stability:** Always ensure all bolts and screws are securely tightened before moving the stand or placing a TV on it.
- **Movement:** When moving the TV stand, ensure the TV is securely mounted and the path is clear. Lock the wheels once the stand is in its desired position.
- **Children:** Keep children away from the TV stand during assembly and ensure the stand is stable to prevent tipping.

PACKAGE CONTENTS

Please verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.

- Base Assembly with Wheels
- Main Support Column
- TV Mounting Brackets

- Adjustable Media Shelf
- Hardware Kit (screws, washers, spacers, Allen keys)
- Cable Management Clips
- Instruction Manual

SETUP AND ASSEMBLY INSTRUCTIONS

Follow these steps carefully to assemble your Rfiver Mobile TV Stand. It is recommended to have two people for certain assembly steps, especially when mounting the TV.

Step 1: Assemble the Base

Attach the main support column to the base. Ensure all screws are tightened securely. The base features a stable steel structure for enhanced support.



Image: Illustration of the stable steel base structure during assembly. This image highlights the robust design of the stand's foundation.

Step 2: Install the Media Shelf

Slide the adjustable media shelf onto the main support column at your desired height. Secure it using the provided fasteners. This shelf can hold devices up to 11 lbs (5 kg).



Image: Demonstrates the height adjustment feature of the stand, including the placement of the media shelf. The image shows the maximum and minimum height settings.

Step 3: Attach TV Mounting Brackets to TV

Identify the correct screws and spacers for your TV's VESA pattern. Attach the TV mounting brackets to the back of your television. Ensure they are level and securely fastened.

WIDE TV COMPATIBILITY




Image: Illustrates the wide TV compatibility (23-60 inches) and VESA mounting specifications (Min: 100x100mm, Max: 400x400mm). It also shows the maximum load capacity of 88 lbs.

Step 4: Mount TV to Stand

Carefully lift the TV and hook the brackets onto the main support column's mounting plate. Secure the TV using the safety screws at the bottom of the brackets to prevent accidental dislodgement.

UPGRADED FUNCTIONS- MORE DIVERSIFIED




Image: Details the safety lock mechanism for securing the TV to the stand, the thickened round tube for stability, and integrated cable management features.

Step 5: Cable Management

Use the provided cable management clips to route and organize TV and device cables along the main support column. This helps maintain a tidy appearance and prevents tripping hazards.

OPERATING INSTRUCTIONS

Adjusting TV Height

The TV mounting brackets allow for vertical height adjustment along the main column. Loosen the securing bolts, adjust the TV to the desired height, and then re-tighten the bolts firmly. Ensure the TV is level after adjustment.

Tilting the TV Screen

The TV mount supports a tilt range of -2° to $+8^{\circ}$. To adjust the tilt, loosen the tilt knobs on the mounting brackets, set the screen to your preferred viewing angle, and then tighten the knobs to secure the position.

TILT FOR A BETTER VIEWING EXPERIENCE



Image: Illustrates the tilt functionality of the TV mount, showing the range from -2 degrees (tilt down) to +8 degrees (tilt up) for an optimized viewing experience.

Moving the TV Stand

To move the stand, unlock all four wheels. Gently push the stand to its new location. Once positioned, lock the wheels to prevent unintended movement and ensure stability.

ROLL TV ANYWHERE



Image: Shows the TV stand being rolled across a floor, highlighting the 360-degree rotating, lockable wheels and the "no scratches" feature.

MAINTENANCE

- **Cleaning:** Wipe the stand with a soft, damp cloth. Avoid using abrasive cleaners or solvents that could damage the finish.
- **Periodic Checks:** Regularly check all screws and bolts to ensure they remain tight. Re-tighten if necessary to maintain stability and safety.
- **Wheel Functionality:** Keep the wheels free of debris to ensure smooth movement.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Stand is wobbly or unstable.	Screws are loose; TV weight exceeds capacity; uneven floor.	Check and tighten all assembly screws. Verify TV weight. Move stand to a level surface.
TV cannot be tilted.	Tilt knobs are too tight.	Loosen the tilt knobs, adjust angle, then re-tighten.
Wheels do not roll smoothly.	Wheels are locked; debris in wheels.	Unlock all wheels. Clean any debris from the wheel casters.
TV does not fit mounting brackets.	Incorrect VESA pattern; TV size outside range.	Verify your TV's VESA pattern (100x100mm to 400x400mm) and screen size (23-60 inches).

SPECIFICATIONS

Brand: Rfiver
Model: Mobile TV Stand (23-60 Inch TVs)
Compatible TV Sizes: 23 to 60 inches
Maximum TV Load: 88 lbs (40 kg)
VESA Compatibility: 100x100mm to 400x400mm
Material: Alloy Steel
Color: White
Movement Type: Tilt (-2° to +8°)
Mounting Type: Floor & Mobile
Shelf Load Capacity: 11 lbs (5 kg)

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Rfiver customer service. Refer to your purchase documentation for specific warranty terms and contact details.
Online Support: Visit the official Rfiver website for FAQs and support resources.[Rfiver Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question