



[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UpBright AC/DC Adapter Instruction Manual for BLUETTI EB3A Portable Power Station

## UPBRIGHT BLUETTI EB3A Power Station Charger

# UpBright AC/DC Adapter Instruction Manual

For BLUETTI EB3A Portable Power Station

## 1. INTRODUCTION

---

This manual provides essential information for the safe and effective use of your UpBright AC/DC Adapter, designed for compatibility with the BLUETTI EB3A Portable Power Station. Please read this manual thoroughly before use and retain it for future reference.

# UpBright AC Adapter Power Supply Compatible with:



EB3A

(Machine not Included)

Image 1.1: The UpBright AC Adapter is designed for use with the BLUETTI EB3A Portable Power Station (Power Station not included).

## 2. SAFETY INFORMATION

Always observe the following safety precautions to prevent injury or damage to the product:

- Do not expose the adapter to rain, moisture, or extreme temperatures.
- Ensure the adapter is connected to a properly grounded outlet.
- Avoid using the adapter with damaged cords or plugs.
- Do not disassemble or modify the adapter. Refer all servicing to qualified personnel.
- Keep the adapter away from children and pets.
- Ensure proper ventilation around the adapter during operation to prevent overheating.


## 3. PACKAGE CONTENTS

Verify that all items are present in your package:

- 1 x UpBright AC/DC Adapter
- 1 x AC Power Cord (suitable for your region)

Come With A Suitable AC Power Cord (Only One)

to Fit Your Country/Area



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE  
+ UpBright® LIMITED WARRANTY



Image 3.1: The package includes the AC/DC adapter and an AC power cord appropriate for the region of purchase. A warranty certificate is also provided.

## 4. SETUP

Follow these steps to set up your UpBright AC/DC Adapter:

1. **Unpack the Adapter:** Carefully remove the AC/DC adapter and power cord from its packaging.
2. **Connect the AC Power Cord:** Insert the AC power cord into the adapter's input port. Ensure a firm connection.
3. **Connect to Power Station:** Plug the barrel connector of the adapter's output cable into the DC input port of your BLUETTI EB3A Portable Power Station.
4. **Connect to Wall Outlet:** Plug the AC power cord into a standard wall outlet (100-240VAC, 50/60Hz).



Image 4.1: The UpBright AC/DC Adapter features a barrel connector for connecting to the power station.

## 5. OPERATING INSTRUCTIONS

---

Once properly connected, the adapter will begin charging your BLUETTI EB3A Portable Power Station. The charging status will typically be indicated on the power station's display.

- The adapter provides a stable power supply for efficient charging.
- Charging time will vary depending on the power station's battery level and its specific charging capabilities.
- Disconnect the adapter from the wall outlet and the power station when not in use or when the power station is fully charged.

## 6. MAINTENANCE

---

Proper maintenance ensures the longevity and optimal performance of your adapter:

- **Cleaning:** Use a soft, dry cloth to clean the adapter. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures when not in use.
- **Cable Care:** Avoid bending or crimping the power cords excessively. Do not place heavy objects on the cables.

## 7. TROUBLESHOOTING

---

If you encounter issues with your adapter, refer to the following common solutions:

- **Adapter Not Charging:**
  - Ensure all connections (wall outlet, adapter, power station) are secure.
  - Verify the wall outlet is functional by testing it with another device.
  - Check the adapter and cables for any visible damage.
- **Overheating:**
  - Ensure the adapter is in a well-ventilated area.
  - Do not cover the adapter during use.
  - If overheating persists, discontinue use and contact support.

If problems persist after attempting these steps, please contact UpBright customer support.

## 8. SPECIFICATIONS

---

Feature	Specification
Input Voltage	100-240VAC, 50/60Hz (World Wide Input)
Output Voltage/Current	12V-28VDC, 8A
Max Wattage	600W (Standard) / 350W (Max Turbo)
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Compatible Devices	BLUETTI EB3A Portable Power Station Solar Generator
Product Dimensions	6 x 4 x 2 inches
Item Weight	9 ounces

## 9. WARRANTY AND SUPPORT

---

Your UpBright AC/DC Adapter comes with the following warranty:

- **Refund Policy:** 30 days refund.
- **Exchange Policy:** 24 months exchange.

For technical support, warranty claims, or any questions regarding your product, please contact UpBright customer service through the retailer where the product was purchased or visit the official UpBright website for contact information.



Image 9.1: The UpBright AC/DC Adapter.