

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [DELTA](#) /

› [Delta Saylor Widespread Bathroom Faucet User Manual](#)

DELTA 3536-CZMPU-DST

Delta Saylor Widespread Bathroom Faucet User Manual

Model: 3536-CZMPU-DST | Brand: DELTA

PRODUCT OVERVIEW

The Delta Saylor Bath Collection faucet combines traditional and contemporary design elements, featuring strong, geometric forms and industrial-style handles. This widespread bathroom sink faucet is designed for durability and efficient water usage, incorporating Delta's DIAMOND Seal Technology and WaterSense certification.



Image: The Delta Saylor Widespread Bathroom Faucet in Champagne Bronze, showcasing the spout and two lever handles.



Image: The Delta Saylor Faucet installed in a modern bathroom sink, demonstrating its appearance and water flow.


SETUP AND INSTALLATION

This widespread bathroom faucet is designed for easy DIY installation, fitting 3-hole, 4-16 inch widespread installations. The quick-connect hose system ensures a secure, leak-preventing connection.

Key Installation Features:

- **Wrench-free, Quick-Connect Hoses:** Water lines audibly click into place for proper connection.
- **Widespread Compatibility:** Designed for 3-hole installations with a 4-16 inch spread.
- **Included Components:** Faucet, mounting hardware, and supply lines are provided.

HOLES FOR INSTALLATION



ADDITIONAL INFORMATION

**MINIMUM CLEARANCE
TO BACKSPLASH**
2.25 inches

DRAIN ASSEMBLY
Included

SUPPLY LINES
Included

**MAXIMUM DECK
THICKNESS**
2.25 inches

HOLE SIZE
2.5 inches

**WATER SUPPLY
CONNECTION**
.375 inches



DIMENSIONS

SPOUT REACH 5.56 inches



WIDESPREAD WIDTH RANGE
4-16 inches

Image: A diagram illustrating the dimensions of the Delta Saylor Faucet, including spout reach (5.56 inches), height (6.38 inches), and widespread width range (4-16 inches), along with 3-hole installation details.

Supply Line Integration:

The InnoFlex PEX supply lines are integrated directly into the faucet, reducing potential leak points and offering resistance to cracks, kinks, and corrosion.

INNOFLEX® PEX SUPPLY LINES

 **DELTA**
see what Delta can do™



INTEGRATED INTO THE FAUCET

MADE TO RESIST CRACKS, KINKS AND CORROSION

Image: A visual representation of the InnoFlex PEX supply lines, highlighting their integration into the faucet design and their resistance to damage.

OPERATING INSTRUCTIONS

The Delta Saylor faucet features two lever handles for controlling water flow and temperature. The left handle typically controls hot water, and the right handle controls cold water. Adjust the handles to achieve the desired water temperature and flow rate.

- **Water Flow:** The maximum flow rate is 1.2 Gallons Per Minute (GPM), meeting WaterSense criteria for water efficiency.
- **Temperature Control:** Rotate the handles to mix hot and cold water.

MAINTENANCE AND CARE


Proper maintenance ensures the longevity and appearance of your Delta Saylor faucet.

Cleaning the Faucet:

- Use a soft, damp cloth and mild soap to clean the Champagne Bronze finish.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- The Brilliance finish is engineered for durability and tested for corrosion resistance, exceeding industry standards.

CHAMPAGNE BRONZE™

A warm, muted brushed gold finish



Brushed Nickel

Champagne™
Bronze

Polished Gold

Brushed Bronze

Image: A visual comparison of various Delta faucet finishes, with Champagne Bronze highlighted as a warm, muted brushed gold finish.

Drain Maintenance:

The metal push pop-up drain assembly is designed for easy cleaning. It can be unscrewed from above the deck for quick removal and cleaning of hair and other debris from the sink.

TROUBLESHOOTING

This section provides general guidance for common issues. For specific problems not addressed here, please refer to the support section.

Reduced Water Flow:

- Check if the aerator is clogged with debris. Unscrew and clean the aerator.
- Ensure water supply valves under the sink are fully open.

Leaks:

- Verify that all connections, especially the quick-connect hoses, are properly seated and tightened.
- The faucet features DIAMOND Seal Technology, designed to reduce leak points and provide leak-free operation. If leaks persist, professional assistance may be required.



Image: A cutaway diagram illustrating Delta's DIAMOND Seal Technology, showing how the DIAMOND Valve eliminates wear on seals for leak-free operation and how InnoFlex PEX supply lines are integrated to reduce leak points.

SPECIFICATIONS

| Feature | Detail |
|---------|--------|
|---------|--------|

| | |
|-------------------------------|--|
| Brand | DELTA |
| Model Number | 3536-CZMPU-DST |
| Finish Type | Champagne Bronze |
| Material | Metal (Faucet), Ceramic (Handle) |
| Mounting Type | Deck Mount |
| Number of Handles | 2 |
| Hole Count (for installation) | 3-hole, 4-16 inch widespread |
| Maximum Flow Rate | 1.2 Gallons Per Minute |
| Spout Reach | 5.56 inches |
| Product Dimensions | 7.13"D x 13.44"W x 6.38"H |
| Item Weight | 4.85 pounds |
| Certifications | NSF/ANSI Standard 61 (No Lead Compliant), WaterSense Certified |
| Included Components | Faucet, mounting hardware, supply lines, metal push-pop drain assembly |

WARRANTY INFORMATION

Delta faucets are backed by a Lifetime Limited Warranty for both the faucet and its finish. This warranty ensures confidence in the product's quality and durability.



LIFETIME LIMITED WARRANTY





Image: An icon symbolizing the Lifetime Limited Warranty provided with the product.


SUPPORT AND CONTACT

For further assistance, technical support, or warranty claims, please contact Delta Faucet Company customer service. You can typically find contact information on the official Delta Faucet website or within the product packaging.

Note: No official product videos with creator type 'Seller' were found in the provided data for embedding in this manual.

Related Documents - 3536-CZMPU-DST

| | |
|---|---|
|  | <p>Delta Cassidy 3597-PD-DST Faucet Parts Diagram and List Detailed parts list and diagram for the Delta Cassidy 3597-PD-DST two-handle widespread bathroom faucet, including part numbers and multilingual descriptions.</p> |
|  | <p>Delta Pivotal Kitchen Faucet Installation Guide & Warranty Information Comprehensive installation guide for the Delta Pivotal Pullout and Pull-Down Kitchen Suite with Ribbon Spout. Includes parts lists, step-by-step instructions, Touch2O technology setup, troubleshooting, and limited warranty details.</p> |
|  | <p>Delta Touch2O® Technology Lavatory Faucets Installation and Maintenance Manual Comprehensive guide for installing, maintaining, and troubleshooting Delta Touch2O® Technology Lavatory Faucets, covering various models like COMPEL®, LAHARA®, DRYDEN™, ADDISON™, TESLA®, TALBOTT™, and more. Includes warranty information and quick tips.</p> |
|  | <p>Delta Touch2O Technology Lavatory Faucets Installation and Maintenance Guide Comprehensive guide for Delta Touch2O Technology Lavatory Faucets, covering installation, maintenance, troubleshooting, and warranty information for models like COMPEL, LAHARA, DRYDEN, ADDISON, TESLA, and TALBOTT.</p> |
|  | <p>Delta Touch2O® Technology Lavatory Faucets Installation and Maintenance Guide Comprehensive guide for installing, maintaining, and troubleshooting Delta Touch2O® Technology Lavatory Faucets, covering models like Compel, Lahara, Dryden, Addison, Tesla, and Talbott. Includes warranty information and quick tips.</p> |



[Delta Touch₂O® Faucet Installation and Maintenance Guide](#)

Comprehensive installation, maintenance, and troubleshooting guide for Delta Touch₂O® Technology kitchen and bar faucets, featuring models like Addison™, Ashton®, Esque™, and Leland®. Includes warranty information and care instructions.