

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Aputure APS3179A30

Aputure Nova P600c Softbox User Manual

This manual provides detailed instructions for the setup, operation, and maintenance of your Aputure Nova P600c Softbox.

1. PRODUCT OVERVIEW

The Aputure Nova P600c Softbox is a light modifier designed specifically for the Aputure Nova P600c LED panel. It is engineered to provide soft, diffused light, enhancing the quality of your photographic and videographic productions. Its lightweight and portable design ensures ease of use and transport.



The Aputure Nova P600c Softbox attached to a light fixture, showcasing its rectangular shape and grid.

2. WHAT'S IN THE BOX

Please verify that all components are present upon unboxing:

- Aputure Nova P600c Softbox

Note: Additional accessories such as the Aputure Nova P600c LED panel are sold separately.

3. KEY FEATURES

- **Tailored for Aputure Nova P600c:** This softbox is precisely designed to fit the Aputure Nova P600c lamp body, ensuring a secure and efficient attachment.

- **Innovative Design & Easy Installation:** Features an innovative design for simple and convenient installation, providing a firm and reliable connection.
- **Durable Material:** Constructed from wear-resistant and high-temperature-resistant fabric, ensuring longevity and consistent performance.
- **Enhanced Light Control:** Includes a standard 45-degree light control grille, offering increased precision in shaping and directing light.
- **Portability:** Designed to be lightweight and portable, making it easy to transport and set up in various locations.

4. SETUP INSTRUCTIONS

4.1. Attaching the Softbox to the Nova P600c

Follow these steps to securely attach the softbox to your Aputure Nova P600c LED panel:

1. Ensure your Aputure Nova P600c LED panel is powered off and cooled down before beginning installation.
2. Align the mounting points of the softbox with the corresponding attachment points on the Nova P600c. The softbox is designed for a precise fit.
3. Secure the softbox firmly to the LED panel using the integrated fastening mechanism. Ensure it clicks or locks into place to prevent accidental detachment.



Internal view of the softbox, highlighting the hook-and-loop fasteners for attaching diffusers or grids.




The Aputure Nova P600c Softbox mounted on the Aputure Nova P600c LED panel, ready for use.

4.2. Attaching the 45-degree Light Control Grid

The included 45-degree fabric grid provides additional light control:

1. Unfold the 45-degree fabric grid carefully.
2. Align the edges of the grid with the hook-and-loop fasteners (Velcro) located on the inner front rim of the softbox.

3. Press firmly along the edges to secure the grid evenly. Ensure it is taut to maintain its shape and light control properties.



Close-up view of the 45-degree fabric grid, designed to attach to the front of the softbox for precise light control.

5. OPERATION

Once the softbox is securely attached to your Aputure Nova P600c, you can operate your light fixture as usual. The softbox will diffuse the light output, creating a softer, more even illumination.

5.1. Light Diffusion

The primary function of the softbox is to soften the harsh light from the LED panel. This is achieved by increasing the surface area of the light source, resulting in softer shadows and more flattering light, ideal for portraits, interviews, and product photography.

5.2. Light Control with Grid

The included 45-degree grid helps to narrow the beam spread of the light, preventing spill and directing the light more precisely onto your subject. This is particularly useful for controlling contrast, isolating light on a specific area, and reducing light spill onto backgrounds.

6. MAINTENANCE AND CARE

- **Cleaning:** To clean the softbox, gently wipe the fabric with a soft, damp cloth. Do not use harsh chemicals, abrasive cleaners, or excessive water, as this may damage the material.
- **Storage:** When not in use, disassemble the softbox and store it in its standard carrying bag to protect it from dust, dirt, and physical damage. Avoid folding the fabric grid too tightly to prevent creasing, which can affect its performance.
- **Handling:** Handle the softbox with care to avoid tearing the fabric or bending the internal support rods. Do not apply excessive force during assembly or disassembly.
- **Temperature:** Avoid exposing the softbox to extreme temperatures or direct sunlight for prolonged periods, as this may degrade the fabric and affect its structural integrity.

7. TROUBLESHOOTING

7.1. Softbox Not Attaching Securely

Issue: The softbox does not seem to fit or attach firmly to the Nova P600c.

Solution:

- Ensure that the softbox is correctly aligned with the Nova P600c's mounting points.
- Verify that no obstructions (e.g., cables, other accessories) are preventing a proper connection.
- Check for any visible damage to the softbox's mounting mechanism or the light fixture's attachment points.

7.2. Uneven Light Diffusion

Issue: The light output appears uneven or has hot spots when using the softbox.

Solution:

- Ensure the softbox is fully expanded and all internal diffusers (if applicable) are correctly positioned and smooth.
- If using the grid, ensure it is evenly attached and not warped or creased, which could cause uneven light distribution.

8. SPECIFICATIONS

Feature	Detail
Product Dimensions	25.98 x 25.98 x 20.67 inches
Item Weight	1.54 pounds
Model Number	APS3179A30
Material	Fabric
Color	Black
Compatibility	Aputure Nova P600c
Light Control	Standard 45-degree grille

9. WARRANTY AND SUPPORT

For detailed warranty information and technical support, please refer to the official Aputure website or contact Aputure customer service directly. It is recommended to keep your purchase receipt as proof of purchase for any warranty claims.


Aputure Official Website: www.aputure.com

Customer Service: Refer to the contact information provided on the official website or your product packaging for the most current support details.

© 2023 Aputure. All rights reserved.

This manual is for informational purposes only. Aputure is not responsible for any errors or omissions.

Documents - Aputure – APS3179A30



Aputure
Nova P600c Softbox Data Sheet

Main Features

- 2x3ft (60x90cm) Medium Rectangular Softbox for the Nova P600c
- Foldable and portable, weighs only 2.7kg
- Fold down into a compact shape for easy storage and transport
- Includes a carrying bag for easy transport
- Collapsible, serving as an "A" light cover and includes a carrying bag for easy transport
- Lightweight design, 1.4kg (2.96lb)
- Includes a carrying bag and transport bag

Dimensions

Bottom (HxW)	60.0 x 90.0 cm 19.7 x 35.4 in
Dimensions	26.0 x 20.7 x 3.1 in 66.0 x 52.5 x 8.0 cm
AT Light Cover (LxW)	26.0 x 20.7 x 3.1 in 66.0 x 52.5 x 8.0 cm
Height	1.4 kg / 2.96 lb

What's in the Box

Item	Qty
Nova P600c Softbox	1
Front Diffuser (1x Grid Cloth*)	1
AC-1 Light Control Grid	1
Carrying Bag	1

Photometrics

Model	Dim	Front Area (m²)
20000	1m	4.3400 (50%)
	2m	16.3600 (100%)
20000	3m	1.0800 (25%)
	4m	4.1600 (50%)
30000	1m	4.1600 (50%)
	2m	16.6400 (100%)
30000	3m	1.0800 (25%)
	4m	4.3200 (50%)
40000	1m	4.3200 (50%)
	2m	17.2800 (100%)
40000	3m	1.1400 (25%)
	4m	4.5600 (50%)
50000	1m	4.5600 (50%)
	2m	18.2400 (100%)
50000	3m	1.1400 (25%)
	4m	4.6400 (50%)
60000	1m	4.6400 (50%)
	2m	18.5600 (100%)
60000	3m	1.1400 (25%)
	4m	4.7200 (50%)
70000	1m	4.7200 (50%)
	2m	18.8800 (100%)
70000	3m	1.1400 (25%)
	4m	4.8000 (50%)
100000	1m	4.8000 (50%)
	2m	19.2000 (100%)

*Diffuser fabric is subject to warping in 3°C heat.

[pdf] Specifications Datasheet Dimension Guide

PowerPoint Huang Steve Nova P600c Softbox One Sheet 228 42 KB Aputure AF Marcotec marcotec shop de pub media |||

Nova P600c Softbox Data Sheet Main Features 60x90cm 2x3ft Medium Rectangular Softbox for the No ... n, and stores inside the bag. Sales Shipping Information Product Name Nova P600c Softbox SKU **APS3179A30** UPC 6971842183371 Packing Dimensions 66.0 x 52.5 x 8.0cm / 26.0 x 20.7 x 3.1in Net W...

lang:en score:17 filesize: 228.42 K page_count: 1 document date: 2022-06-07