

Manuals.plus /
› Zerodis /
› Zerodis Portable Air Conditioner Exhaust Hose Connector Instruction Manual

Zerodis Zerodisuk80t9xvgw498

Zerodis Portable Air Conditioner Exhaust Hose Connector
Instruction Manual

Model: Zerodisuk80t9xvgw498

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Zerodis Portable Air Conditioner Exhaust Hose Connector. This adapter is designed to facilitate the connection of a portable air conditioner exhaust hose to a window or wall vent system, ensuring efficient air circulation and cooling.



Image: The Zerodis Portable Air Conditioner Exhaust Hose Connector, a white ABS plastic component designed for connecting exhaust hoses.

PRODUCT FEATURES

- **Easy Installation:** No tools are required to install the air conditioner exhaust hose connector; simply align the interface to install the connector.
- **Efficient Performance:** Ensures a good air conditioning hose seal, contributing to lower energy consumption and an efficient exhaust ventilation system for effective cooling.
- **Applicable Model:** This portable air conditioner exhaust hose adapter is suitable for 1P mobile air conditioner adapter KY 35.
- **Adjustable Joints:** The joints of the mobile air conditioner adapter are adjustable, washable, easy to use, and designed to prevent scratching or damaging windows.
- **Durable ABS Quality:** Constructed from high-quality ABS material, ensuring fine workmanship, durability, resistance to damage, and an extended service life.

PACKAGE CONTENTS

- 1 x Zerodis Portable Air Conditioner Exhaust Hose Connector

SETUP AND INSTALLATION

Follow these steps to properly install the exhaust hose connector for optimal performance.

1. **Prepare the Air Conditioner and Hose:** Ensure your portable air conditioner's exhaust outlet and the exhaust hose are clean and free of obstructions.
2. **Attach Connector to Hose:** Align the circular end of the connector with the exhaust hose. Gently twist or push the hose onto the connector until it is securely fitted. No tools are typically required for this step.




Image: A close-up view of the Zerodis exhaust hose connector, highlighting its design for hose attachment.

3. **Connect to Air Conditioner Unit:** Take the square end of the connector and align it with the exhaust port on your portable

air conditioner unit. Push firmly until it clicks into place or is securely seated.

Scope of application



Image: The connector securely attached to the exhaust outlet of a portable air conditioner, ready for the hose.

4. **Connect Hose to Window/Wall Kit:** Attach the other end of the exhaust hose (now connected to the adapter) to your window sealing kit or wall vent. Ensure all connections are snug to prevent air leakage.



Good air conditioning hose seal, lower energy consumption
good exhaust ventilation system,
efficient cooling system

Image: A portable air conditioner exhaust hose, connected via the adapter, extending to a window panel for outdoor ventilation.

5. **Verify Seal:** Check all connections for a tight seal. A good seal is essential for efficient cooling and to prevent hot air from re-entering the room.

OPERATION

Once installed, the Zerodis exhaust hose connector functions passively to direct hot air away from your portable air conditioner. Ensure the exhaust hose is not kinked or blocked to maintain optimal airflow and prevent strain on the air conditioner unit.

MAINTENANCE AND CARE

- **Cleaning:** The connector can be cleaned periodically with a damp cloth and mild soap. Avoid using abrasive cleaners or harsh chemicals, as these may damage the ABS material.
- **Inspection:** Regularly inspect the connector for any signs of wear, cracks, or damage. A compromised connector can lead to air leaks and reduced cooling efficiency. Replace the connector if any significant damage is observed.
- **Storage:** When the portable air conditioner is not in use for an extended period, detach the connector and store it in a cool, dry place away from direct sunlight. This helps preserve the material and extends its lifespan.

TROUBLESHOOTING

Issue	Possible Cause	Solution
Poor Cooling Performance	Air leakage at connections	Ensure all connections (connector to hose, connector to AC unit, hose to window kit) are tight and properly sealed.
Connector does not fit	Incompatible air conditioner model or hose size	Verify your air conditioner is a 1P mobile air conditioner adapter KY 35. Check the product dimensions (approx. 16x16x4cm / 6.3x6.3x1.6in) against your unit's specifications.
Exhaust hose detaches easily	Insufficient grip or damaged connector	Re-attach the hose firmly, ensuring it is twisted or pushed on securely. If the connector shows signs of damage, it may need to be replaced.

SPECIFICATIONS

- Brand:** Zerodis
- Model:** Zerodisuk80t9xvgw498
- Material:** ABS
- Product Dimensions:** Approximately 16cm x 16cm x 4cm (6.3"L x 6.3"W x 1.6"H)
- Item Weight:** Approximately 69 Grams (2.43 ounces)
- Outside Diameter:** 7.3 Inches
- Nominal Wall Thickness:** 1.6 Inches
- Applicable Model:** 1P Mobile Air Conditioner Adapter KY 35

CONTACT AND SUPPORT

For further assistance, product inquiries, or support, please refer to the Zerodis official channels or visit their store.

[Visit the Zerodis Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0BCKKYRN1>

More documents and user manuals: <https://manuals.plus/>