TSAR BOMBA TB8211QGold - Black

TSAR BOMBA TB8211Q Watch User Manual

Model: TB8211QGold - Black | Brand: TSAR BOMBA

Introduction

This manual provides comprehensive instructions for the operation, maintenance, and care of your TSAR BOMBA TB8211Q Luxury Tonneau Watch. Designed with precision and durability, this timepiece features a Japanese YM92 quartz movement, a multi-functional chronograph, and a robust 316L stainless steel case. Its innovative design, including a hollow honeycomb mesh dial and transparent layers, offers a unique aesthetic.

The watch is engineered for accuracy, with a daily error rate of less than 0.5 seconds. The high-quality fluororubber strap ensures comfort and hygiene, even in warm conditions, preventing sweat and odor retention. The quick-release strap allows for versatile styling to suit various occasions, from casual wear to professional settings and sports activities.

Product Overview



Front view of the TSAR BOMBA TB8211Q watch, showcasing its unique tonneau shape, blue and black dial, and rose gold-tone case.



Detailed diagram illustrating the watch's functional components, including the crown for time and date adjustment, and pushers for chronograph operation.



The TSAR BOMBA TB8211Q watch worn on a wrist, demonstrating its size and fit.



An infographic detailing key product parameters such as strap length, mirror material, watch case material, strap material, and watch weight.

Setup

Upon receiving your TSAR BOMBA watch, follow these steps for initial setup:

1. **Unpacking:** Carefully remove the watch from its packaging.
2. **Crown Protection:** If present, remove any plastic protector from under the crown.
3. **Initial Time Setting:** Pull the crown out to position 2 (farthest out). Rotate the crown to set the hour and minute hands to the correct time. Push the crown back to position 0 (normal position) to start the watch.
4. **Date Setting:** Pull the crown out to position 1 (middle position). Rotate the crown to set the date. Push the crown back to position 0. Avoid setting the date between 9 PM and 3 AM, as this may interfere with the automatic date change mechanism.

Operating Instructions

Time and Date Adjustment

- **Setting Time:** Pull the crown to the outermost position (Position 2). Turn the crown to move the hour and minute hands. Once the desired time is set, push the crown back to its normal position (Position 0).
- **Setting Date:** Pull the crown to the middle position (Position 1). Turn the crown to adjust the date. Push the crown back to its normal position (Position 0) when finished.

Chronograph Function

The watch features a multi-functional chronograph for measuring elapsed time.

- **Start/Pause:** Press the top pusher (A) to start the chronograph. Press it again to pause.
- **Reset:** While the chronograph is paused, press the bottom pusher (B) to reset all chronograph hands to their zero positions.

Maintenance

- **Water Resistance:** Your TSAR BOMBA watch is 5ATM (50 meters) water resistant, suitable for cold water, rain, and swimming. It is not recommended for hot water baths, diving, or prolonged underwater activities. Do not operate the crown or pushers when the watch is wet or submerged.
- **Cleaning:** Wipe the watch case and strap regularly with a soft, dry cloth to remove dirt and sweat. For the fluororubber strap, a damp cloth with mild soap can be used, followed by thorough drying.
- **Temperature Extremes:** Avoid exposing the watch to extreme temperatures (hot or cold) or sudden temperature changes, as this can affect the movement and seals.
- **Chemicals:** Keep the watch away from solvents, detergents, perfumes, and other chemicals that may damage the case, strap, or seals.
- **Battery Replacement:** The quartz movement is powered by a battery. When the watch stops or the second hand begins to jump erratically, it indicates a low battery. Battery replacement should be performed by a qualified watch technician to ensure proper sealing and function.

Troubleshooting

- **Watch Not Running:**
  - Check if the crown is pushed all the way in (Position 0).
  - The battery may be depleted. Contact a watch technician for replacement.
- **Date Not Changing:**
  - Ensure the time is set correctly for AM/PM. The date changes around midnight.
  - Avoid setting the date between 9 PM and 3 AM. If you do, adjust the time past 3 AM, then set the date.
- **Chronograph Hands Not Resetting to Zero:**
  - Ensure the chronograph is paused before pressing the reset pusher.
  - If hands are misaligned, consult a watch technician for adjustment.
- **Water Inside Watch:**

- Immediately take the watch to a qualified watch technician. Do not attempt to dry it yourself.

Specifications

Feature	Detail
Product Dimensions	22 x 4.5 x 1.55 cm
Weight	340 grams
First Available Date	November 15, 2023
Manufacturer	TSAR BOMBA
Item Model Number	TB8211QGold - Black
Department	Men
Movement	Japanese YM92 Quartz
Water Resistance	5ATM (50 meters)
Case Material	316L Stainless Steel
Strap Material	Fluororubber
Mirror Material	Sapphire Crystal

Warranty and Support

The official TSAR BOMBA store is dedicated to providing high-quality products and excellent customer service. Every watch undergoes strict quality control and inspection before shipment to ensure its reliability and performance.
If you have any questions or require support regarding your TSAR BOMBA watch from the date of purchase, please do not hesitate to contact us via email. We are committed to providing a satisfactory solution to any concerns you may have.

© 2024 TSAR BOMBA. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question