

[Manuals.plus](#) /

› [Feonase](#) /

› Feonase Twin Size Metal Bed Frame with Fabric Button Tufted Headboard Instruction Manual

Feonase 100081C

Feonase Twin Size Metal Bed Frame with Fabric Button Tufted Headboard Instruction Manual

Model: 100081C | Brand: Feonase

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Feonase Twin Size Metal Bed Frame with Fabric Button Tufted Headboard. Designed for durability and modern aesthetics, this bed frame offers robust support and practical features like ample under-bed storage and noise-free construction. Please read this manual carefully before beginning assembly or use to ensure proper setup and long-lasting enjoyment of your product.

SAFETY INFORMATION

Your safety is paramount. Please adhere to the following safety guidelines:

- Ensure all components are present and undamaged before commencing assembly. Do not use if any parts are missing or broken.
- Do not overtighten screws or bolts during assembly, as this may damage the components. Tighten firmly but gently.
- Keep small parts and packaging materials away from children and pets during assembly to prevent choking hazards.
- Regularly inspect all connections (bolts, screws, slats) to ensure they remain tight and secure. Loose connections can compromise stability and lead to noise.
- The bed frame has a maximum weight capacity of 1000 lbs. Do not exceed this limit to prevent structural damage or injury.
- Utilize the provided anti-slip foot pads and anti-collision edge protectors for enhanced safety and stability.

Warning:

The anti-collision design at the end of the bed is intended to protect against sharp edges. However, always exercise caution when moving around the bed frame to avoid accidental bumps or injuries.

PACKAGE CONTENTS

Before you begin assembly, please verify that all the following components are included in your package. All parts are conveniently packed in one box.

- Headboard (Fabric Button Tufted)
- Hardware (Assorted screws, bolts, and tools for assembly)
- Bed Frame Components (Side rails, support legs, footboard)
- Metal Slats (Heavy-duty with EVA mute strips)
- Instruction Manual



Image: All components of the Feonase bed frame, including the headboard, frame pieces, slats, and hardware, neatly organized for assembly.

SETUP AND ASSEMBLY

The Feonase bed frame is designed for straightforward assembly. Each part is clearly labeled and numbered to simplify the process. While assembly can be completed by one person, having two people may make the process easier due to the size and weight of some components.

1. **Unpack and Organize:** Carefully unpack all components and lay them out on a clean, soft surface (like a carpet or blanket) to prevent scratches. Refer to the package contents list to ensure all parts are present.
2. **Assemble the Headboard:** Begin by assembling the headboard. The headboard features a stylish fabric button-tufted design and a solid metal frame for durability.
3. **Connect Frame Sections:** Attach the side rails to the assembled headboard and the footboard using the provided hardware. Ensure all connections are aligned correctly before tightening.
4. **Install Metal Slats:** Place the heavy-duty metal slats onto the frame. These slats are equipped with EVA mute strips and square anti-friction features to minimize noise and provide stable mattress support.
5. **Attach Support Feet:** Securely attach all support feet to the frame. Ensure the anti-slip foot pads are correctly positioned on the bottom of each leg to prevent scratching floors and enhance stability.

6. **Final Tightening:** Once all components are in place and loosely connected, gradually tighten all screws and bolts until the entire frame is firm and stable. Do not overtighten.
7. **Apply Protective Covers:** Affix the protective covers to the corners of the footboard. These covers are designed to shield against sharp edges and enhance safety.

Tip: A power screwdriver with an appropriate Allen head bit can significantly expedite the assembly process.



**Fabric Button Tufted
Headboard**



Solid Metal Frame

Image: Detail of the fabric button tufted headboard and the robust solid metal frame construction.



Reflective Strip Prevent
Collision

Careful Design

Protective Cover At
Corners To Prevent Injury





Image: Features like the reflective strip on the bed leg for visibility and the protective cover on the corner for safety.

NOISE-FREE DESIGN



Square Anti-Friction Slats



EVA Mute Strips



**Anti-Friction & Scratch
Proof Foot Pad**




Anti-Friction Cover

Image: Breakdown of the noise-free design, highlighting square anti-friction slats, EVA mute strips, and anti-friction foot pads.

HEAVY DUTY



①



U-Shaped Fasten Groove

②



Bold Middle Slat

③



6 Steady Feet

Image: Illustration of the heavy-duty construction, including U-shaped fasten grooves, bold middle slats, and six steady support feet.

OPERATING INSTRUCTIONS

Your Feonase bed frame is designed to provide robust support for your mattress without the need for a box spring.

- **Mattress Placement:** Place your twin-size mattress directly onto the metal slats. The frame's embedded design helps prevent mattress slipping, ensuring it stays securely in place.
- **Recommended Mattress Height:** For optimal aesthetic and comfort, a mattress height of 8" to 12" is recommended to complement the headboard and frame design.
- **Under-Bed Storage:** Utilize the generous 12-inch under-bed clearance for storing items. This space is ideal for storage bins, boxes, or other belongings, helping to keep your room tidy and organized.



Image: Visual guide for recommended mattress height (8"-12") and the embedded design that prevents mattress slippage.



Image: Demonstration of the 12-inch under-bed clearance, providing ample storage space.

MAINTENANCE

To ensure the longevity and continued performance of your Feonase bed frame, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the metal frame with a dry cloth to remove dust and debris. For the fabric headboard, use a soft brush or vacuum cleaner with an upholstery attachment to keep it clean. Avoid using harsh chemicals or abrasive cleaners, as they may damage the finish or fabric.
- **Regular Inspection:** Periodically (e.g., every 3-6 months) check all bolts and screws to ensure they are tight. Loose connections can lead to instability and noise. Tighten as necessary.
- **Protection:** Ensure the anti-collision corner protectors remain securely in place on the footboard. Replace them if they become damaged or lost to maintain safety.

TROUBLESHOOTING

If you encounter any issues with your Feonase bed frame, refer to the following table for common problems and their solutions:

Problem	Possible Cause	Solution
Bed frame is noisy (squeaking)	Loose bolts or connections; friction between metal parts; missing EVA mute strips.	Tighten all bolts and screws securely. Ensure all EVA mute strips are correctly positioned on the metal slats to reduce friction.
Bed frame feels unstable or wobbly	Incomplete assembly; loose connections; uneven floor surface.	Re-check all assembly steps to ensure correct installation. Fully tighten all bolts and screws. Verify that the bed is on a level surface; use shims if necessary.
Mattress slides on the frame	Mattress not properly seated within the embedded design; anti-slip foot pads not effective.	Ensure the mattress is centered and fully within the frame's embedded design. Check that anti-slip foot pads are in place on the legs.

SPECIFICATIONS

Detailed specifications for the Feonase Twin Size Metal Bed Frame:

Feature	Detail
Size	Twin
Product Dimensions	77"L x 42"W x 40"H
Special Features	EVA Mute Foam, 1000 lbs Weight Capacity, Anti-Slip Foot Pads, Fluorescent Stripes, Anti-collision Edges
Color	Dark Grey
Finish Type	Lacquered
Included Components	Headboard, Hardware, Bed Frame, Slat, Instruction
Compatible Mattress Size	Twin
Brand	Feonase
Product Care Instructions	Wipe with Dry Cloth
Assembly Required	Yes
Ground To Item Distance	12 Inches
Manufacturer	Feonase

Feature	Detail
UPC	194858990498
Item Weight	37.7 pounds
Item Model Number	100081C

WARRANTY AND SUPPORT

For warranty information or technical support regarding your Feonase bed frame, please refer to the warranty card included in your product package. You may also contact Feonase customer service directly through their official channels or the retailer where the product was purchased.

Online Support: For additional information, FAQs, and support, please visit the official Feonase Store on Amazon: [Feonase Amazon Store](#).

© 2024 Feonase. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0BCYRLP53>

More documents and user manuals: <https://manuals.plus/>