



[Manuals.plus](#) /

› [MEANHDAG](#) /

› MEANHDAG Dryer Side Vent Kit 3911EZ9131X / 383EEL9001B Instruction Manual

## MEANHDAG 3911EZ9131X, 383EEL9001B

# MEANHDAG Dryer Side Vent Kit 3911EZ9131X / 383EEL9001B Instruction Manual

Universal Venting Kit for LG and Kenmore/Sears Dryers

## 1. INTRODUCTION

---

This instruction manual provides detailed guidance for the installation and use of the MEANHDAG Side Vent Kit, model numbers 3911EZ9131X and 383EEL9001B. This kit is designed to allow compatible LG and Kenmore/Sears dryers to vent exhaust from the side or bottom, offering flexibility in appliance placement. Proper installation ensures efficient dryer operation and safe exhaust ventilation.

## 2. PRODUCT OVERVIEW AND KIT CONTENTS

---

The MEANHDAG Side Vent Kit includes all necessary components for converting your dryer's exhaust direction. All parts are constructed from durable metal for long-lasting performance.



**Figure 2.1:** The complete kit contents, clearly labeled, showing two straight tubes, one 90-degree elbow, one cover plate, one mounting screw, and one roll of adhesive aluminum foil tape.

**Kit Includes:**

- 2 x Straight Tubes
- 1 x 90 Degree Elbow
- 1 x Cover Plate
- 1 x Mounting Screw
- 1 x Instruction Sheet (physical copy)
- 1 x Adhesive Aluminum Foil Tape

### 3. COMPATIBILITY

This side vent kit is compatible with a wide range of LG and Kenmore/Sears dryer models. It is crucial to verify your dryer's model number against the provided lists to ensure proper fit and function.



# Change dryer be vented on right, left or bottom side

## Compatible LG Dryer Models Listed:

CDE3379WD CDE3379WN CDG3389WD CDG3389WN DLABWEEUS DLE0332W(ABWEEUS) DLE0442G(APGEEUS) DLE0442W(ABWEEUS) DLE0442W01 DLE1001W DLE1101W DLE1310W(ABWEEUS) DLE1501W DLE2050W DLE2101W DLE2140W DLE2240W DLE2250W DLE2301R DLE2301W DLE2350R DLE2350W DLE2512W(ABWEEUS) DLE2514W(ABWEEUS) DLE2515S(ATTEEUS) DLE2516W(ABWEEUS) DLE2522W DLE2524W DLE2532W(ABWEEUS) DLE2601R DLE2601W DLE2701W DLE3050W DLE3170W DLE3180W/00 DLE3733DAFGEEUS DLE3733SATTEEUS DLE3733UABBEUS DLE3733WABWEEUS DLE3777E DLE3777WABWEEUS DLE4801W DLE4870W DLE4970W DLE5001W DLE5932SATTEEUS DLE5932WABWEEUS DLE5977BABPEEUS DLE5977BM DLE5977SATTEEUS DLE5977SMATTEEUS DLE5977WABWEEUS DLE5977WM DLE6942WABWEEUS DLE7177RMACREEUS DLE7200VE/00 DLE7200WE/00 DLE8377NMANBEEUS DLE8377WABWEEUS DLE9577SMATTEEUS DLE9577WABWEEUS DLEX0001TMASTEUS DLEX2450R DLEX2501W DLEX2501W DLEX2550R DLEX2550R/00 DLEX2550W DLEX2650R DLEX2650W DLEX2655V DLEX2801LARBEUS DLEX2801R DLEX2801WABWEEUS DLEX2901V DLEX3001PAPTEEUS DLEX3001RACREEUS DLEX3001WABWEEUS DLEX3070R DLEX3070W DLEX3250R DLEX3250V DLEX3250W DLEX3360R DLEX3360V DLEX3360W DLEX3370R DLEX3370V DLEX3370W DLEX3470V DLEX3470W DLEX3550V DLEX3550W DLEX3570V DLEX3570W DLEX3875V DLEX3875W DLEX3885C DLEX3885W DLEX4070V DLEX4070W DLEX4270V DLEX4270W DLEX4370K/00 DLEX4370W/00 DLEX5000V DLEX5000W DLEX5101V DLEX5101W DLEX5170V DLEX5170W DLEX5680V DLEX5680VE/00 DLEX5680W DLEX5780VE DLEX5780W DLEX6001V DLEX6001W DLEX7177RM DLEX7177WM DLEX7600KE DLEX7600WE DLEX8377N DLEX8377NM DLEX8377WM DLEY1201V DLEY1201W DLEY1701VE DLEY1701W DLEY1701WE DLEY1901KE DLEY1901WE DLG0332WABWEEUS DLG0332W/00 DLG0452GAPGEEUS DLG0452WABWEEUS DLG1102W DLG1320WABWEEUS DLG1502W DLG2051W DLG2102W DLG2141W DLG2241W DLG2251W DLG2302R DLG2302W DLG2351R DLG2351W DLG2511W DLG2522WABWEEUS DLG2524WABWEEUS DLG2525SATTEEUS DLG2526WABWEEUS DLG2526W/00 DLG2532WABWEEUS DLG2602R DLG2602WABWEEUS DLG2702V DLG3051W DLG3171W DLG3181W DLG3181W/00 DLG3744DAFGEEUS DLG3744SATTEEUS DLG3744UABBEUS DLG3744WABWEEUS DLG3788WABWEEUS DLG4802W DLG4871W DLG4971W DLG5002W DLG5932SATTEEUS DLG5932WABWEEUS DLG5988BABPEEUS DLG5988BM DLG5988SATTEEUS DLG5988SMATTEEUS DLG5988WABWEEUS DLG5988WM DLG6952WABWEEUS DLG7188RMACREEUS DLG7188WABWEEUS DLG7201VE/00 DLG7201WE DLG8388NMANBEEUS DLG8388WABWEEUS DLG9588SMATTEEUS DLG9588WABWEEUS DLGX0002TMASTEUS DLGX2451R DLGX2502V DLGX2502W DLGX2551R DLGX2551W DLGX2651R DLGX2651W DLGX2656V DLGX2802L DLGX2802R DLGX2802WABWEEUS DLGX2902V DLGX3002PAPTEEUS DLGX3002RACREEUS DLGX3002WABWEEUS DLGX3071R DLGX3071W DLGX3251R DLGX3251W DLGX3361R DLGX3361W DLGX3371R DLGX3371W DLGX3471V DLGX3471W DLGX3551V DLGX3551W DLGX3571V DLGX3571W DLGX3876V DLGX3876W DLGX3876W/00 DLGX3886C DLGX3886C/00 DLGX3886W DLGX3886W/00 DLGX4071V DLGX4271V DLGX4271W DLGX4371K/00 DLGX4371W/00 DLGX5001V DLGX5001W DLGX5102V DLGX5102W DLGX5171V DLGX5171W DLGX5681V DLGX5681W DLGX5781VE DLGX5781WE DLGX6002V DLGX6002W DLGX7188RM DLGX7188WM DLGX7601KE DLGX7601WE DLGX8001V DLGX8101V DLGX8388NM DLGX8388WM DLGY1202V DLGY1202W DLGY1702V DLGY1702WE DLGY1902KE DLGY1902WE TD-V10031EABWEGSP)

## Compatible Ken-more Dryer Models Listed:

796.6141231 796.6141241 796.6142241 796.6142341 796.6143371 796.6143381 796.6151221 796.6151221 796.6151331 796.6152221 796.6152221 796.6152321 796.6152321 796.6155261 796.6155361 796.6162231 796.6162331 796.69002 796.6900201 796.69272 796.6927201 796.6927201 796.692729 796.69278 796.6927801 796.692789 796.69472 796.69478 796.7141231 796.7141241 796.7142241 796.7142341 796.7143371 796.7143381 796.7151221 796.7151331 796.7152221 796.7152321 796.7155261 796.7155361 796.7162231 796.7162331 796.79002 796.7900201 796.79272 796.7927201 796.792729 796.79278 796.7927801 796.792789 796.792789 796.79472 796.79478 796.800219 796.802729 796.803119 796.803189 796.804419 796.805129 796.805189 796.810229 796.810289 796.810299 796.8117221 796.8127221 796.8128231 796.8128331 796.8137221 796.8137321 796.8137921 796.8138241 796.8138341 796.8139261 796.8139361 796.8147221 796.8147321 796.8153211 796.8153221 796.8153811 796.8153821 796.8154211 796.8154221 796.8154811 796.8154821 796.8154911 796.8154921 796.8157221 796.8157321 796.81722 796.8172201 796.8172801 796.8178281 796.8178381 796.821929 796.821989 796.821999 796.888428 796.888528 796.900219 796.902728 796.902729 796.903119 796.903189 796.904419 796.904489 796.905129 796.905189 796.910229 796.910289 796.910299 796.9117221 796.9118231 796.9127221 796.9128231 796.9128331 796.9137221 796.9137321 796.9137921 796.9137921 796.9138241 796.9138341 796.9139261 796.9139361 796.9147221 796.9147321 796.9153211 796.9153221 796.9153811 796.9153821 796.9154211 796.9154221 796.9154811 796.9154911 796.9154921 796.9157221 796.9157321 796.9172201 796.91728 796.9172801 796.9178281 796.9178381 796.921929 796.921989 796.921999 796.988428 796.988528

Figure 3.1: A comprehensive list of LG and Kenmore/Sears dryer models compatible with this side vent kit. Please consult your dryer's manual or label to confirm compatibility.

### Compatible LG Dryer Models:

- Models beginning with prefixes: CDE, CDG, DLA, DLE, DLEX, DLEY, DLG, DLGX, DLGY.

### Compatible Kenmore / Sears Dryer Models:

- Models beginning with prefixes: 796.61, 796.69, 796.71, 796.79, 796.80, 796.81, 796.82, 796.88, 796.90, 796.91, 796.92, 796.98.

Always refer to your dryer's specific model number to ensure compatibility before proceeding with installation.

## 4. SAFETY INFORMATION

Before beginning any installation or maintenance on your dryer, observe the following safety precautions:

- **Disconnect Power:** Always unplug the dryer from its electrical outlet or turn off the circuit breaker before starting work.
- **Shut Off Gas Supply:** For gas dryers, turn off the gas supply valve to the appliance.

- **Professional Assistance:** If you are unsure about any step or uncomfortable performing the installation, consult a qualified technician.
- **Gas Dryers:** Note that gas dryers cannot be vented on the right side due to internal component placement.

## 5. INSTALLATION INSTRUCTIONS

---

This kit provides a solution for dryers that require side or bottom venting, especially when rear venting is not feasible. The installation process is designed to be straightforward.

**Have you changed a new gas dryer and found that the vent pipe be vented on the back?**

**These problems can be solved by replacing this set change dryer be ventde on right, left and bottom side.**



**Figure 5.1:** This kit addresses common venting challenges, allowing exhaust to be directed from the right, left, or bottom side of the dryer.

### General Steps:

1. **Prepare Dryer:** Ensure the dryer is disconnected from power and gas (if applicable). Move the dryer away from the wall to access the rear and sides.
2. **Locate Knockout:** Identify the designated knockout panel on the side or bottom of your dryer where the new vent will be installed.

3. **Remove Knockout:** Carefully remove the knockout panel. This may require a hammer and chisel or a flat-head screwdriver, depending on the dryer model. Refer to your dryer's specific manual for knockout removal instructions.
4. **Assemble Vent Components:** Connect the straight tubes and 90-degree elbow as needed to create the desired vent path. Ensure all connections are secure.
5. **Install Vent Assembly:** Insert the assembled vent components through the knockout opening. The cover plate should be positioned on the exterior of the dryer to secure the vent.
6. **Secure with Screw:** Use the provided mounting screw to fasten the cover plate and vent assembly to the dryer chassis.
7. **Seal Joints:** Apply the adhesive aluminum foil tape around all connections and seams of the vent assembly to prevent air leakage.
8. **Connect External Ducting:** Attach your external dryer ducting to the newly installed side or bottom vent.
9. **Restore Power/Gas:** Once installation is complete and all connections are secure, restore power and gas supply to the dryer.
10. **Test Operation:** Run a short cycle to ensure proper ventilation and check for any leaks.



**Figure 5.2:** The kit is designed for straightforward installation, typically completed within 20 minutes with basic tools.

## 6. OPERATING CONSIDERATIONS

---

Once the side vent kit is installed, your dryer will operate as usual, but with the exhaust directed through the new side or bottom opening. Ensure that the external dryer ducting connected to this kit is clear, properly secured, and vented to the outside according to local building codes. Proper ventilation is essential for dryer efficiency and preventing lint buildup, which can be a fire hazard.

## 7. MAINTENANCE

---

Regular maintenance of your dryer's venting system is crucial for safety and performance.

- **Inspect Annually:** Annually inspect the entire dryer vent system, including the internal components of this kit and the external ducting, for lint buildup, damage, or disconnections.
- **Clean as Needed:** Clean out any accumulated lint from the vent path. A clogged vent reduces dryer efficiency and poses a fire risk.
- **Check Seals:** Ensure that all taped joints and connections remain sealed to prevent air and lint leakage into your home.

## 8. TROUBLESHOOTING

---

If you encounter issues after installing the side vent kit, consider the following:

- **Air Leakage:** If you detect air leakage around the vent connections, ensure the adhesive aluminum foil tape is applied correctly and securely. Reapply or add more tape if necessary.
- **Improper Fit:** Double-check that all components are correctly aligned and fully seated. Refer to the physical instruction sheet included with the kit for detailed diagrams.
- **Dryer Performance Issues:** If the dryer is not drying effectively, inspect the entire vent path for obstructions or kinks in the external ducting. Ensure the vent is not clogged with lint.

# KIT SPECIFICATION

Manufacturer Part: 3911EZ9131X, 383EEL9001B,  
Replaces these parts:  
1266802, AP4438852, PS2438605, EAP2438605

Seal the joint to prevent leakage, use the  
adhesive aluminum foil tape.



- Material: Galvanized sheet
- Color: Silver
- Item Weight: 2.6 LB
- Package Dimensions:  
16.9" x 8.3" x 4.9"

Figure 8.1: Proper application of adhesive aluminum foil tape is essential for sealing joints and preventing air leakage.

## 9. SPECIFICATIONS

Feature	Detail
Part Numbers	3911EZ9131X, 383EEL9001B
Replaces Parts	1266802, AP4438852, PS2438605, EAP2438605
Manufacturer Part	PD00001749
Material	Metal (Galvanized sheet)
Item Weight	8 ounces
Product Dimensions	16 x 9 x 4 inches
Usage	Dryer vent can be vented on the side or bottom.

## 10. WARRANTY AND SUPPORT

---

This MEANHDAG product is designed for durability and reliable performance. For any concerns or questions regarding the product, please refer to the following:

- **Warranty:** The manufacturer offers a 100% refund or exchange within 30 days of purchase for any reason.
- **Customer Support:** For further assistance or inquiries, please contact MEANHDAG customer service through the retailer where the product was purchased.