

[Manuals.plus](#) /

› [Feonase](#) /

› Feonase Full Size Metal Bed Frame Instruction Manual

Feonase ZDP112

Feonase Full Size Metal Bed Frame Instruction Manual

Model: ZDP112

1. INTRODUCTION

Thank you for choosing the Feonase Full Size Metal Bed Frame. This manual provides detailed instructions for assembly, operation, maintenance, and troubleshooting to ensure safe and efficient use of your new bed frame. Please read this manual thoroughly before beginning assembly and retain it for future reference.

The Feonase bed frame features a heavy-duty metal construction with a faux leather button-tufted headboard, designed for durability and comfort. It offers 12 inches of under-bed storage space and is engineered for noise-free operation without the need for a box spring.

2. IMPORTANT SAFETY INFORMATION

- Always assemble the bed frame on a soft, clean surface to prevent scratches and damage.
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten fasteners.
- Do not exceed the maximum weight capacity of 1000 lbs.
- Keep small parts away from children during assembly to prevent choking hazards.
- Fluorescent strips on the bed legs help locate them in low light, reducing the risk of stubbing toes.
- Wrap-in corner protectors are included to protect against accidental injury, especially for children. Ensure these are properly installed.
- Do not jump on the bed frame.
- Use only the mattress size specified (Full, 75" x 54" x 8"-14") to ensure proper fit and stability.

3. PACKAGE CONTENTS

Before assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact Feonase customer support.

- Headboard x 1
- Metal Bed Frame x 1 (disassembled)
- Steel Slats (quantity as per design)
- Installation Manual x 1

- Installation Tools & Accessories (bolts, nuts, Allen wrench, corner protectors, fluorescent strips)



Figure 3.1: Product Dimension Diagram. This image shows the full size bed frame with dimensions: 77 inches long, 57 inches wide, and 40 inches high at the headboard. The under-bed clearance is 12 inches.

4. SETUP AND ASSEMBLY

Assembly typically takes approximately 30 minutes with one person. All necessary tools are included.

4.1 Preparation

- Clear an open space for assembly.
- Lay out all components on a soft, clean surface (e.g., a rug or blanket) to prevent damage.
- Identify each part by referring to the included installation manual's parts list.

4.2 Assembly Steps

1. Attach the side rails to the headboard and footboard using the provided bolts and Allen wrench. Do not fully tighten

yet.

2. Insert the central support beam into the designated slots on the headboard and footboard.
3. Install the steel slats. The slats feature one-click buckles for easy installation. Ensure they are securely clicked into place.
4. Fully tighten all bolts and screws.
5. Attach the fluorescent strips to the bed legs as indicated in the installation manual.
6. Install the wrap-in corner protectors on all four corners of the bed frame.
7. Place your mattress onto the assembled bed frame. The embedded design will help keep the mattress in place.



Figure 4.1: Fully assembled Feonase Full Size Metal Bed Frame with Faux Leather Button Tufted Headboard.



Figure 4.2: Detailed view of the bed frame's construction, highlighting the strong central foundation, noise-free buckles, and nine thick leg supports for stability.




Figure 4.3: Close-up of the bed frame's features, including the embedded design to prevent mattress shifting, protective feet plugs to prevent floor scratching and slipping, and noise-free EVA sponge to eliminate squeaks.

Your browser does not support the video tag.

Video 4.1: Official Feonase Modern Metal Bed Frame assembly and feature overview. This video demonstrates the ease of assembly, the ample under-bed storage, stable support, safety features like corner protectors and fluorescent strips, and noise-reducing design elements.

5. OPERATION

The Feonase bed frame is designed for straightforward use. Once assembled, simply place your full-size mattress directly onto the steel slats. No box spring is required due to the robust slat support system and embedded design that prevents mattress sliding.

5.1 Under-Bed Storage

Utilize the 12-inch clearance beneath the bed for ample storage. This space is ideal for storing boxes, luggage, or other items, helping to keep your room organized and tidy.



Figure 5.1: Illustration of the 12-inch under-bed storage space, demonstrating its capacity for items like luggage.

6. MAINTENANCE

Regular maintenance will prolong the life and appearance of your Feonase bed frame.

- **Cleaning:** Wipe the metal frame and faux leather headboard with a dry cloth to remove dust and debris. For tougher spots on the faux leather, a slightly damp cloth can be used, followed by drying. Avoid harsh chemicals or abrasive cleaners.
- **Fastener Check:** Periodically (e.g., every 3-6 months) check all bolts and screws to ensure they remain tight. Retighten as necessary to maintain stability and prevent noise.
- **Corner Protectors:** Ensure the wrap-in corner protectors are securely in place. Replace if they become loose or damaged.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your bed frame.

Problem	Possible Cause	Solution
Squeaking or Noise	Loose fasteners; friction between slats and frame.	Tighten all bolts and screws. Ensure noise-free EVA sponge is correctly positioned on slats.
Mattress Sliding	Mattress not properly seated; embedded design not fully utilized.	Ensure the mattress is centered and fully within the embedded frame design. Verify mattress dimensions are compatible.
Instability/Wobbling	Incomplete assembly; loose connections.	Review assembly steps, ensuring all parts are correctly installed and all fasteners are fully tightened.
Missing Parts	Packaging error.	Contact Feonase customer support with your purchase details and a list of missing parts.

8. SPECIFICATIONS

Feature	Detail
Brand	Feonase
Model Number	ZDP112
Size	Full
Product Dimensions	77"L x 57"W x 40"H
Color	Black
Material	Heavy-Duty Metal Frame, Faux Leather Headboard
Weight Capacity	Up to 1000 lbs
Under-Bed Clearance	12 Inches
Assembly Required	Yes (approx. 30 minutes)
Box Spring Required	No
Care Instructions	Wipe with Dry Cloth

9. WARRANTY AND SUPPORT

Feonase is committed to providing high-quality products and customer satisfaction. While specific warranty details are not provided in this manual, please refer to your purchase documentation or the product listing for warranty information. For any questions, concerns, or assistance with your Feonase bed frame, please contact our customer support team. You can typically find contact information on the retailer's website where you purchased the product or on the official Feonase brand store page.

Visit the official Feonase Store: [Feonase Store on Amazon](#)

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0BD2F9KR1>

More documents and user manuals: <https://manuals.plus/>