

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Neakasa](#) /

› [Neakasa P2 Pro Dog Grooming Kit User Manual](#)

Neakasa P2 Pro

Neakasa P2 Pro Dog Grooming Kit User Manual

Model: P2 Pro

INTRODUCTION

The Neakasa P2 Pro Dog Grooming Kit is an innovative solution for pet owners seeking a clean and efficient way to groom their furry companions. This all-in-one system combines powerful vacuum suction with a range of professional grooming tools, designed to capture up to 99% of pet hair during grooming, minimizing mess and allergens in your home. Its low-noise design ensures a comfortable experience for your pet, making grooming sessions more enjoyable for both of you.



Image: The Neakasa P2 Pro Dog Grooming Kit, showcasing the main unit, hose, and various attachments, with a golden retriever and a cat in the background, illustrating its use for both dogs and cats.

SETUP

Before first use, ensure all components are present and properly assembled. The Neakasa P2 Pro is designed for easy setup to get you grooming quickly.

Unboxing and Component Identification

- Carefully remove all items from the packaging.
- Identify the main vacuum unit, flexible hose, power adapter, and the five included grooming tools: grooming brush, de-shedding tool, electric clipper, nozzle tool, and cleaning brush.
- Locate the five comfort guard combs for the electric clipper (3mm, 6mm, 12mm, 18mm, 24mm).

Assembly Instructions

1. Place the main vacuum unit on a stable, flat surface.
2. Connect the flexible hose to the designated port on the main unit. Ensure it clicks securely into place.
3. Attach the desired grooming tool to the end of the flexible hose. Each tool is designed for easy click-on attachment.
4. Plug the power adapter into the main unit and then into a standard electrical outlet.
5. Ensure the 2L dust cup is correctly seated in the main unit.

OPERATING INSTRUCTIONS

The Neakasa P2 Pro offers versatile grooming with its specialized tools and adjustable suction.

Powering On and Suction Adjustment

1. Once assembled and plugged in, rotate the knob on the main unit to turn on the vacuum and select your desired suction level (typically 3 speeds available).
2. Start with the lowest suction setting, especially for pets new to grooming or sensitive to noise, and gradually increase as needed. The device operates at a low noise level, typically below 52dB.



Image: A woman gently grooming a white cat with the Neakasa P2 Pro, illustrating the device's low noise operation, indicated by a graphic showing less than 52dB.

Using the Grooming Tools

Each tool serves a specific purpose for comprehensive pet care:

- **Grooming Brush:** Ideal for daily brushing to remove loose hair and tangles, promoting a healthy coat. Move the brush gently in the direction of hair growth. The vacuum will collect the shed hair directly.



Image: Close-up of the grooming brush being used on a cat, showing how it collects loose fur.

- **De-shedding Tool:** Designed to effectively remove undercoat and loose hair, reducing shedding around your home. Use with gentle, long strokes.



Image: Close-up of the de-shedding tool in action on a dog's fur, illustrating its effectiveness in removing loose undercoat.

- **Electric Clipper:** For trimming and styling your pet's fur. Attach one of the five comfort guard combs (3mm, 6mm, 12mm, 18mm, 24mm) to achieve desired hair length. Move the clipper smoothly against the direction of hair growth for an even cut.



Image: Close-up of the electric clipper with a guard comb, trimming a dog's fur, showing the integrated vacuum suction.

Meet Different Hairstyle Need

5 comfort guard combs, which makes it suitable for pets with long or short hair. Let your pet have a variety of looks as you please.



Image: A visual representation of the five comfort guard combs (3mm, 6mm, 12mm, 18mm, 24mm) that come with the electric clipper, suitable for various hair lengths and pet types.

- **Nozzle Tool:** Useful for cleaning pet hair from hard-to-reach areas, crevices, or directly from your pet's paws and body after grooming.



Image: Close-up of the nozzle tool effectively vacuuming pet hair and debris from a carpet surface.

- **Cleaning Brush:** For general cleanup of pet hair from carpets, upholstery, or clothing.



Image: Close-up of the cleaning brush being used to sweep and collect pet hair from a carpeted surface.

5 Proven Grooming Tools



Brush



DeShed



Trim



Collect



Image: A visual guide illustrating the five proven grooming tools included with the Neakasa P2 Pro: Brush, DeShed, Trim (clipper), and Collect (nozzle and cleaning brush).

For best results, groom your pet in a calm environment. Introduce the device gradually to sensitive pets, perhaps with treats, to help them acclimate to the sound and sensation.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your Neakasa P2 Pro.

Emptying the Dustbin

The 2L large-capacity dustbin is designed for easy, no-touch emptying. When the dustbin appears full, or suction power decreases:

1. Turn off the main unit and unplug it from the power source.
2. Carefully detach the dust cup from the main unit.
3. Position the dust cup over a trash receptacle.
4. Open the lid or release the bottom latch (depending on design) to allow collected hair and debris to fall out.
5. Close the lid/latch and reattach the dust cup to the main unit, ensuring it is securely locked in place.



Image: A visual demonstration of the 2L large-capacity collecting bin being emptied, showing the ease of disposing of collected pet hair.

Cleaning Tools and Filters

- **Grooming Tools:** After each use, detach the grooming tool and remove any trapped hair. Wipe down with a damp cloth. For the clipper blades, use the included cleaning brush to remove hair and apply a drop of clipper oil periodically to maintain sharpness and smooth operation.

- **Hose:** Check the flexible hose for any blockages, especially after grooming pets with very long or dense fur.
- **Filters:** The vacuum unit contains filters that should be cleaned regularly to maintain suction efficiency. Refer to the filter compartment for instructions on removal and cleaning (typically rinsing with water and allowing to air dry completely before reinstallation).

TROUBLESHOOTING

If you encounter issues with your Neakasa P2 Pro, try these common troubleshooting steps:

Problem	Possible Cause	Solution
Reduced Suction Power	Full dustbin; Clogged hose/tool; Dirty filters.	Empty the dustbin. Check hose and tools for blockages and clear them. Clean or replace filters as per maintenance instructions.
Clipper Not Cutting Effectively	Blades are dull or clogged with hair; Incorrect comb attachment.	Clean clipper blades thoroughly. Apply clipper oil. Ensure the correct guard comb is securely attached. If blades are dull, consider replacement.
Unusual Noise/Vibration	Foreign object in hose/unit; Loose component.	Turn off and unplug the unit. Inspect the hose and main unit for any foreign objects and remove them. Ensure all components are securely attached.
Unit Not Turning On	Not plugged in; Power outlet issue; Faulty power adapter.	Ensure the power adapter is fully plugged into both the unit and a working electrical outlet. Test the outlet with another device. If the issue persists, contact customer support.

If these steps do not resolve the issue, please refer to the Warranty & Support section for further assistance.

SPECIFICATIONS

Feature	Detail
Model Number	P2 Pro
Brand	Neakasa
Item Weight	4.69 Kilograms (10.34 Pounds)
Product Dimensions (LxWxH)	11.42 x 5.2 x 8.27 inches
Dustbin Capacity	2 Liters
Noise Level	Less than 52dB
Included Tools	Grooming brush, De-shedding tool, Electric clipper, Nozzle tool, Cleaning brush
Clipper Guard Combs	3mm, 6mm, 12mm, 18mm, 24mm

Feature	Detail
Material	Plastic
Color	Grey
Target Audience	Dogs, Cats

WARRANTY & SUPPORT

Neakasa is committed to providing high-quality products. For specific warranty details, please refer to the documentation included with your purchase or visit the official Neakasa website. Typically, products are covered by a manufacturer's warranty against defects in materials and workmanship.

Return Policy

This product is generally eligible for a 30-day return policy from the date of purchase. Please consult the retailer's return policy where you purchased the product for specific terms and conditions.

Protection Plans

Extended protection plans may be available for purchase to cover your device beyond the standard manufacturer's warranty. Options may include 2-Year or 3-Year Protection Plans, or comprehensive plans like 'Complete Protect'. Details regarding these plans, including pricing and coverage, can be found at the point of purchase or through the respective plan providers.


Customer Support

For technical assistance, troubleshooting beyond this manual, or warranty claims, please contact Neakasa customer support. Contact information can typically be found on the official Neakasa website or through the retailer's customer service portal.


© 2024 Neakasa. All rights reserved.

Related Documents - P2 Pro

	<p>Neabot Pet Grooming Kit & Vacuum P1 PRO User Guide</p> <p>User guide for the Neabot Pet Grooming Kit & Vacuum P1 PRO, covering safety information, package contents, getting started, customer support, care and maintenance, specifications, and warranty.</p>
---	--

	<p><u>Neakasa P1 PRO Pet Grooming Kit & Vacuum User Guide</u></p> <p>User guide for the Neakasa P1 PRO Pet Grooming Kit & Vacuum. Learn about safety, setup, accessories, maintenance, specifications, and warranty. Keep your pet's coat healthy and clean.</p>
	<p><u>Pawhaus PRO M4 Pet Grooming Vacuum Quick-Start Guide</u></p> <p>A quick-start guide for the Pawhaus PRO M4 Pet Grooming Vacuum, detailing operation instructions, accessory usage, blow suction conversion, dust cup cleaning, and storage.</p>
	<p><u>Neakasa S1 Pro Multifunctional Pet Grooming System Quick Start Guide</u></p> <p>A quick start guide for the Neakasa S1 Pro Pet Grooming System, providing essential information on desensitization, product components, usage instructions, and important safety precautions for pet grooming.</p>
	<p><u>Neakasa P2 PRO Pet Grooming Kit User Guide</u></p> <p>Comprehensive user guide for the Neakasa P2 PRO Pet Grooming Kit, covering safety information, package contents, setup, usage, maintenance, and specifications. Learn how to effectively groom your pet with this advanced kit.</p>
	<p><u>Neakasa Pet Grooming System User Guide - PO Pro, PO Lite, PO Max</u></p> <p>Comprehensive user guide for the Neakasa Pet Grooming System, covering safety, setup, accessory usage, maintenance, specifications, and warranty for PO Pro, PO Lite, and PO Max models.</p>

Documents - Neakasa – P2 Pro



[\[pdf\] Instructions Specifications Guide Warranty](#)

Neakasa P2 20220804 User Guide P2 Pro Dog Cat Grooming Brush 15000 Pa Vacuum Suction 2L Large Capacity Clippers Professional Kit for Thick Short Long Hair Silent Pet Supplies D11gi6vr33L m media amazon images I |||

Neakasa Pet Grooming Kit **P2 PRO** USER GUIDE FR GUIDE DE L UTILISATEUR DE BENUTZERHANDBUCH JP User Guide Safety Information Package Includes Get Started Customer Support Care and Maintenance Specifications Warranty Guide de l utilisateur Informations sur la securit La bote comprend Dmarr... lang:en score:32 filesize: 9.14 M page_count: 41 document date: 2022-12-29

[\[pdf\]](#)

Neakasa P2 Pro Návod na použitie 1 95 MB sada pre starostlivosť o srsť s vysávačom Nay sk 2078699 cdn nay images orig 9 |||

neakasa NEAKASA SADA NA STHN A PCI O SRST S VYSAVACEM NVOD CZ NVOD SK Vhodn pro pci o srst ps a kocek ... oslete dotaz pes strnky www.neakasa.cz BLAKAR trading s.r.o. prohlasuje, ze stanoven vrobek Neakasa **P2 Pro** je ve shod a spluje smrnici 2014/53/EU. Pln verze prohlsen o shod je k dispozici na www.blaka...

lang:hr score:27 filesize: 1.95 M page_count: 28 document date: 2023-02-20



Neakasa Pet Grooming Vacuum Kit	
Model NO	P2 Pro
Safety standard certification	accordingly
Motor Type	Brushless
Rating Voltage	accordingly
Rating Frequency	accordingly
Rating	400W
Vacuum	3 levels, about 2-90Pa
Air Flow	≥10m³/min
Max Suction Power	≥35W
Max Suction Efficiency	≥13%
Noise	about 70-74dB(A)
Plug Type	accordingly
Switch	knob
Power cord length	2.5m(98.4inch)
Operation Radius	4 Meters
Power Control Type	on body
(Handheld/Body/Handheld/Body/Telecontrol)	Scanning with WiFi
Fiber System	
Use Type	Only dry
(Only dry, Only wet, Dry & Wet)	
Dust Capacity	3L(0.76 cu.in)
House length and dust rate	1.5 seconds(59.9cm)
Included Accessory	Clipper/Sticker Brush/Grooming Tool/Blade Brush/Nozzle*1
Cleaner Size	1.12m*0.38m*0.35m
Inner Box Size	40*30*23cm
Gross Weight	4kg
Package	3PC/CTN, 40*30*40CM, 14.9KG/CTN

[pdf] Specifications Accessories

Specification Sheet Buy Neakasa by neabot P2 Pro Dog Grooming Kit Clippers Vacuum Suction 99% Hair Pet with 5 Proven Tools 2L Large Capacity Easy Empty Dustbin for Dogs Cats Animals Blue White 61DKgvUtqJL m media amazon images | |||

Model NO. Neakasa Pet Grooming Vacuum Kit **P2 Pro** Safety standard certification Motor Type Rating Voltage Rating Frequency Rating Vacuum Air Flow Max. Suction Power Max.Suction Efficiency Noise Plug Type Switch Power cord length Operation Radius Power Control Type fixed/on body/on hand/telecontr...

lang:en score:25 filesize: 121.22 K page_count: 1 document date: 2022-08-25




[pdf] User Manual Guide

Neakasa P2 20230504 P2 Pro Pet Grooming Vacuum User Manual Support Center Official Guide v 1683714232 cdn shopify s files 1 0600 4736 0185 | |||

...


lang:en score:25 filesize: 17.87 M page_count: 67 document date: 2023-05-06



Neakasa P2 PRO Pet Grooming Kit User Guide

Comprehensive user guide for the Neakasa P2 PRO Pet Grooming Kit, covering safety information, package contents, setup, usage, maintenance, and specifications. Learn how to effectively groom your pet with this advanced kit.


lang:en score:24 filesize: 16.91 M page_count: 67 document date: 2022-08-08



Neakasa Pet Product Catalog: Smart Cleaning and Grooming Solutions

Explore the Neakasa catalog featuring innovative smart pet cleaning electronics, including self-cleaning cat litter boxes and advanced pet grooming systems and dryers. Discover products designed for convenience, efficiency, and pet comfort.

lang:en score:24 filesize: 2.82 M page_count: 9 document date: 2024-11-18



[pdf] User Manual

Neakasa Pet Grooming Kit P2 Pro Max 20230719 76214 3615828 PN0110LA User Manual 14 4 H x 10 6 W 8 2 D Neakasa naka1008 PN0110LANeakasa PN0110LA76214 pn0110la p2 pro user manualsecure img1 ag wfcdn dm document abef4a93 1aff 4f40 a472 9ce26109e64d manual |||

...

lang:en score:19 filesize: 19.57 M page_count: 72 document date: 2023-07-26



[pdf]

Neakasa P1 PRO 195x165mm 20220425 Pro Návod na použitie 1 98 MB sada pre starostlivosť o srsť a vysávačom Nay sk 2078463 cdn nay images orig 3 ||| neakasa NEAKASA SADA NA STHN A PCI O SRST S VYSAVACEM Vhodn pro pci o srst ps a koček Vhodn pre starostlivost o srst prov a maček BLAKAR trading s.r.o. vyhlasuje, že stanoven vrobok Neakasa **P2 PRO** je v zhode a spa smernicu 2014/53/E. Pln verzia vyhlisnenia o zhode je k dispozcií na www.blakar... lang:hr score:19 filesize: 1.98 M page_count: 28 document date: 2023-02-20



[pdf] User Manual

Neakasa P2 20230504 NEAKASA Gebruikershandleidingen TwopointNeakasa P2 Pro User manualcdn shopify s files 1 0611 4531 7526 manual v 1734685895 |||

...

lang:hr score:18 filesize: 17.87 M page_count: 67 document date: 2023-05-06



[pdf] User Manual Owner's Manual

Neakasa P2 20220804 Download User ManualNeabot Pet Grooming P2 Pro The Ultimate SolutionNeakasa manualcdn shopify s files 1 0415 1410 7042 manual v 1671527937 Owner Manual Dog Kit Clippers Vacuum Suction for Dogs Cats Animals naka1002 PRO BlueDownload ManualNeakasa BlueNeabot Solutionneakasa p2 pro manualNeakasa manualsecure img1 ag wfcdn dm document 9f0c4e89 f8e8 490f 9cf7 cd7ce9109e0a neakasa ||| |||

...

lang:hr score:18 filesize: 16.91 M page_count: 67 document date: 2022-08-08



[pdf] User Manual

User Manual Buy Neakasa by neabot P2 Pro Dog Grooming Kit Clippers Vacuum Suction 99% Hair Pet with 5 Proven Tools 2L Large Capacity Easy Empty Dustbin for Dogs Cats Animals Blue White D1yf q19n7L m media amazon images 1 |||

...

lang:hr score:16 filesize: 8.25 M page_count: 15 document date: 2023-04-25

Declaration of Conformity

Manufacturer: Garlight Tech Co., Ltd.

Address: Room 201, Building A, No. 1, Qiaowei 1st Road, Qianhai Shenzhen-Hong Kong

Cooperation Zone, Shenzhen

Product Name: Neakasa pet grooming kit P2 Pro

Model Number: P0011W, P0011B

We have with declaration that the above mentioned products meet the provisions of the following EU Directives and Standards. All supporting documentation are retained under the premises of the manufacturer.

Directive: Voltage Directive (2014/35/EU)

Electromagnetic Compatibility (EMC) Directive (2014/30/EU)

RoHS Directive (2011/65/EU) and its amendment (EU) 2019/1020

Standards:

1. Safety: EN60335-1:2012+A11:2010+A15:2019+A22:2019+A17:2021

EN60335-2-2091:2014+A1:2014

IEC 62233:2008

2. Performance: IEC 60068-2-22:2013+A1:2013

IEC 60068-2-20:2013+A1:2013

IEC 60068-2-27:2013, IEC 60068-2-27+A1:2013

IEC 60068-2-32:2013, IEC 60068-2-32+A1:2013

IEC 60068-2-37:2013, IEC 60068-2-37+A1:2013

IEC 60068-2-42:2013, IEC 60068-2-42+A1:2013

IEC 60068-2-43:2013, IEC 60068-2-43+A1:2013

IEC 60068-2-45:2013, IEC 60068-2-45+A1:2013

IEC 60068-2-46:2013, IEC 60068-2-46+A1:2013

IEC 60068-2-47:2013, IEC 60068-2-47+A1:2013

IEC 60068-2-48:2013, IEC 60068-2-48+A1:2013

IEC 60068-2-49:2013, IEC 60068-2-49+A1:2013

IEC 60068-2-50:2013, IEC 60068-2-50+A1:2013

IEC 60068-2-51:2013, IEC 60068-2-51+A1:2013

IEC 60068-2-52:2013, IEC 60068-2-52+A1:2013

IEC 60068-2-53:2013, IEC 60068-2-53+A1:2013

IEC 60068-2-54:2013, IEC 60068-2-54+A1:2013

IEC 60068-2-55:2013, IEC 60068-2-55+A1:2013

IEC 60068-2-56:2013, IEC 60068-2-56+A1:2013

IEC 60068-2-57:2013, IEC 60068-2-57+A1:2013

IEC 60068-2-58:2013, IEC 60068-2-58+A1:2013

IEC 60068-2-59:2013, IEC 60068-2-59+A1:2013

IEC 60068-2-60:2013, IEC 60068-2-60+A1:2013

IEC 60068-2-61:2013, IEC 60068-2-61+A1:2013

IEC 60068-2-62:2013, IEC 60068-2-62+A1:2013

IEC 60068-2-63:2013, IEC 60068-2-63+A1:2013

IEC 60068-2-64:2013, IEC 60068-2-64+A1:2013

IEC 60068-2-65:2013, IEC 60068-2-65+A1:2013

IEC 60068-2-66:2013, IEC 60068-2-66+A1:2013

IEC 60068-2-67:2013, IEC 60068-2-67+A1:2013

IEC 60068-2-68:2013, IEC 60068-2-68+A1:2013

IEC 60068-2-69:2013, IEC 60068-2-69+A1:2013

IEC 60068-2-70:2013, IEC 60068-2-70+A1:2013

IEC 60068-2-71:2013, IEC 60068-2-71+A1:2013

IEC 60068-2-72:2013, IEC 60068-2-72+A1:2013

IEC 60068-2-73:2013, IEC 60068-2-73+A1:2013

IEC 60068-2-74:2013, IEC 60068-2-74+A1:2013

IEC 60068-2-75:2013, IEC 60068-2-75+A1:2013

IEC 60068-2-76:2013, IEC 60068-2-76+A1:2013

IEC 60068-2-77:2013, IEC 60068-2-77+A1:2013

IEC 60068-2-78:2013, IEC 60068-2-78+A1:2013

IEC 60068-2-79:2013, IEC 60068-2-79+A1:2013

IEC 60068-2-80:2013, IEC 60068-2-80+A1:2013

IEC 60068-2-81:2013, IEC 60068-2-81+A1:2013

IEC 60068-2-82:2013, IEC 60068-2-82+A1:2013

IEC 60068-2-83:2013, IEC 60068-2-83+A1:2013

IEC 60068-2-84:2013, IEC 60068-2-84+A1:2013

IEC 60068-2-85:2013, IEC 60068-2-85+A1:2013

IEC 60068-2-86:2013, IEC 60068-2-86+A1:2013

IEC 60068-2-87:2013, IEC 60068-2-87+A1:2013

IEC 60068-2-88:2013, IEC 60068-2-88+A1:2013

IEC 60068-2-89:2013, IEC 60068-2-89+A1:2013

IEC 60068-2-90:2013, IEC 60068-2-90+A1:2013

IEC 60068-2-91:2013, IEC 60068-2-91+A1:2013

IEC 60068-2-92:2013, IEC 60068-2-92+A1:2013

IEC 60068-2-93:2013, IEC 60068-2-93+A1:2013

IEC 60068-2-94:2013, IEC 60068-2-94+A1:2013

IEC 60068-2-95:2013, IEC 60068-2-95+A1:2013

IEC 60068-2-96:2013, IEC 60068-2-96+A1:2013

IEC 60068-2-97:2013, IEC 60068-2-97+A1:2013

IEC 60068-2-98:2013, IEC 60068-2-98+A1:2013

IEC 60068-2-99:2013, IEC 60068-2-99+A1:2013

IEC 60068-2-100:2013, IEC 60068-2-100+A1:2013

IEC 60068-2-101:2013, IEC 60068-2-101+A1:2013

IEC 60068-2-102:2013, IEC 60068-2-102+A1:2013

IEC 60068-2-103:2013, IEC 60068-2-103+A1:2013

IEC 60068-2-104:2013, IEC 60068-2-104+A1:2013

IEC 60068-2-105:2013, IEC 60068-2-105+A1:2013

IEC 60068-2-106:2013, IEC 60068-2-106+A1:2013

IEC 60068-2-107:2013, IEC 60068-2-107+A1:2013

IEC 60068-2-108:2013, IEC 60068-2-108+A1:2013

IEC 60068-2-109:2013, IEC 60068-2-109+A1:2013

IEC 60068-2-110:2013, IEC 60068-2-110+A1:2013

IEC 60068-2-111:2013, IEC 60068-2-111+A1:2013

IEC 60068-2-112:2013, IEC 60068-2-112+A1:2013

IEC 60068-2-113:2013, IEC 60068-2-113+A1:2013

IEC 60068-2-114:2013, IEC 60068-2-114+A1:2013

IEC 60068-2-115:2013, IEC 60068-2-115+A1:2013

IEC 60068-2-116:2013, IEC 60068-2-116+A1:2013

IEC 60068-2-117:2013, IEC 60068-2-117+A1:2013

IEC 60068-2-118:2013, IEC 60068-2-118+A1:2013

IEC 60068-2-119:2013, IEC 60068-2-119+A1:2013

IEC 60068-2-120:2013, IEC 60068-2-120+A1:2013

IEC 60068-2-121:2013, IEC 60068-2-121+A1:2013

IEC 60068-2-122:2013, IEC 60068-2-122+A1:2013

IEC 60068-2-123:2013, IEC 60068-2-123+A1:2013

IEC 60068-2-124:2013, IEC 60068-2-124+A1:2013

IEC 60068-2-125:2013, IEC 60068-2-125+A1:2013

IEC 60068-2-126:2013, IEC 60068-2-126+A1:2013

IEC 60068-2-127:2013, IEC 60068-2-127+A1:2013

IEC 60068-2-128:2013, IEC 60068-2-128+A1:2013

IEC 60068-2-129:2013, IEC 60068-2-129+A1:2013

IEC 60068-2-130:2013, IEC 60068-2-130+A1:2013

IEC 60068-2-131:2013, IEC 60068-2-131+A1:2013

IEC 60068-2-132:2013, IEC 60068-2-132+A1:2013

IEC 60068-2-133:2013, IEC 60068-2-133+A1:2013

IEC 60068-2-134:2013, IEC 60068-2-134+A1:2013

IEC 60068-2-135:2013, IEC 60068-2-135+A1:2013

IEC 60068-2-136:2013, IEC 60068-2-136+A1:2013

IEC 60068-2-137:2013, IEC 60068-2-137+A1:2013

IEC 60068-2-138:2013, IEC 60068-2-138+A1:2013

IEC 60068-2-139:2013, IEC 60068-2-139+A1:2013

IEC 60068-2-140:2013, IEC 60068-2-140+A1:2013

IEC 60068-2-141:2013, IEC 60068-2-141+A1:2013

IEC 60068-2-142:2013, IEC 60068-2-142+A1:2013

IEC 60068-2-143:2013, IEC 60068-2-143+A1:2013

IEC 60068-2-144:2013, IEC 60068-2-144+A1:2013

IEC 60068-2-145:2013, IEC 60068-2-145+A1:2013

IEC 60068-2-146:2013, IEC 60068-2-146+A1:2013

IEC 60068-2-147:2013, IEC 60068-2-147+A1:2013

IEC 60068-2-148:2013, IEC 60068-2-148+A1:2013

IEC 60068-2-149:2013, IEC 60068-2-149+A1:2013

IEC 60068-2-150:2013, IEC 60068-2-150+A1:2013

IEC 60068-2-151:2013, IEC 60068-2-151+A1:2013

IEC 60068-2-152:2013, IEC 60068-2-152+A1:2013

IEC 60068-2-153:2013, IEC 60068-2-153+A1:2013

IEC 60068-2-154:2013, IEC 60068-2-154+A1:2013

IEC 60068-2-155:2013, IEC 60068-2-155+A1:2013

IEC 60068-2-156:2013, IEC 60068-2-156+A1:2013

IEC 60068-2-157:2013, IEC 60068-2-157+A1:2013

IEC 60068-2-158:2013, IEC 60068-2-158+A1:2013

IEC 60068-2-159:2013, IEC 60068-2-159+A1:2013

IEC 60068-2-160:2013, IEC 60068-2-160+A1:2013

IEC 60068-2-161:2013, IEC 60068-2-161+A1:2013

IEC 60068-2-162:2013, IEC 60068-2-162+A1:2013

IEC 60068-2-163:2013, IEC 60068-2-163+A1:2013

IEC 60068-2-164:2013, IEC 60068-2-164+A1:2013

IEC 60068-2-165:2013, IEC 60068-2-165+A1:2013

IEC 60068-2-166:2013, IEC 60068-2-166+A1:2013

IEC 60068-2-167:2013, IEC 60068-2-167+A1:2013

IEC 60068-2-168:2013, IEC 60068-2-168+A1:2013

IEC 60068-2-169:2013, IEC 60068-2-169+A1:2013

IEC 60068-2-170:2013, IEC 60068-2-170+A1:2013

IEC 60068-2-171:2013, IEC 60068-2-171+A1:2013

IEC 60068-2-172:2013, IEC 60068-2-172+A1:2013

IEC 60068-2-173:2013, IEC 60068-2-173+A1:2013

IEC 60068-2-174:2013, IEC 60068-2-174+A1:2013

IEC 60068-2-175:2013, IEC 60068-2-175+A1:2013

IEC 60068-2-176:2013, IEC 60068-2-176+A1:2013


IEC 60068-2-177:2013, IEC 60068-2-177+A1:2013

IEC 60068-2-178:2013, IEC 60068-2-178+A1:2013

IEC 60068-2-179:2013, IEC 60068-2-179+A1:2013

IEC 60068-2-180:2013, IEC 60068-2-180+A1:2013

IEC 60068-2-181:2013, IEC 60068-2-181+A1



[pdf]

6975532170047 p2 pro pl INSTRUKCJA OBSŁUGI Max ElektroTen produkt jest przeznaczony wyłącznie do użytku domowego nie komercyjnego lub przemysłowego ani na zewnątrz w wilgotnych miejscach proxymaxelektro storage file pimcore import 2025 2 20 6fc0b3accd992f9afecfd0ad2a60f89f7b zestaw pielegnacji siersci neakasa instrukcja |||

Odkurzacz / Zestaw do pielgnacji sierci INSTRUKCJA OBSLUGI Informacje dotyczące bezpieczeństwa Ostrzezenie ogólne Ten produkt jest przeznaczony wyłącznie do uyttku domowego, nie do uyttku komercyjnego lub przemysłowego, ani na zewntrz lub w wilgotnych miejscach; Niqdy nie pozwalaj dzieciom lub osobom o...

lang:pl score:9 filesize: 7.59 M page_count: 8 document date: 2024-10-01



[pdf]

Neakasa P2 20230220 6975532170047 02 cdn welkoop nl assets Pet Grooming Kit P2
PRO Welkoop Brush*1 Clean Deshedding Tool*1 Electric Clippers*1 Cleaning Nozzle*1 Note If you find
something missing in your package please contact Neakasa WelkoopGrooming contact cdn 02cdn |||

2

lang:pl score:9 filesize: 61.91 M page_count: 67 document date: 2023-02-20