

[Manuals.plus](#) /

› [Walimex Pro](#) /

› Walimex Pro 60W Bi-Colour LED Octagon Softbox (Model 23106) Instruction Manual

Walimex Pro 23106

Walimex Pro 60W Bi-Colour LED Octagon Softbox Instruction Manual

Model: 23106

1. INTRODUCTION

Thank you for choosing the Walimex Pro 60W Bi-Colour LED Octagon Softbox. This professional lighting kit is designed for high-quality photo and video productions, offering flexible illumination with adjustable color temperature and high color accuracy. This manual provides essential information for the safe and efficient use of your new equipment.

The kit includes a 60W bi-colour LED, an octagon softbox with a 65 cm diameter, a diffuser, a lamp stand, a remote control, and a carrying bag. Its compact design and ease of use make it suitable for both small studios and on-location shoots.

DAUERLICHTSET ZUM BESTPREIS

**Hohe Farbgenauigkeit**

Die Leuchte hat eine hohe Farbgenauigkeit von CRI 95+ und die Bi Color Farbtemperatur ist einstellbar von 3.000 – 6.000 K.

**Perfekte Beleuchtung**

Der Diffuser sorgt für eine weiche und gleichmäßige Ausleuchtung.

**Flexibel einsetzbar**

Das Beleuchtungsset ist kompakt und lässt sich schnell aufbauen. Ideal auch für kleine, enge Räume.



UNTERNEHMEN AUS DEUTSCHLAND

Image 1.1: Overview of the Walimex Pro Octagon Softbox kit highlighting high color accuracy (CRI 95+), perfect illumination with diffuser, and flexible, compact design.

2. SAFETY INSTRUCTIONS

- Read all instructions before use and keep this manual for future reference.
- Do not expose the device to rain, moisture, or extreme temperatures.
- Ensure the power supply matches the device's requirements.
- Always unplug the device before cleaning or when not in use.
- Do not block ventilation openings.
- Avoid direct eye exposure to the LED light.
- Keep out of reach of children.
- Only use accessories specified by the manufacturer.
- If any damage occurs, do not attempt to repair it yourself. Contact qualified service personnel.

3. PACKAGE CONTENTS

Please check that all items listed below are included in your package:

- 1 x Walimex Pro LED (60W Bi-Colour)
- 1 x Octagon Softbox (Diameter 65 cm)
- 1 x Diffuser
- 1 x Lamp Tripod
- 1 x Remote Control
- 1 x Storage Bag




Image 3.1: Visual representation of the items included in the Walimex Pro Octagon Softbox kit: lamp tripod, remote control, storage bag, 60W Bi-Colour LED, 65 cm octagon softbox, and diffuser.

4. SETUP

1. **Assemble the Lamp Tripod:** Extend the legs of the lamp tripod to a stable position. Adjust the height using the locking mechanisms. The tripod is adjustable from 71 cm to 182 cm.
2. **Attach the LED Lamp:** Mount the 60W Bi-Colour LED lamp onto the spigot connection at the top of the lamp tripod. Ensure it is securely fastened. The E27 lamp holder allows for easy installation of the LED bulb.
3. **Assemble the Octagon Softbox:** Open the octagon softbox. Insert the support rods into the designated slots on the LED lamp holder and the softbox fabric to form the octagonal shape.

4. **Attach the Diffuser:** Secure the white diffuser fabric to the front of the softbox using the hook-and-loop fasteners. This will soften and evenly spread the light.
5. **Connect Power:** Plug the power cable from the LED lamp into a suitable power outlet.



Image 4.1: The assembled Walimex Pro Octagon Softbox showing its 65 cm diameter and the lamp tripod adjustable from 71 cm to 182 cm in height.

5. OPERATING INSTRUCTIONS

5.1 Remote Control Functions

The included remote control has a range of 3-5 meters and provides convenient access to various lighting functions:

- **Power On/Off:** Press the power button to turn the light on or off.
- **Colour Temperature Adjustment:** Cycle through preset color temperatures (3000K, 5000K, 6000K) using the dedicated buttons.
- **Dimming Function:** Use the brightness adjustment buttons to increase or decrease the light intensity.
- **Strobe Function:** Activate the strobe effect for special lighting scenarios.
- **Night Light Function:** Engage the night light function for subtle backlighting, available in 3 levels

(3000K, 5000K, 6000K).

PRODUKTDDETAILS

walimex^{pro}

DAUERLICHTSET ZUM BESTPREIS



Kompatibel mit ihrem Equipment

Der Standard Spigot-Anschluss ist mit allen gängigen Lampenstativen kompatibel und um ca. 135° neigbar.



Einfache Steuerung

Die Fernbedienung hat eine Reichweite von 3-5 Metern und enthält viele praktische Funktionen.



Bi Color LED

60W Bi Color LED mit E27-Lampenfassung.

UNTERNEHMEN AUS DEUTSCHLAND

Image 5.1: The remote control for easy operation and the 60W Bi-Colour LED with E27 lamp holder, compatible with standard lamp tripods.

5.2 Adjusting Colour Temperature

The bi-colour LED allows you to adjust the color temperature between 3,000 K (warm light) and 6,000 K (cool daylight) to match your shooting environment or creative needs. Use the remote control to select the desired temperature.



Image 5.2: Demonstration of the bi-colour temperature feature, showing the difference between warm and cool lighting effects.

5.3 Tilting the Softbox

The softbox assembly can be tilted by approximately 135° to direct the light precisely where needed. Loosen the tilt adjustment knob on the lamp holder, position the softbox, and then tighten the knob to secure it.

6. MAINTENANCE

- **Cleaning:** Ensure the device is unplugged before cleaning. Use a soft, dry cloth to wipe the exterior surfaces. Do not use abrasive cleaners or solvents.
- **Storage:** When not in use, disassemble the softbox and store all components in the provided carrying bag to protect them from dust and damage. Store in a cool, dry place.
- **LED Care:** The LED bulb is designed for long life. Avoid touching the LED surface directly.

7. TROUBLESHOOTING

- **Light does not turn on:**
 - Check if the power cable is securely plugged into the outlet and the lamp.

- Ensure the power outlet is functional.
- Verify the remote control batteries are not depleted.
- **Remote control not responding:**
 - Replace the batteries in the remote control.
 - Ensure there are no obstructions between the remote and the LED lamp's receiver.
 - Check if you are within the 3-5 meter operating range.
- **Light output is inconsistent or flickering:**
 - Check for loose connections.
 - Ensure the power supply is stable.

If you encounter issues not listed here or if troubleshooting steps do not resolve the problem, please contact Walimex Pro customer support.

8. SPECIFICATIONS

Model Number:	23106
Brand:	Walimex Pro
Light Source Type:	LED
Light Source Wattage:	60 Watts
Colour Temperature:	3000 - 6000 Kelvin (Bi-Colour)
Colour Accuracy (CRI):	95+
Softbox Diameter:	65 cm
Lamp Tripod Height:	71 - 182 cm
Tilt Angle:	Approx. 135°
Remote Control Range:	3-5 meters
Material:	Synthetic fibre, plastic
Hardware Interface:	Radio Frequency (for remote)

9. WARRANTY AND SUPPORT

This product comes with a manufacturer's guarantee. Please refer to the warranty card included in your package for specific terms and conditions. For technical support, service, or warranty claims, please contact Walimex Pro customer service through their official website or the contact information provided with your purchase.

Keep your proof of purchase for warranty purposes.