

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [LI LIVSIP](#) /

› [Livsip Garden Shed 2.38 x 1.31M Outdoor Storage Workshop User Manual](#)

LI LIVSIP 238 x 131 x 181cm Without Base

Livsip Garden Shed User Manual

MODEL: 238 x 131 x 181CM WITHOUT BASE

1. Introduction

Thank you for choosing the Livsip Garden Shed. This outdoor storage workshop is designed to provide a durable and practical solution for your storage needs. Constructed from quality galvanised steel, it offers resistance to rust and weather, ensuring a long lifespan with minimal maintenance. This manual provides essential information for the safe assembly, operation, and care of your new garden shed.

Key Features:

- Galvanised steel construction for enhanced durability.
- Aluminium sliding doors for space efficiency and quiet operation.
- Skillion roof design for improved water drainage and increased headroom.
- Corrosion and rust-resistant materials.
- Integrated air vents for proper ventilation.
- Includes a lock for security.
- Designed for easy assembly.



Figure 1: Livsip Garden Shed installed in a typical backyard environment, showcasing its dark grey finish and white trim.

2. Safety Information

Please read and understand all safety warnings and instructions before beginning assembly. Failure to follow these instructions may result in injury or property damage.

- Always wear appropriate personal protective equipment (PPE), including work gloves and eye protection, during assembly.
- Assembly requires at least two adults. Do not attempt to assemble alone.
- Choose a level and stable site for the shed. Ensure adequate clearance around the shed for assembly and future access.
- Secure the shed to the ground using appropriate anchoring methods to prevent wind damage. Consult local building codes for specific requirements.
- Keep children and pets away from the assembly area.
- Be cautious of sharp edges on metal panels. Handle all components with care.
- Do not assemble in strong winds or adverse weather conditions.
- Do not store flammable liquids or hazardous materials inside the shed.

3. Package Contents

Before beginning assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Livsip Garden Shed panels and frame components (various sizes and shapes)
- Sliding door assembly components
- Roof panels and support beams
- Hardware kit (screws, nuts, bolts, washers, rubber cappings)
- Lock x1
- Assembly instructions manual

Note: The shed is packaged in multiple boxes (typically 3 packages). Ensure all packages have been received before starting.

4. Setup and Assembly

Assembly of the Livsip Garden Shed requires patience and careful attention to the instructions. While the process is designed to be straightforward, some steps may require careful alignment and interpretation. It is recommended to lay out all parts and familiarize yourself with them before starting.

4.1 Tools Required (Not Included)

- Work gloves
- Safety glasses
- Phillips head screwdriver
- Adjustable wrench or socket set
- Measuring tape
- Spirit level
- Drill (optional, for misaligned holes if necessary, use with extreme caution)
- Heat gun or hairdryer (recommended for plastic film removal)

4.2 Preparation

1. **Clear the Area:** Choose a flat, level surface for assembly. Ensure sufficient space around the shed footprint for working.
2. **Unpack and Identify Parts:** Carefully unpack all boxes. Identify each part by its label or shape as per the included parts list.
3. **Remove Protective Film:** Many metal panels are covered with a protective plastic film. This film can be challenging to remove. Using a heat gun or hairdryer on a low setting can help loosen the adhesive, making removal easier. Peel off the film from all panels before assembly.

4.3 Assembly Steps (General Overview)

Follow the detailed step-by-step instructions provided in the separate assembly manual included with your shed. The following is a general sequence:

1. **Base Frame Assembly:** Assemble the bottom frame of the shed. Ensure it is square and level before proceeding.

2. **Wall Panel Installation:** Attach the wall panels to the base frame, working systematically around the shed. Pay close attention to the orientation of each panel.
3. **Door Frame and Sliding Door Installation:** Assemble and install the door frame, followed by the sliding door mechanism. Ensure the door slides smoothly.
4. **Roof Frame Assembly:** Construct the roof support frame on the ground, then carefully lift and secure it to the top of the wall panels.
5. **Roof Panel Installation:** Attach the roof panels to the roof frame, ensuring proper overlap for water drainage.
6. **Finishing Touches:** Install any remaining trim, vents, and the lock. Apply rubber cappings to all exposed screws for enhanced weather resistance.
7. **Anchoring:** Once fully assembled, securely anchor the shed to the ground using appropriate anchors (not included) to prevent movement in high winds.



Figure 2: Angled view of the Livsip Garden Shed, highlighting the skillion roof and corrugated metal panels.



Figure 3: Front view of the shed with the sliding door fully open, showing the entrance dimensions.



Figure 4: Front view of the shed with the sliding door closed, illustrating its secure and compact appearance.



Figure 5: Side view of the Livsip Garden Shed, showing the vertical corrugated panel design.



Figure 6: Back view of the Livsip Garden Shed, displaying the full extent of the rear wall.




Figure 7: Diagram illustrating the key dimensions of the Livsip Garden Shed, including width, depth, and height.

5. Operating Instructions

The Livsip Garden Shed is designed for simple and efficient use.

- **Sliding Door:** The shed features an aluminium alloy sliding door. To open, gently slide the door along its track. Ensure the track is clear of debris for smooth operation. To close, slide the door back until it meets the frame.
- **Locking Mechanism:** Use the provided lock to secure the shed. Insert the key and turn to lock or unlock the door. Always ensure the door is fully closed before locking.
- **Ventilation:** The shed is equipped with air vents to promote air circulation and reduce condensation. Do not block these vents.

6. Maintenance

Regular maintenance will help preserve the appearance and extend the lifespan of your Livsip Garden Shed.

- **Cleaning:** Periodically clean the exterior of the shed with mild soap and water. Rinse thoroughly with clean water. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Check Fasteners:** Annually inspect all screws, nuts, and bolts to ensure they are tight. Re-tighten any loose fasteners to maintain structural integrity.
- **Door Tracks:** Keep the sliding door tracks clean and free of dirt, leaves, or other debris to ensure smooth operation. Lubricate the tracks with a silicone-based spray if the door becomes stiff.
- **Rust Prevention:** Although the shed is made from galvanised steel, inspect for any signs of rust, especially in areas where the coating might be scratched. Touch up any affected areas with rust-inhibiting

paint if necessary.

- **Ventilation:** Ensure the air vents remain clear and unobstructed to allow for proper airflow.

7. Troubleshooting

This section addresses common issues that may arise during assembly or use.

- **Confusing Instructions:** If the assembly instructions seem unclear, review the diagrams carefully. Sometimes, a different perspective or a short break can help. Online resources or videos from the manufacturer (if available) may also provide additional clarity.
- **Misaligned Holes:** In some cases, screw holes may not align perfectly. Gently adjust the panels to bring the holes into alignment. If a hole is significantly off, a small drill bit (used with extreme caution and appropriate safety gear) might be used to slightly widen the existing hole, but this should be a last resort. Do not force screws.
- **Difficulty Removing Plastic Film:** The protective plastic film can be stubborn. As mentioned in the setup section, a heat gun or hairdryer on a low setting can help soften the adhesive, making the film easier to peel off.
- **Shed Feels Flimsy After Assembly:** Ensure all fasteners are securely tightened. Proper anchoring of the shed to a solid foundation is crucial for stability, especially in windy conditions. Consider adding additional internal bracing if you require a more rigid structure, though this may void warranty.
- **Sliding Door Sticks:** Check the door tracks for any debris (dirt, leaves, small stones) and clear them. Lubricate the tracks with a silicone spray. Ensure the shed base is level, as an uneven base can cause the door to bind.

If you encounter issues not covered here, please refer to the Warranty and Support section for contact information.

8. Specifications

Attribute	Detail
Brand	LI LIVSIP
Model	238 x 131 x 181cm Without Base
Material	0.6mm galvanised zinc steel (Alloy Steel, Metal)
Colour	Dark grey
Size with roof (W x D x H)	238cm x 131cm x 182cm
Sliding door size (W x H)	72cm x 154cm
Ground surface area (L x W)	226cm x 120cm
Each vent size (L x W)	23cm x 10cm
Product Weight	52.6 kg (approx. 52.55 Grams listed in product dimensions, likely a typo in source data, using 52.6 kg from Item Weight)

Manufacturer	LI LIVSIP
Country of Origin	China

9. Warranty and Support

Your Livsip Garden Shed is covered by a manufacturer's warranty against defects in materials and workmanship. Please refer to your purchase documentation for specific warranty terms and duration. For technical assistance, missing parts, or warranty claims, please contact the seller or manufacturer directly through the platform where you purchased the product. Have your purchase details (order number, date of purchase, and product model) ready when contacting support.

Seller: Oikos 1943

ASIN: B0BDDF2PYN