Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

DC Cargo Mall 9 Inch

DC Cargo 9-Inch E Track U Hooks (4-Pack) Instruction Manual

Model: 9 Inch U-Hooks | Brand: DC Cargo Mall

Introduction

This manual provides comprehensive instructions for the safe and effective use of your DC Cargo 9-Inch E Track U Hooks. These heavy-duty hooks are designed to integrate with E Track rail systems, offering versatile storage and organization solutions for enclosed trailers, box trucks, vans, garages, workshops, and warehouses. Please read this manual thoroughly before installation and use.

Product Features

- **Large U-Hanger Design:** Each hook measures 12.5 inches tall with a 9-inch inner clearance and a 1/2-inch hook diameter, suitable for various items.
- **Heavy-Duty Construction:** Made from industrial-grade steel with a powder-coated finish, ensuring durability.
- **High Capacity:** Features a 300-pound working load limit and a 900-pound break strength.
- **E Track Compatibility:** Universal compatibility with all standard E Track Rail System slots and configurations. E Track system sold separately.
- **Easy Installation:** Equipped with spring fittings for quick and secure attachment and detachment from E Track rails.
- **Corrosion and Rust Resistant:** Zinc finish allows for indoor or outdoor use without compromising safety or security.
- **Portable:** Lightweight design allows for quick relocation between different E Track systems.

Setup and Installation

The DC Cargo E Track U Hooks are designed for quick and tool-free installation into any standard E Track rail system. Ensure your E Track rail is securely mounted before attaching the hooks.

1. **Identify E Track Slot:** Locate an available slot on your E Track rail where you wish to install the hook.
2. **Engage Spring Fitting:** Align the spring fitting on the back of the U Hook with the E Track slot.

3. **Insert and Secure:** Press the lever on the spring fitting and insert the hook into the E Track slot. Release the lever to lock the hook securely in place. A click indicates proper engagement.
4. **Verify Stability:** Gently pull on the hook to ensure it is firmly seated and does not dislodge easily.




Figure 1: Easy installation process with the spring fitting mechanism.



Figure 2: The 9-inch inner clearance provides ample space for various items.

Operating Instructions

Once installed, the U Hooks can be used to organize and secure a variety of items. Always ensure the weight of the items does not exceed the hook's working load limit.

- **Hanging Equipment:** Utilize the hooks to hang tools, hoses, cords, ladders, and other equipment. The 9-inch clearance is suitable for bulky items.
- **Securing Cargo:** The hooks can serve as anchor points for bungee cords, ropes, straps, and other tie-downs to secure cargo during transport.
- **Custom Organization:** The ability to quickly reposition the hooks allows for flexible organization layouts to suit changing storage needs.



Figure 3: U Hooks provide a stable and "unshakable" solution for hanging items.



Figure 4: Organize your trailer or workspace for easy access and secure transport.

Maintenance

The DC Cargo E Track U Hooks are constructed from durable, rust-resistant materials, requiring minimal maintenance.

- **Regular Inspection:** Periodically inspect the hooks for any signs of wear, damage, or corrosion, especially if used outdoors or in harsh environments.
- **Cleaning:** Clean with a damp cloth as needed. Avoid abrasive cleaners that could damage the powder-coated finish.
- **Storage:** When not in use, store hooks in a dry environment to prolong their lifespan, although they are designed for outdoor exposure.

Troubleshooting

Most issues with E Track U Hooks are related to improper installation or exceeding load limits.

- **Hook Does Not Lock:** Ensure the spring fitting is fully engaged with the E Track slot. Press the lever firmly and push the hook completely into the slot until it clicks. Inspect the E Track rail for any obstructions or damage.
- **Hook Feels Loose:** Re-engage the hook, ensuring it is properly seated. If the issue persists, inspect both the hook's fitting and the E Track rail for damage or excessive wear.
- **Items Falling Off:** Verify that the weight of the items does not exceed the 300-pound working load limit. Ensure items are balanced and properly placed on the hook.

Specifications

Attribute	Detail
Model	9 Inch U-Hooks
Quantity	4 Pack
Dimensions (L x W x H)	9 x 0.5 x 12.5 inches
Inner Clearance	9 inches
Hook Diameter	0.5 inches
Material	Alloy Steel, Stainless Steel
Finish Type	Powder Coated, Zinc Finish
Color	Silver (Powder Coated)
Mounting Type	E-Track Mount
Working Load Limit (WLL)	300 Pounds
Break Strength (BS)	900 Pounds
Item Weight (per pack)	13.09 pounds

Warranty and Support

DC Cargo Mall products are designed for durability and reliability. These E Track U Hooks come with a**Limited Lifetime Warranty**, ensuring quality and performance under normal use. For warranty claims, product support, or any inquiries, please contact DC Cargo Mall directly through their official website or the retailer where the product was purchased.
As a USA-based, family-owned and operated small business, DC Cargo Mall is committed to customer satisfaction and American quality control.

© 2025 DC Cargo Mall. All rights reserved.
For more information, visit DC Cargo Mall Store.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BDG7T5DS

More documents and user manuals: **https://manuals.plus/**