

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› **MEMBER'S MARK** /

› **Member's Mark Patio Heater with LED Table User Manual**

MEMBER'S MARK Patio Heater with LED Table

Member's Mark Patio Heater with LED Table User Manual

1. INTRODUCTION

This manual provides essential information for the safe assembly, operation, maintenance, and troubleshooting of your Member's Mark Patio Heater with LED Table. Please read all instructions carefully before use and retain this manual for future reference.

2. SAFETY INFORMATION

Always adhere to the following safety guidelines to prevent injury or damage:

- For outdoor use only. Do not operate indoors or in enclosed spaces.
- Maintain adequate clearance from combustible materials: at least 3 feet (0.91 m) from sides and 2 feet (0.61 m) from top.
- Ensure the heater is placed on a firm, level surface.
- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- Never leave the heater unattended while in operation.
- Keep children and pets at a safe distance from the heater.
- Turn off the gas supply at the cylinder after use.
- Allow the heater to cool completely before moving or storing.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Heater Head Assembly
- Main Pole
- LED Table Section
- Base Assembly with Wheels
- Gas Hose and Regulator
- Hardware Pack (bolts, washers, nuts)
- User Manual

4. SETUP

Follow these steps for proper assembly and connection of your patio heater:

1. Unpack all components and ensure no parts are missing or damaged.
2. Attach the wheels to the base assembly using the provided hardware.
3. Secure the main pole to the base assembly.
4. Slide the LED table section onto the main pole and secure it at the desired height.
5. Mount the heater head assembly onto the top of the main pole.
6. Connect the gas hose and regulator to the heater's gas inlet. Ensure all connections are tight.
7. Place a standard 20 lb propane tank (not included) into the base compartment and connect the regulator.
8. Perform a leak test on all gas connections using a soap and water solution before first use.



Image 1: The Member's Mark Patio Heater with LED Table assembled and ready for use in an outdoor patio environment. This image illustrates the overall design and scale of the heater, featuring its radiant burner, central pole, and integrated LED table.

5. OPERATING INSTRUCTIONS

5.1. Ignition

1. Ensure the propane tank valve is fully open.
2. Turn the control knob to the 'PILOT' position and push it in. Hold for 30-60 seconds to purge air from

the gas lines.

3. While holding the knob in, press the igniter button repeatedly until the pilot flame lights. You should see a small flame through the viewing hole.
4. Once the pilot is lit, continue to hold the control knob in for another 10-15 seconds, then release. The pilot should remain lit.
5. Turn the control knob to the 'LOW' position, then slowly rotate it to the desired heat setting ('HIGH' or 'LOW'). The main burner should ignite.

5.2. Turning Off

1. Turn the control knob to the 'OFF' position.
2. Close the valve on the propane tank completely.

5.3. LED Table Operation

The LED table is powered by an independent battery source. Locate the power button on the underside or side of the LED table. Press the button to cycle through light modes or to turn the LED lights on/off. Refer to the specific instructions for battery installation and replacement if applicable.

6. MAINTENANCE

Regular maintenance ensures safe and efficient operation of your patio heater:

- **Cleaning:** Clean exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure the heater is cool before cleaning.
- **Reflector:** Keep the reflector free of dust and debris to maximize heat output.
- **Burner:** Periodically inspect the burner and pilot assembly for spider webs or insect nests, which can obstruct gas flow. Clean with a soft brush if necessary.
- **Gas Hose:** Inspect the gas hose for signs of wear, cuts, or cracks before each use. Replace if damaged.
- **Storage:** When not in use for extended periods, disconnect the propane tank and store it in a well-ventilated area outdoors. Cover the heater with a weather-resistant cover to protect it from the elements.



Image 2: The Member's Mark Patio Heater covered with a black protective cover. This image demonstrates proper storage practice to shield the heater from weather and dust when not in use, extending its lifespan.

7. TROUBLESHOOTING

Refer to the following table for common issues and their solutions:

| Problem | Possible Cause | Solution |
|---------------------------------------|--|---|
| Heater will not ignite | No gas supply; Air in gas line; Clogged pilot/burner; Faulty igniter | Check propane tank level and valve; Purge air by holding pilot knob longer; Clean pilot/burner; Check igniter electrode and wire. |
| Pilot lights but main burner does not | Control knob not held long enough; Low gas pressure; Clogged main burner orifice | Hold pilot knob for 10-15 seconds after ignition; Ensure tank valve is fully open; Clean main burner. |
| Low heat output | Low gas pressure; Partially clogged burner; Regulator issue | Check propane tank level; Clean burner; Inspect regulator for damage. |

| Problem | Possible Cause | Solution |
|-----------------------|---|--|
| LED table not working | Dead batteries; Power switch off; Loose connection | Replace batteries; Ensure power switch is on; Check battery compartment connections. |

8. SPECIFICATIONS

- **Brand:** MEMBER'S MARK
- **Model:** Patio Heater with LED Table
- **Special Feature:** Wheels
- **Form Factor:** Dish
- **Mounting Type:** Floor Mount
- **Room Type:** Patio (Outdoor Use Only)
- **Burner Type:** Radiant
- **UPC:** 193968239954
- **ASIN:** B0BDMT7XJH
- **Date First Available:** September 8, 2022

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided at the point of purchase or visit the official Member's Mark website. Keep your purchase receipt as proof of purchase for any warranty claims.