

GIANTEX GX10305BE-Q-UH

GIANTEX Queen Size Upholstered Bed Frame GX10305BE-Q-UH User Manual

Model: GX10305BE-Q-UH

1. INTRODUCTION

Thank you for choosing the GIANTEX Queen Size Upholstered Bed Frame. This manual provides essential information for the safe assembly, operation, and maintenance of your new bed frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions could result in serious injury or damage to the product.

- Ensure that the bed is properly assembled according to the instructions to avoid entrapment hazards.
- Do not use with mattresses or bedding that pose suffocation risks for infants and young children.
- The maximum weight capacity for this bed frame is **880 lbs (400 kg)**. Do not exceed this limit.
- Keep all assembly hardware out of reach of children.
- Periodically check all connections and fasteners to ensure they remain tight. Retighten as necessary.
- Do not stand on the bed frame or use it as a ladder.
- Use only the recommended mattress size (Queen).

3. PACKAGE CONTENTS

Before assembly, please ensure all parts are present and undamaged. If any parts are missing or damaged, contact customer support immediately.

- Upholstered Headboard
- Upholstered Footboard
- Side Rails (Left and Right)
- Center Support Beam
- Support Legs (including adjustable middle legs)

- Plywood Slats (pre-assembled with hook & loop fastener strip)
- Hardware Pack (bolts, washers, nuts, Allen wrench)
- Assembly Instruction Manual

4. SETUP AND ASSEMBLY

Assembly is designed to be straightforward. It is recommended that two adults assemble this bed frame. Clear a spacious area and lay out all components before starting.

4.1 Preparation

1. Unpack all components and place them on a soft, clean surface to prevent scratches.
2. Identify each part by comparing it with the parts list in your separate assembly instruction manual.
3. Ensure you have the included Allen wrench and any other necessary tools (not typically required).

4.2 Assembly Steps

1. **Attach Side Rails to Headboard:** Connect the side rails to the headboard using the provided bolts and Allen wrench. Do not fully tighten bolts until all connections are made.
2. **Attach Side Rails to Footboard:** Connect the other end of the side rails to the footboard. Ensure the upholstered panels face outwards.
3. **Install Center Support Beam:** Secure the center support beam to the designated brackets on the headboard and footboard. Attach the middle support legs to this beam. Adjust the foot pads on these legs to ensure even contact with the floor.
4. **Tighten All Bolts:** Once all main frame components are loosely assembled, go back and securely tighten all bolts.
5. **Roll Out Slats:** The wooden slats are connected by a strip of hook & loop fastener for easy deployment. Roll them out across the bed frame, ensuring they are evenly spaced and secured to the side rails and center beam (if applicable) using the hook & loop fasteners. Noise-reduction foam is pre-applied to the main beam and slats to prevent squeaking.
6. **Attach Outer Support Legs:** Secure the remaining support legs to the corners of the bed frame. These legs feature non-slip pads to protect your flooring.

Queen Size

880
lbs

Weight Capacity
880 lbs



Hook & Loop Fastener
for Easy Assembly

Figure 1: Overall dimensions of the Queen size bed frame (86"L x 64.5"W x 45"H) and a close-up of the hook & loop fastener system for easy slat assembly. The bed has a weight capacity of 880 lbs.



Stout Metal Legs with Non-slip Pads

Never scratch your floor

Figure 2: Details of the bed frame's heavy-duty construction, including noise-reduction foam on slats, extra middle support for stability, and adjustable foot pads for uneven floors.

Noise-free Slatted Bed Frame

Thoughtfully-designed for a sound sleep



Noise-reduction Foam



Figure 3: Illustration of the noise-reduction foam integrated into the slatted bed frame design, ensuring a quiet sleep experience.



Figure 4: Close-up view of the stout metal legs equipped with non-slip pads, designed to prevent scratching and protect your flooring.

5. OPERATING INSTRUCTIONS

- **Mattress Placement:** Place your Queen-sized mattress directly onto the assembled slats. A box spring is not required for this platform bed frame.
- **Weight Distribution:** Ensure weight is distributed evenly across the bed frame. Avoid concentrating heavy loads on small areas.
- **Movement:** When moving the bed frame, lift it rather than dragging it to prevent damage to the legs or your flooring.

6. MAINTENANCE

- **Cleaning Upholstery:** The upholstered headboard and footboard should be dry cleaned only. Do not use liquid cleaners or abrasive materials, as this may damage the fabric.
- **Frame Cleaning:** Wipe metal and wood components with a soft, damp cloth. Avoid harsh chemicals.
- **Fastener Check:** Periodically (every 3-6 months) check all bolts and screws to ensure they are tight. Retighten as necessary to maintain stability and prevent squeaking.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight may cause the upholstery fabric to fade.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Loose bolts; uneven floor; improperly installed support legs.	Ensure all bolts are fully tightened. Adjust the foot pads on the middle support legs to compensate for uneven flooring. Verify all support legs are securely attached.
Squeaking noises.	Loose connections; friction between components; missing noise-reduction foam.	Tighten all bolts. Ensure slats are properly seated and the noise-reduction foam is in place between the slats and the frame. If foam is missing or damaged, contact support.
Parts do not fit together during assembly.	Incorrect orientation of parts; manufacturing defect.	Double-check the assembly instructions and part orientation. Ensure you are not forcing parts. If parts still do not fit, contact customer support with details and photos.
Bed frame sinks in the middle.	Overloaded; center support legs not properly adjusted or installed.	Ensure the total weight does not exceed 880 lbs. Verify the center support beam and its legs are correctly installed and adjusted to touch the floor firmly.

8. SPECIFICATIONS

Model Number	GX10305BE-Q-UH
Size	Queen (U.S. Standard)
Overall Dimensions (L x W x H)	86" x 64.5" x 45"
Material	Polyester (Upholstery), Plywood (Slats), MDF, Steel (Frame), Sponge (Padding)
Color	Gold & Beige
Weight Capacity	880 lbs (400 kg)
Net Weight	68.5 lbs
Assembly Required	Yes
Care Instructions	Dry Clean Only (Upholstery)

9. WARRANTY AND SUPPORT

GIANTEX products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your purchase or visit the official GIANTEX website. If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact GIANTEX customer support:

- **Website:** www.giantex.com (Please check for the most current contact information)
- **Email:** Refer to website for customer service email.
- **Phone:** Refer to website for customer service phone number.

When contacting support, please have your model number (GX10305BE-Q-UH) and purchase information readily available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question