

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Yaheetech](#) /

› [Yaheetech Twin XL Metal Platform Bed Frame Instruction Manual](#)

## Yaheetech YT-00117197-V01

# Yaheetech Twin XL Metal Platform Bed Frame Instruction Manual

Model: YT-00117197-V01



## INTRODUCTION

Thank you for choosing the Yaheetech Twin XL Metal Platform Bed Frame. This manual provides comprehensive instructions to ensure safe assembly, proper use, and effective maintenance of your new bed frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

## SAFETY INFORMATION

**WARNING:** Careful around sharp edges. Do not load more than 350 pounds. Follow assembly instructions carefully to prevent instability or collapse.

- Ensure all parts are present and undamaged before assembly.
- Assemble the bed frame on a soft, clean surface to prevent scratches.
- Do not overtighten screws during assembly to avoid damaging components.
- Regularly check all bolts and screws to ensure they remain tight.
- Keep children and pets away from the assembly area.
- This bed frame is designed for a maximum weight capacity of 350 lbs. Do not exceed this limit.

## PACKAGE CONTENTS

Before assembly, verify that all components listed below are included in your package:

- Headboard
- Footboard
- Side Rails
- Metal Slats
- Support Legs
- Hardware Pack (screws, bolts, Allen wrench)
- Installation Manual

## SETUP AND ASSEMBLY INSTRUCTIONS

Assembly is straightforward and can be completed with the included tools. For best results, it is recommended to have two people for assembly.

## Step 1: Prepare Components

Unpack all components and lay them out on a clean, soft surface. Identify the headboard, footboard, side rails, and support legs. Ensure all hardware is accounted for.

## Step 2: Attach Side Rails to Headboard and Footboard


Connect the side rails to the headboard and footboard using the provided bolts and Allen wrench. Do not fully tighten the bolts until all components are loosely assembled.



Image: The fully assembled bed frame structure, showing the headboard, footboard, and side rails connected, ready for slats.

## Step 3: Install Metal Slats

Insert the metal slats into the designated slots on the side rails. Ensure each slat is securely in place. The bed frame features built-in slats designed to prevent the mattress from sliding.



Fastened with L-shaped plates for a more stable structure

Image: A close-up view showing how L-shaped plates are used to fasten components, ensuring a stable structure.



Aim the metal pipe at the notch



Press hard and fix



Image: Visual guide demonstrating how to align and press metal pipes into the notches for secure slat installation.


#### Step 4: Final Tightening

Once all components are in place, go back and fully tighten all bolts and screws. Ensure the frame is stable and level.

#### Step 5: Place Mattress

Place your Twin XL mattress directly onto the metal slats. No box spring is needed for this platform bed frame.

**Twin SIZE**



**Twin XL SIZE**





Image: A visual comparison illustrating the length difference between a Twin size bed frame (77.5 inches) and a Twin XL size bed frame (83 inches).



Elegant Headboard



Metal Slat



Bottom Storage Space




Protective Footpads

Image: The Twin XL bed frame with a mattress, showcasing the elegant headboard, metal slats, and ample under-bed storage space.

## PRODUCT FEATURES

- Sturdy Construction:** Built with durable metal slats, side rails, and six support legs for a 350 lb load-bearing capacity, ensuring stability and preventing squeaks.
- Elegant Design:** Features a thoughtfully designed headboard and footboard with cast metal scrollwork, adding a touch of elegance to any room.
- Space-Saving:** Offers 12.6 inches of clearance underneath the bed, providing convenient storage space for clothes, shoes, bags, and other items.
- No Box Spring Needed:** The robust metal slat system supports your mattress directly, eliminating the need for a box spring.
- Mattress Stability:** Built-in slats are designed to prevent the mattress from sliding.
- Protective Footpads:** Equipped with protective footpads to prevent scratches on your flooring.



Twin XL  
SIZE

Max. Weight  
Capacity  
350 lb

Applicable  
Mattress Size  
80" x 39"

Image: An annotated diagram showing the full dimensions of the Twin XL bed frame, including height, width, and length.

## SPECIFICATIONS

<b>Size</b>	Twin XL
<b>Product Dimensions</b>	80"L x 39"W x 35"H
<b>Material</b>	Iron
<b>Color</b>	Black
<b>Finish Type</b>	Powder Coated
<b>Weight Capacity</b>	350 lbs
<b>Under-Bed Clearance</b>	12.6 inches
<b>Assembly Required</b>	Yes

Item Weight	29.2 pounds
Model Number	YT-00117197-V01

## CARE AND MAINTENANCE

To maintain the quality and appearance of your Yaheetech bed frame, follow these care instructions:

- **Cleaning:** Wipe with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners, as they may damage the finish.
- **Regular Checks:** Periodically inspect all bolts and connections to ensure they are tight. Retighten if necessary to maintain stability and prevent squeaking.
- **Avoid Overloading:** Do not exceed the maximum weight capacity of 350 lbs to prevent structural damage.
- **Placement:** Place the bed frame on a level surface to ensure even weight distribution and stability.

## TROUBLESHOOTING

If you encounter any issues with your bed frame, refer to the following common solutions:

- **Squeaking Noises:**
  - Check all bolts and screws. Loosen slightly, adjust the frame, and then retighten firmly.
  - Ensure the bed frame is on a level surface.
- **Instability/Wobbling:**
  - Verify that all connections are securely tightened.
  - Ensure all support legs are making firm contact with the floor.
- **Mattress Sliding:**
  - Confirm that the mattress is correctly positioned within the frame's edges.
  - Consider using a non-slip mattress pad between the mattress and the slats if sliding persists.

If problems persist, please contact customer support.

## WARRANTY AND SUPPORT

For warranty information or if you require assistance with your Yaheetech Twin XL Metal Platform Bed Frame, please refer to the contact information provided with your purchase or visit the official Yaheetech website.

Please have your model number (YT-00117197-V01) and purchase details ready when contacting support.