

[Manuals.plus](#) /

> [Moen](#) /

> Moen Laris One-Handle Single Hole Modern Bathroom Sink Faucet Instruction Manual

Moen 84014

Moen Laris One-Handle Single Hole Modern Bathroom Sink Faucet

Model: 84014

Brand: Moen

PRODUCT OVERVIEW

The Moen Laris One-Handle Single Hole Modern Bathroom Sink Faucet is designed to provide both aesthetic appeal and functional performance in your bathroom. Featuring a chrome finish, this faucet offers a reflective, mirror-like look that complements various decorating styles. It is equipped with a single handle for easy adjustment of water temperature and flow, and includes an optional 3-hole deck plate for flexible installation options. This faucet meets EPA WaterSense criteria, ensuring water conservation without compromising performance.



Figure 1: Moen Laris One-Handle Single Hole Modern Bathroom Sink Faucet, showcasing its sleek chrome finish and modern design.

Key Features:

- **Versatile Design:** Chrome finish provides a highly reflective, mirror-like appearance suitable for diverse decor.
- **Temperature Control:** Single handle lever allows for effortless adjustment of water temperature and flow.
- **Flexible Installation:** Includes an optional 3-hole deck plate (escutcheon) for adaptable installation.
- **Efficient Flow:** Delivers a maximum flow rate of 1.2 gallons per minute (4.5 L/min) at 60 psi.
- **WaterSense Certified:** Complies with EPA WaterSense criteria, promoting water conservation without sacrificing performance.

SETUP AND INSTALLATION

Before beginning installation, ensure all necessary components are present and that water supply lines are shut off. This faucet is designed for single-hole or three-hole sink configurations.

Components Included:

- Sink Faucet
- Optional Deck Plate
- Drain Assembly (Spring Loaded)
- Installation Hardware
- Supply Lines (Included)

Installation Steps:

1. **Prepare the Sink:** Clean the sink surface where the faucet will be mounted. If installing on a 3-hole sink, place the optional deck plate over the holes.
2. **Mount the Faucet:** Insert the faucet body through the hole(s) in the sink or deck plate. Secure the faucet from underneath the sink using the provided mounting hardware. Ensure the faucet is oriented correctly.
3. **Connect Water Supply Lines:** Attach the included 3/8" supply lines to the faucet's inlets and then connect them to your hot and cold water supply valves. Ensure all connections are hand-tightened, then use a wrench for a final quarter-turn to prevent leaks.
4. **Install Drain Assembly:** Follow the instructions for installing the spring-loaded drain assembly into the sink drain opening. Ensure a watertight seal.
5. **Test for Leaks:** Slowly turn on the water supply to the faucet. Check all connections for any signs of leaks. Operate the faucet to ensure proper hot and cold water flow.

Spout Reach
3.75"



Height
6"

Maximum Deck Thickness - 1.19"
Deckplate Included

Drain Included
Supply Lines Included

Connection Size - 3/8"

1 or 3 Hole Installation

Figure 2: Dimensional diagram of the Moen Laris faucet, showing spout reach (3.75"), height (6"), maximum deck thickness (1.19"), and connection size (3/8").

Will this faucet fit my sink?

This faucet fits a one or three hole configuration.




Figure 3: Diagram illustrating the compatibility of the Moen Laris faucet with both one-hole and three-hole sink configurations.

OPERATING INSTRUCTIONS

The Moen Laris faucet features a single handle for intuitive control of water flow and temperature.

- **Turning On/Off:** Lift the handle upwards to turn on the water flow. Push the handle downwards to turn off the water flow.
- **Adjusting Temperature:** Move the handle to the left for hot water and to the right for cold water. The temperature will blend as the handle is moved between these positions.
- **Adjusting Flow:** The height to which the handle is lifted controls the water flow rate. Lift higher for increased flow, lower for reduced flow.



Figure 4: The Moen Laris faucet installed in a contemporary bathroom, demonstrating its integration with a square basin and tiled wall.

MAINTENANCE AND CARE

Proper care and maintenance will ensure the longevity and appearance of your Moen Laris faucet.

- **Cleaning the Finish:** To maintain the chrome finish, clean with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Aerator Maintenance:** Periodically unscrew the aerator from the end of the spout and clean any debris or mineral buildup. This helps maintain optimal water flow.
- **General Care:** Wipe down the faucet regularly to prevent water spots and soap scum buildup.



Figure 5: A detailed view of the Moen Laris faucet, highlighting its polished chrome surface and the single handle design, emphasizing the importance of regular cleaning.

TROUBLESHOOTING

If you encounter issues with your Moen Laris faucet, refer to the following common troubleshooting tips:

| Problem | Possible Cause | Solution |
|--------------------------|--|---|
| Low Water Flow | Clogged aerator; partially closed supply valves; debris in supply lines. | Clean or replace aerator. Ensure supply valves are fully open. Flush supply lines if necessary. |
| Leaking from Faucet Base | Loose mounting nut; worn O-rings. | Tighten mounting nut from underneath the sink. Inspect and replace O-rings if damaged. |
| Water Temperature Issues | Incorrect supply line connection; issue with water heater. | Verify hot and cold supply lines are connected correctly. Consult a plumber if water heater issues are suspected. |

| Problem | Possible Cause | Solution |
|----------------------------|--|--|
| Drain Not Sealing Properly | Improper drain assembly installation; debris in drain. | Re-install drain assembly ensuring proper seal. Clear any debris from the drain. |

If these steps do not resolve the issue, please contact Moen customer support for further assistance.

SPECIFICATIONS

| Attribute | Detail |
|----------------------|---|
| Manufacturer | Moen Incorporated |
| Part Number | 84014 |
| Product Dimensions | 52.58 x 23.88 x 7.87 cm |
| Item Weight | 1.54 kg |
| Colour | Chrome |
| Style | Modern |
| Finish | Polished |
| Material | Metal |
| Installation Method | Single Hole |
| Flow Rate | 1.2 Gallons Per Minute (4.5 L/min) |
| Number of Holes | 1 (or 3 with optional deck plate) |
| Spout Height | 9.53 Centimeters |
| Spout Reach | 12.62 Centimeters |
| Number of Handles | 1 |
| Mounting Type | Deck Mount |
| Special Features | Push Down Drain, Easy Install, Includes Optional Deck Plate |
| Included Components | Sink Faucet, Deck Plate, Drain, Installation Hardware, Instruction Manual |
| Warranty Description | Limited Lifetime Warranty |

WARRANTY AND SUPPORT

Your Moen Laris One-Handle Single Hole Modern Bathroom Sink Faucet is backed by Moen's **Limited Lifetime Warranty**. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser for as long as the original consumer purchaser owns their home.

For detailed warranty information, claims, or technical support, please visit the official Moen website or contact Moen customer service directly. Ensure you have your product model number (84014) and proof of purchase available when contacting support.



Figure 6: Moen's certification for U.S. Water Safety Standards, indicating a commitment to safe drinking water.



Figure 7: Recognition of Moen as "America's Most Trusted Faucet Brand" for 10 consecutive years, based on Lifestory Research.

© 2025 Moen Incorporated. All rights reserved.
For more information, visit www.moen.ca