

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [IMEX](#) /

> [IMEX Fiyi GLF016 Wall-Mounted Single-Lever Basin Faucet Instruction Manual](#)

### IMEX GLF016 (ASIN: B0BF5WQNKB)

# IMEX Fiyi GLF016 Wall-Mounted Single-Lever Basin Faucet Instruction Manual

Model: GLF016 (ASIN: B0BF5WQNKB)

## INTRODUCTION

Thank you for choosing the IMEX Fiyi GLF016 Wall-Mounted Single-Lever Basin Faucet. This manual provides detailed instructions for the proper installation, operation, and maintenance of your new faucet. Please read this guide thoroughly before installation and keep it for future reference to ensure safe and efficient use of the product.



*Image: The IMEX Fiyi GLF016 wall-mounted single-lever basin faucet in white matte finish, installed above a white rectangular basin against a dark tiled wall.*

## PRODUCT FEATURES

- **Wall-Mounted Design:** Single-lever basin or bathtub faucet designed for wall installation.
- **Durable Material:** Manufactured from high-quality brass for longevity.
- **Independent Components:** The spout and single-lever handle are separate units, offering flexible installation.
- **Ceramic Cartridge:** Features a 2.5 cm Sedal ceramic disc cartridge in the handle to prevent dripping and promote water saving.
- **Flexible Hoses:** Equipped with Tucai flexible metallic hoses, simplifying installation and accommodating various basin designs and measurements.
- **No Register Box Required:** Installation does not require a register box.
- **Compact Dimensions:** Spout module: 21.5 cm (length) x 8 cm (width) x 8 cm (height). Handle module: 3.6 cm (length) x 8 cm (width) x 11.4 cm (height).

## SPECIFICATIONS

<b>Manufacturer</b>	IMEX / DEVON
<b>Model Number</b>	GLF016 (B0BF5WQNKB)
<b>Color</b>	White Matte
<b>Style</b>	Fiyi Series
<b>Finish</b>	Electrostatic Paint
<b>Material</b>	Brass
<b>Installation Method</b>	Single Hole, Wall-Mounted
<b>Number of Handles</b>	1
<b>Handle Position</b>	Center
<b>Spout Module Dimensions</b>	21.5 cm (L) x 8 cm (W) x 8 cm (H)
<b>Handle Module Dimensions</b>	3.6 cm (L) x 8 cm (W) x 11.4 cm (H)




Image: Technical diagram showing the dimensions of the spout and handle modules for the IMEX Fiyi GLF016 faucet.

## SETUP AND INSTALLATION

This faucet is designed for wall-mounted installation. While a register box is not required, professional installation is

recommended to ensure proper function and prevent leaks. Ensure you have the necessary tools and plumbing knowledge before proceeding.

### Before Installation:

- Turn off the main water supply to your bathroom.
- Clear the installation area and ensure you have enough space to work.
- Inspect all components for any damage before starting.

### Installation Steps (General Guide):

1. **Prepare Wall Openings:** Create the necessary openings in the wall for the hot and cold water lines and the faucet's internal components, according to the dimensions provided in the technical diagram.
2. **Install Internal Components:** Connect the flexible Tucai hoses to the water supply lines. Secure the internal mixing unit and water connections within the wall.
3. **Mount Spout and Handle Modules:** Once the internal plumbing is secure and tested for leaks, attach the external spout and handle modules to their respective wall connections. Ensure they are level and securely fastened.
4. **Connect Handle:** Connect the single-lever handle to the ceramic cartridge, ensuring smooth operation.
5. **Test Faucet:** Slowly turn on the main water supply. Check for any leaks around the connections. Operate the faucet to ensure proper water flow and temperature control.

*Note: Specific plumbing configurations may vary. Consult a qualified plumber if you are unsure about any step of the installation process.*

## OPERATING INSTRUCTIONS

---

The IMEX Fiya GLF016 faucet features a single-lever design for easy control of water flow and temperature.

- **Turning On/Off:** Lift the lever handle to turn on the water. Push it down to turn off the water.
- **Adjusting Water Flow:** The further you lift the lever, the greater the water flow.
- **Adjusting Temperature:** Move the lever to the left for hot water and to the right for cold water. The central position provides mixed water.

Familiarize yourself with the handle's movement to achieve your desired water temperature and flow.

## MAINTENANCE AND CARE

---

Proper maintenance ensures the longevity and aesthetic appeal of your IMEX Fiya faucet. Follow these guidelines for optimal care:

1. **Regular Cleaning:** After each use, wipe away any water or soap residue from the faucet surface with a soft cotton cloth. This prevents water spots and preserves the finish. Avoid abrasive sponges or brushes, as they can scratch the surface.
2. **Preventing Limescale:** Limescale deposits can damage the chrome finish. It is crucial to dry the faucet after each use to prevent calcification. If limescale builds up, especially in corners and joints, use a mild cleaner based on citric acid. Do not spray the concentrated cleaner directly onto the faucet; instead, apply it to a cloth and then wipe the faucet.
3. **Aerator Cleaning:** The aerator can be easily removed for cleaning. Submerge it in hot water with a little cleaner for about ten minutes to dissolve deposits.
4. **Rinsing:** After cleaning, thoroughly rinse the faucet with clean water.
5. **Final Polish:** Repeat the first step by wiping the faucet with a soft, dry cotton cloth to remove any remaining

cleaning product and restore a brilliant finish.

6. **Bathroom Ventilation:** Regularly ventilate your bathroom to prevent condensation, humidity, and the accumulation of methane gas from drains, which can affect the faucet's environment.

For a visual guide on cleaning and care, please watch the official IMEX video below:

Your browser does not support the video tag.

*Video: Official IMEX cleaning tips for faucets. This video demonstrates the recommended steps for maintaining the finish and functionality of your IMEX faucet, including drying after use, cleaning limescale, and aerator maintenance.*

## TROUBLESHOOTING

---

If you encounter issues with your faucet, refer to the following common problems and solutions:

- **Low Water Pressure:**

- Check if the main water supply is fully open.
- Clean the aerator (refer to Maintenance section). Mineral deposits can restrict water flow.
- Inspect the water supply lines for kinks or blockages.

- **Leaking Faucet:**

- Ensure all connections are tightened properly (do not overtighten).
- A dripping faucet often indicates a worn ceramic cartridge. Contact customer support for replacement parts or professional assistance.

- **Difficulty Adjusting Temperature:**

- Verify that both hot and cold water supplies are open.
- If the issue persists, the ceramic cartridge might need inspection or replacement.

For problems not listed here or if troubleshooting steps do not resolve the issue, please contact customer support.

## WARRANTY AND SUPPORT

---

Specific warranty information for the IMEX Fiyi GLF016 faucet is not provided in the product details. Please refer to the retailer's or manufacturer's official website for warranty terms and conditions.

For technical support, replacement parts, or further assistance, please contact the manufacturer or your point of purchase. Keep your purchase receipt and model information handy when contacting support.