

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [amFilm](#) /

› [amFilm OneTouch Screen Protector User Manual for Steam Deck](#)

amFilm Steam Deck

amFilm OneTouch Screen Protector User Manual

For Steam Deck and Steam Deck OLED (7-inch models)

INTRODUCTION

The amFilm OneTouch Screen Protector is a high-quality tempered glass solution designed to protect the display of your Steam Deck or Steam Deck OLED. Engineered for durability and clarity, this screen protector offers superior protection against scratches, impacts, and fingerprints while maintaining full touchscreen sensitivity. Its innovative auto-alignment technology ensures a precise and bubble-free installation.

Key features include:

- **Auto-Alignment Technology:** Ensures perfect fit and easy installation.
- **Thin and Durable:** Ultra-thin 0.3mm thickness with 9H hardness for robust protection.
- **Scratch Resistant:** Protects against daily wear and tear, including scratches and fingerprints.
- **High Transparency:** Maintains original screen clarity and brightness.
- **Oleophobic Coating:** Reduces smudges and fingerprints for a cleaner screen.

WHAT'S IN THE Box

Each amFilm OneTouch Screen Protector kit includes the following components:

- 2 x amFilm OneTouch Screen Protector Kits (each with a screen protector preset in an installation tray)
- 2 x Microfiber Cleaning Cloths
- 1 x Installation Guide
- 2 x Large Dust Removal Covers



Premium Glass

Tempered glass is engineered for enhanced impact resistance, plus it effectively resists scratches up to 9H (harder than a knife.)




Image: Contents of the amFilm OneTouch Screen Protector kit, including two screen protectors pre-installed in alignment trays, microfiber cloths, and dust removal stickers.

SETUP AND INSTALLATION

The amFilm OneTouch Screen Protector features a patented auto-alignment technology for a simple and precise installation process. Follow these steps carefully for optimal results:

Installation Steps:

- Step 1: Prepare Your Device.** Ensure your Steam Deck or Steam Deck OLED is powered off. Use the included microfiber cloth to thoroughly clean the screen surface, removing any dust, smudges, or fingerprints. For stubborn dust particles, use the large dust removal cover by gently dabbing it across the screen.

Easiest Ever to Install



Image: An exploded diagram illustrating the components of the screen protector system, including the Steam Deck, the tempered glass screen protector, and the auto-alignment frame, highlighting the ease of installation.

2. **Step 2: Position the Alignment Tray.** The screen protector comes pre-installed within a patented auto-alignment tray. Carefully remove the protective film from the adhesive side of the screen protector (usually indicated as "Back" or "Adhesive Side"). Align the tray with your Steam Deck, ensuring the joystick cutouts and other features match the device. Gently lower the tray onto the Steam Deck.

For Steam Deck

This screen protector is **ONLY** compatible
with the Steam Deck.



Image: The screen protector, pre-fitted into its alignment tray, is shown being placed onto the Steam Deck, demonstrating the precise fit for the device.

3. **Step 3: Apply the Screen Protector.** Once the tray is correctly positioned, gently press down on the center of the screen protector. The adhesive will begin to spread outwards. You may see the air being pushed out as the protector adheres to the screen. Apply light pressure from the center towards the edges to ensure full adhesion and to remove any remaining air bubbles.

Ultra-Sensitive

This screen protector does not interfere with the touch-screen.



Image: A four-step visual guide demonstrating the installation process: 1) Peeling the protective film, 2) Aligning the tray with the device, 3) Pressing the center for adhesion, and 4) Smoothing out any bubbles from the center outwards.

4. **Step 4: Remove the Tray.** Once the screen protector has fully adhered and all air bubbles are removed, carefully lift the alignment tray away from the Steam Deck. The screen protector should now be perfectly installed on your device. Gently wipe the screen with the microfiber cloth to remove any smudges from handling.

Installation Video Guide:

For a visual demonstration of the installation process, please watch the official amFilm video below:

Your browser does not support the video tag.

Video: Official amFilm OneTouch Steam Deck Screen Protector installation guide (Duration: 0:23).

OPERATING THE SCREEN PROTECTOR

Once installed, the amFilm OneTouch Screen Protector functions seamlessly with your Steam Deck. It is designed to be ultra-sensitive, ensuring that it does not interfere with the device's touch-screen responsiveness, allowing for smooth and accurate input during gameplay or navigation.

Perfect Fit

made specifically for steam deck 7 inch
protector perfectly fits the screen



Image: A hand touching the screen of a Steam Deck with the screen protector applied, illustrating that the protector maintains full touch sensitivity.

The protector provides a perfect fit for the 7-inch Steam Deck display, covering the entire active screen area without obstructing any sensors or cameras.

For Steam Deck

This screen protector is **ONLY** compatible with the Steam Deck.



Image: A transparent screen protector positioned over a Steam Deck, emphasizing its perfect fit for the device's 7-inch display.

Maintenance

To ensure the longevity and clarity of your amFilm OneTouch Screen Protector, follow these simple maintenance guidelines:

- **Cleaning:** Use a soft, lint-free cloth (like the microfiber cloth provided) to gently wipe the screen. For smudges or fingerprints, you can slightly dampen the cloth with water or a screen-safe cleaning solution. Avoid using harsh chemicals, abrasive materials, or paper towels, as these can damage the oleophobic coating or scratch the protector.
- **Fingerprint Resistance:** The screen protector features an oleophobic coating that helps repel oils and reduce fingerprint smudges. Regular wiping with a microfiber cloth will keep your screen looking clean.
- **Avoid Sharp Objects:** While the protector boasts 9H hardness, extreme pressure or sharp objects can still cause damage. Treat your device with care to maximize the protector's lifespan.

Premium Quality



HIGHLY RESPONSIVE



ZERO BUBBLES



SCRATCH RESISTANT



OLEOPHOBIC COATING



99.9%
HIGH TRANSPARENCY



ULTRA THIN

Image: A visual summary of the screen protector's premium qualities, including high responsiveness, zero bubbles, 9H scratch resistance, oleophobic coating, ultra-thin profile (0.33mm), and 99.9% high transparency.

TROUBLESHOOTING

If you encounter any issues during or after installation, refer to the following common problems and solutions:

Common Issues and Solutions:

• Bubbles After Installation:

- *Small Bubbles:* Minor bubbles often disappear naturally within 24-48 hours as the adhesive fully settles.
- *Large Bubbles:* If large bubbles persist, gently try to push them towards the nearest edge using a soft cloth or the provided squeegee (if included). Avoid excessive force.

- **Dust Particles Trapped Underneath:**

- Dust is the most common cause of persistent bubbles. Ensure the screen is completely dust-free before application.
- If dust is trapped, it is generally difficult to remove without lifting the protector, which can compromise adhesion or introduce more dust. The kit includes two screen protectors, providing a spare in case the first attempt is not perfect due to dust.

- **Screen Protector Not Adhering Properly:**

- Ensure the screen was clean and dry before application.
- Apply firm, even pressure across the entire surface during installation.
- Avoid touching the adhesive side of the screen protector during installation.

SPECIFICATIONS

Feature	Description
Brand	amFilm
Compatible Devices	Steam Deck, Steam Deck OLED (7-inch models)
Material	Tempered Glass
Item Hardness	9H
Thickness	0.3mm
Special Features	Anti-Fingerprint, Scratch Resistant, High Transparency, Zero Bubbles, Oleophobic Coating
Product Dimensions	4.72 x 3.94 x 0.39 inches
Item Weight	5.3 ounces

WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the official amFilm website or contact their customer service directly. The manufacturer of this product is TechMatte.

You can visit the amFilm store for more information:[amFilm Official Store](#)