

[Manuals.plus](#) /

› [Dysead](#) /

› Dysead AC Adapter Charger for Stanley Intertek 3100397 FatMax LEDLIS SL1M Power Supply User Manual

## Dysead AC Adapter Charger

# Dysead AC Adapter Charger User Manual

For Stanley Intertek 3100397 FatMax LEDLIS SL1M Power Supply

## INTRODUCTION

This manual provides instructions for the safe and efficient use of your Dysead AC Adapter Charger. Please read this manual thoroughly before using the product and retain it for future reference. This charger is designed to be compatible with the Stanley Intertek 3100397 FatMax LEDLIS SL1M Power Supply.



# PREMIUM COPPER WIRE




Image 1: The Dysead AC Adapter Charger. This image displays the compact design of the charger unit with its attached power cord and plug.

## SAFETY INFORMATION

Always observe the following safety precautions to prevent injury or damage to the product:

- Do not expose the charger to rain or moisture.
- Do not disassemble the charger. Refer all servicing to qualified personnel.
- Ensure the power outlet voltage matches the charger's input voltage (240 Volts).
- Avoid using the charger in extremely hot or cold environments.
- Keep the charger away from children.
- Unplug the charger from the power outlet when not in use.

# SAFE&RELIABLE

## BUILT-IN SAFETY PROTECTIONS



Short circuit  
protection



Over-current  
protection



Over-voltage  
protection



Environmentally  
friendly



Over temperature  
protection

Image 2: Built-in Safety Protections. This image illustrates the various safety features integrated into the charger, including short circuit, over-current, over-voltage, environmental friendliness, and over-temperature protection icons.

### SETUP

1. **Unpack the Charger:** Carefully remove the AC adapter charger from its packaging. Inspect it for any visible damage.
2. **Connect to Device:** Plug the output connector of the AC adapter charger into the charging port of your Stanley Intertek 3100397 FatMax LEDLIS SL1M Power Supply. Ensure a secure connection.
3. **Connect to Power Outlet:** Insert the AC plug of the charger into a standard 240 Volt wall outlet.
4. **Verify Connection:** Some devices may have an indicator light to show that charging has begun. Refer to your device's manual for specific charging indicators.

### OPERATING INSTRUCTIONS

Once properly connected, the charger will begin to supply power to your compatible device. The Dysead AC Adapter Charger is designed with multiple safety features to ensure reliable operation:

- **Over Current Protection (OCP):** Prevents damage from excessive current flow.
- **Over Voltage Protection (OVP):** Safeguards against voltage surges.
- **Over Temperature Protection (OTP):** Protects the charger from overheating.
- **Short Circuit Protection (SCP):** Automatically shuts down in case of a short circuit.

The charger is suitable for various environments, including home, travel, study, and work, due to its compact and durable design.



Image 3: Charger Usage Scenarios. This image shows the charger being used in various settings: home, travel, study, and work, highlighting its versatility.

## MAINTENANCE

To ensure the longevity and optimal performance of your AC adapter charger, follow these maintenance guidelines:

- **Cleaning:** Disconnect the charger from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the charger in a cool, dry place when not in use. Avoid wrapping the cable too tightly to prevent damage.
- **Cable Care:** Do not bend or crimp the cable excessively. The charger features a flexible and durable wire designed for resilience.

## Flexible Wire More Durable

Selected high-quality environmentally friendly TPE material, toughness, anti-aging, not easy to break




Image 4: Flexible and Durable Wire. This image demonstrates the flexibility and durability of the charger's cable, highlighting its resistance to bending and pulling.




Image 5: Premium Copper Wire Construction. This image provides a cross-sectional view of the charger's cable, showing its internal structure with high-grade copper wires, PVC cable jacket, and aluminum foil shield, indicating quality construction.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not charging.	<ul style="list-style-type: none"><li>• Charger not properly connected.</li><li>• Power outlet not active.</li><li>• Device charging port issue.</li><li>• Charger malfunction.</li></ul>	<ul style="list-style-type: none"><li>• Ensure both ends of the charger are securely plugged in.</li><li>• Test the power outlet with another device.</li><li>• Check the device's charging port for debris or damage.</li><li>• If possible, test the charger with another compatible device.</li></ul>
Charger feels hot.	<ul style="list-style-type: none"><li>• Normal operation (slight warmth).</li><li>• Overload or poor ventilation.</li></ul>	<ul style="list-style-type: none"><li>• If excessively hot, disconnect immediately.</li><li>• Ensure the charger is in a well-ventilated area.</li><li>• Verify the device being charged is compatible and not drawing excessive power.</li></ul>

## SPECIFICATIONS

- **Brand:** Dysead
- **Input Voltage:** 240 Volts
- **Compatibility:** Stanley Intertek 3100397 FatMax LEDLIS SL1M Power Supply
- **Connector Type:** MagSafe *(Note: This appears to be an error in the source data, as MagSafe is typically Apple-specific. Users should verify the connector type for their specific Stanley device.)*
- **Safety Certifications:** OCP (Over Current Protection), OVP (Over Voltage Protection), OTP (Over Temperature Protection), SCP (Short Circuit Protection)
- **Package Includes:** 1 x Power Adapter

## WARRANTY AND SUPPORT

Specific warranty information for this Dysead product is not detailed in the provided product data. For warranty claims or technical support, please refer to the retailer where the product was purchased or contact Dysead customer service directly through their official channels. Keep your purchase receipt as proof of purchase.

For further assistance, you may visit the Dysead brand page on Amazon: [Dysead Brand Store](#)